

# Fire action EEC (manual without lift) - A5 Rigid

Product Code: CA\_58318

Price Excl.VAT: £6.18



## Short Description

Fire action EEC (manual without lift) - A5 Rigid

## Description

58318: Fire action EEC (manual without lift) - A5 Rigid Plastic

## Size Height 148 x 210 mm wide

Part of the Fire Action Signs group of safety signs

## Sign Information

Below is a more detailed description of the materials this particular safety sign is available in. Helping you decide which sign option is most suitable for your application.

**Rigid Plastic:** Lightweight, gloss white PVC with high impact strength. Suitable for both internal and external safety signs. Easily drilled for wall fixing.

**Self-Adhesive Vinyl:** A high gloss, flexible PVC vinyl with self-adhesive backing. Suitable for applying to most smooth, dry and clean surfaces. Ideally suited for internal signs.

**Photoluminescent Rigid Plastic:** 1.2mm Rigid PVC with photoluminescent (glow in the dark) pigmentation. Afterglow properties exceed PSPA Class C grade, as measured to DIN 67510 , provides razor sharp definition even in blackout conditions.

**Photoluminescent Self Adhesive:** Flexible PVC with photoluminescent (glow in the dark) pigmentation. Afterglow properties exceed PSPA Class C grade, as measured to DIN 67510 , provides razor sharp definition even in blackout conditions.

**Aluminium:** 0.9mm aluminium with a gloss white powder coated face. Suitable for both internal and external applications. Excellent weathering and UV resistance provides a long-life product.

**Polycarbonate:** 2mm transparent and flame retardant polycarbonate, provides extreme resistance to impact. Sub-surface printing reduces the risk of damage or vandalism to the sign face.

**Rigid Plastic with Self Adhesive Back:** Rigid PVC provides a durable finish, whilst a high tack self-adhesive backing removes the need for drilling, screwing or additional adhesive fixings. Also referred to as Quick-Fix signs.

**Fluted Polypropylene:** A corrugated twin-walled plastic, ideal for temporary signage. Lightweight, waterproof and strong, 100% recyclable.

**PVC Banner:** Flame resistant 440gsm PVC banner for indoor or outdoor applications. Digitally printed for eye-catching displays.

**Brass/Aluminium Effect:** A 2-Ply 1.5mm rigid PVC laminate with brushed aluminium or brass effect surface. Heat-resistant and robust to withstand the toughest environments

Unit A43-A44, Kingsley Close, Lee Mill Industrial Estate, Ivybridge, DEVON PL21 9LL. United Kingdom

**Call 0800 0418 650 (UK Only)**