

'EZ STORE' SHELVING SYSTEMS

Bright Chrome Wire – EZC

c/w Chrome Post

Usage	<ul style="list-style-type: none"> ■ Drystores ■ Display / retail ■ Archive / office ■ Linen areas
--------------	--

Unsuitable	<ul style="list-style-type: none"> ■ Chiller / wet areas
-------------------	---



Complete 3 Tier Units – 1650mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Complete 4 Tier Units – 1800mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Example Product Code - EZC-4-5x12 = 1200 x 500 depth 4 tier unit

Mobile option – Pre Fitted	Code	£ set
125mm castors – all swivel / 2x braked	EZ-ACS-CAS-125	
100mm castors – all swivel / 2x braked	EZ-ACS-CAS-100	
125mm castors – all swivel / 2x braked / st st	EZ-ACS-SSCAS-125	

Single Shelves

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Nylon Coated Wire – EZN

c/w Nylon Post

Usage	<ul style="list-style-type: none"> ■ Drystores ■ Chiller / freezer ■ Chemical / linen ■ Kitchen areas ■ Wet storage ■ Crockery
--------------	--



Complete 3 Tier Units – 1650mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Complete 4 Tier Units – 1800mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Example Product Code - EZN-4-5x12 = 1200 x 500 depth 4 tier unit

Mobile option – Pre Fitted	Code	£ set
125mm castors – all swivel / 2x braked	EZ-ACS-CAS-125	
100mm castors – all swivel / 2x braked	EZ-ACS-CAS-100	
125mm castors – all swivel / 2x braked / st st	EZ-ACS-SSCAS-125	

Single Shelves

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Chrome Wire Dunnage Racks – DRC



	900mm	1000mm	1200mm	1500mm
400mm				
500mm				
600mm				

All units 200mm high with 3-sided stability frame

Example Code - DRC - 12x5 = 1200 x 500 Chrome Wire Dunnage

Nylon Wire Dunnage Racks – DRN



	900mm	1000mm	1200mm	1500mm
400mm				
500mm				
600mm				

All units 200mm high with 3-sided stability frame

Example Code - DRN - 12x5 = 1200 x 500 Nylon Wire Dunnage

'EZ STORE' ACCESSORIES

Storage

'EZ Store' Shelving Side + Back Ledges



Retaining ledges compatible with 'EZ' Store Wire Range
120mm high ledges - push fit
Available in nylon and chrome

Chrome Wire Side Ledges

Dimensions	300mm	400mm	500mm	600mm
Code	SL-C-3	SL-C-4	SL-C-5	SL-C-6
£				

Chrome Wire Back Ledges

Dimensions	600mm	800mm	900mm	1000mm	1200mm	1500mm	1800mm
Code	BL-C-6	BL-C-8	BL-C-9	BL-C-10	BL-C-12	BL-C-15	BL-C-18
£							

Nylon Wire Side Ledges

Dimensions	300mm	400mm	500mm	600mm
Code	SL-N-3	SL-N-4	SL-N-5	SL-N-6
£				

Nylon Wire Back Ledges

Dimensions	600mm	800mm	900mm	1000mm	1200mm	1500mm	1800mm
Code	BL-N-6	BL-N-8	BL-N-9	BL-N-10	BL-N-12	BL-N-15	BL-N-18
£							

'EZ Store' Castors



Castors

Diameter	100mm	125mm
Code	EZ-ACS-CAS-100	EZ-ACS-CAS-125
£ per set		

Set = 2x braked + 2x unbraked castors

Castors c/w expander to suit EZ Posts

'EZ Store' Posts




Posts

Lengths	Chrome	Nylon	Stainless
200mm			
600mm			
1000mm			
1200mm			
1650mm			
1800mm			
2000mm			
2400mm			

All poles grooved @ 25mm increments

Example Code - ACS-CP-1800
(Chrome Post 1800mm)

'EZ Store' 3-Sided Frames



Nylon 3-Sided Frames

	300	400	500	600
600				
800				
900				
1000				
1200				
1500				
1800				

Example Code - EZN3SF-5x9

Stainless 3-Sided Frames

	300	400	500	600
600				
800				
900				
1000				
1200				
1500				
1800				

Example Code - EZS3SF-5x9

'EZ Store' Shelving Central Dividers



Shelf Dividers - Chrome Wire

Dimensions	300mm	400mm	500mm	600mm
Code	SD-C-3	SD-C-4	SD-C-5	SD-C-6
£				

Shelf Dividers - Nylon Wire

Dimensions	300mm	400mm	500mm	600mm
Code	SD-3-N	SD-4-N	SD-5-N	SD-6-N
£				

Retaining ledges compatible with 'EZ' Store Wire Range
220mm high ledges - push fit
Available in nylon and chrome

'EZ Store' Label Holders



	Code	£
Label Holder	EZ-ACS-LH	

'EZ Store' Post Clamps + Corner Hooks



	Finish	Code	£
Post Clamps (per set)	Stainless	EZ-ACS-PCS	
Black shelf clips (per bag)	Plastic	EZ-ACS-BOC	
"S" Hooks (pair)	Stainless	EZ-ACS-SHS	

'EZ Store' Wall Fixings + Foot Plates



	Finish	Code	£
Wall Fixings (pair)	Stainless	EZ-ACS-WF	
Foot Plates (each)	Stainless	EZ-ACS-FP	

'EZ STORE' SHELVING SYSTEMS

Stainless Steel Solid – EZSS

c/w Chrome Posts

Usage	<ul style="list-style-type: none"> Chiller / freezer Fish Potwash / kitchen Chemical Drystore Heavy duty applications
--------------	---



Complete 3 Tier Units – 1650mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Complete 4 Tier Units – 1800mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Example Product Code - EZSS-4-5x12 = 500x1200 4 tier unit

Mobile option – Pre Fitted	Code	£ set
125mm castors – all swivel / 2x braked	EZ-ACS-CAS-125	
100mm castors – all swivel / 2x braked	EZ-ACS-CAS-100	
125mm castors – all swivel / 2x braked / st st	EZ-ACS-SSCAS-125	

St/St posts in lieu or chrome

Single Shelves

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Stainless Steel Perforated – EZSP

c/w Chrome Posts

Usage	<ul style="list-style-type: none"> Chiller / freezer Fish Potwash / kitchen Chemical Drystore Heavy duty applications
--------------	---



Complete 3 Tier Units – 1650mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Complete 4 Tier Units – 1800mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Example Product Code - EZSP-4-5x12 = 500x1200 4 tier unit

Mobile option – Pre Fitted	Code	£ set
125mm castors – all swivel / 2x braked	EZ-ACS-CAS-125	
100mm castors – all swivel / 2x braked	EZ-ACS-CAS-100	
125mm castors – all swivel / 2x braked / st st	EZ-ACS-SSCAS-125	

St/St posts in lieu or chrome

Single Shelves

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Stainless Solid Dunnage Racks – DRSS



	900mm	1000mm	1200mm	1500mm
400mm				
500mm				
600mm				

All units 200mm high with 3-sided stability frame

Example Code - DRSS-12x5 = 1200 x 500 St/Steel Solid Dunnage

Stainless Perforated Dunnage Racks – DRSP



	900mm	1000mm	1200mm	1500mm
400mm				
500mm				
600mm				

All units 200mm high with 3-sided stability frame

Example Code - DRSP-12x5 = 1200 x 500 St/Steel Perforated Dunnage

'EZ STORE' SHELVING SYSTEMS

Storage

Stainless Steel Wire – EZSW

c/w Chrome Posts

Usage

- Chiller / freezer
- Potwash / kitchen
- Fish
- Drystores
- Crockery
- Heavy duty applications



Complete 3 Tier Units – 1650mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Complete 4 Tier Units – 1800mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Example Product Code - EZSW-4-5x12 = 500x1200 4 tier unit


Mobile option – Pre Fitted	Code	£ set
125mm castors – all swivel / 2x braked	EZ-ACS-CAS-125	
100mm castors – all swivel / 2x braked	EZ-ACS-CAS-100	
125mm castors – all swivel / 2x braked / st st	EZ-ACS-SSCAS-125	

St/St posts in lieu or chrome

Single Shelves

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Stainless Wire Dunnage Racks – DRSW



	900mm	1000mm	1200mm	1500mm
400mm				
500mm				
600mm				

All units 200mm high with 3-sided stability frame

Example Code - DRSW-12X5 = 1200 x 500 St/Steel Wire Dunnage

M.O.D SPEC

M.O.D. Shelving



Solid Format – 4 Tier

Dimensions	CODE	£
900x600x1650mm high	MOD-SS-9x6	
1000x600x1650mm high	MOD-SS-10x6	
1200x600x1650mm high	MOD-SS-12x6	
1500x600x1650mm high	MOD-SS-15x6	
1800x600x1650mm high	MOD-SS-18x6	

Perforated Format – 4 Tier

Dimensions	CODE	£
900x600x1650mm high	MOD-SP-9x6	
1000x600x1650mm high	MOD-SP-10x6	
1200x600x1650mm high	MOD-SP-12x6	
1500x600x1650mm high	MOD-SP-15x6	
1800x600x1650mm high	MOD-SP-18x6	

Prices above for complete 4 tier units - mobile

All units produced to MOD specification

All complete with side + back ledges

Marine Specification Shelving

- Stainless steel
- Removable st/st 'anti-roll' retaining bars
- Bespoke designs available
- St/St marine wall fixings
- St/St marine bolt down feet
- St/St marine ceiling fixings
- Full security cleared installation service available
- Solid / perforated or wire shelf options
- Single units or interlinked

£POA



'EZ STORE' SHELVING SYSTEMS

Galvanised Solid – EZG

c/w Chrome Posts

Usage	<ul style="list-style-type: none"> ■ Drystores ■ Archive / office ■ Linen ■ Waste Management ■ Crockery
--------------	--



Complete 3 Tier Units – 1650mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Complete 4 Tier Units – 1800mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Example Product Code - EZG-4- 5x12 = 500x1200 4 tier unit

Mobile option – Pre Fitted	Code	£ set
125mm castors – all swivel / 2x braked	EZ-ACS-CAS-125	
100mm castors – all swivel / 2x braked	EZ-ACS-CAS-100	
125mm castors – all swivel / 2x braked / st st	EZ-ACS-SSCAS-125	

Single Shelves

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Powder Coated Solid – EZE

c/w Chrome Posts

Usage	<ul style="list-style-type: none"> ■ Drystores ■ Chiller / freezer ■ Chemical / linen ■ Kitchen areas ■ Wet storage ■ Crockery
--------------	--



Complete 3 Tier Units – 1650mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Complete 4 Tier Units – 1800mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Example Product Code - EZE-4-5x12 = 500x1200 4 tier unit

Mobile option – Pre Fitted	Code	£ set
125mm castors – all swivel / 2x braked	EZ-ACS-CAS-125	
100mm castors – all swivel / 2x braked	EZ-ACS-CAS-100	
125mm castors – all swivel / 2x braked / st st	EZ-ACS-SSCAS-125	

Single Shelves

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Galvanised Solid Dunnage Racks – DRG



	900mm	1000mm	1200mm	1500mm
400mm				
500mm				
600mm				

All units 200mm high with 3-sided stability frame

Example Code - DRG12X5 = 1200 x 500 Galvanised Solid Dunnage

Powder Coated Solid Dunnage Racks – DRE



	900mm	1000mm	1200mm	1500mm
400mm				
500mm				
600mm				

All units 200mm high with 3-sided stability frame

Example Code - DRE 12x5 = 1200 x 500 Powder Coated Dunnage

'EZ STORE' STORAGE SOLUTIONS

Storage

EZ Store 'Wide Boy' Coated - 900mm – EZWB

c/w Grey Posts



Extra depth shelves - maximises storage capacity
Increases capacity by 50% compared to 600mm deep units
Nylon Coated finish
Coldroom / Freezer / Drystore suited
Available in 900 / 1200 and 1500mm lengths

Complete 3 tier bays 1650mm poles

Dimensions	Code	£
900x900x1650mm high	EZW-3-9x9	
1200x900x1650mm high	EZW-3-9x12	
1500x900x1650mm high	EZW-3-9x15	


Complete 4 tier bays 1800mm poles

Dimensions	Code	£
900x900x1800mm high	EZW-4-9x9	
1200x900x1800mm high	EZW-4-9x12	
1500x900x1800mm high	EZW-4-9x15	

Example Code - EZNW-4-9x15=900x1500 4-tier unit.

EZ Armour Coated Wire – EZA

c/w Grey Posts



Complete 3 Tier Units – 1650mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Complete 4 Tier Units – 1800mm high

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

Example Product Code - EZA-4-5x12 = 500x1200 4 tier unit

Mobile option – Pre Fitted	Code	£ set
125mm castors – all swivel / 2x braked	EZ-ACS-CAS-125	
100mm castors – all swivel / 2x braked	EZ-ACS-CAS-100	
125mm castors – all swivel / 2x braked / st st	EZ-ACS-SSCAS-125	

Single Shelves

Lengths	300mm depth	400mm depth	500mm depth	600mm depth
600mm				
800mm				
900mm				
1000mm				
1200mm				
1500mm				
1800mm				

EZ Store Slanted Display Shelving



- Chrome Wire Finish
- Ideal for retail display
- 27 degree and 45 degree slant options
- Retaining front edge
- Mobile option available (as shown above)

Complete 4 tier Units

Dimensions	600x450mm	900x450mm	1200x450mm
27 Degree shelves			
45 Degree shelves			

All units 1800mm high

Individual Shelves

Dimensions	600x450mm	900x450mm	1200x450mm
27 Degree shelves			
45 Degree shelves			

Example Code - EZSR27-4-6x4 (Slanted Retail 27 degs - 4 tier - 600x450)

EZ Armour Wire Dunnage Racks – DRA



	900mm	1000mm	1200mm	1500mm
400mm				
500mm				
600mm				

All units 200mm high with 3-sided stability frame

Example Code - DRA - 12x5 = 1200 x 500 Armour Dunnage

Wine Shelving – Chrome & Nylon Wire – EZWR

Usage

- Chiller (Nylon only)
- Restaurant
- Drystore / ambient



Complete 6 Tier Units – Chrome option

Lengths	300mm depth	Bottle capacity	600mm depth	Bottle capacity
600mm				
900mm				
1200mm				

(Bottle capacity based on standard 75cl size)

Example Product Code - EZWRC-6-6X6 = 600 x 600 Chrome 6-tier Unit

Complete 6 Tier Units – Nylon option c/w Nylon Posts

Lengths	300mm depth	Bottle capacity	600mm depth	Bottle capacity
600mm				
900mm				
1200mm				

(Bottle capacity based on standard 75cl size)

Example Product Code - EZWRN-6-600-600 = 600 x 600 Nylon 6-Tier Unit

Mobile option – Pre Fitted	Code	£ set
125mm castors – all swivel / 2x braked	EZ-ACS-CAS-125	
100mm castors – all swivel / 2x braked	EZ-ACS-CAS-100	
125mm castors – all swivel / 2x braked / st st	EZ-ACS-SSCAS-125	

Enclosure Panels to Sides and Rear – Nylon

Lengths	300mm depth	600mm depth
600mm		
900mm		
1200mm		

Please note price must be added to nylon 6 tier price to achieve total unit price

Chrome Utility Carts

2 Tier Units Supplied Flat-Packed

Dimensions	Tiers	Pitch	£
800x500x960mm high	2	590mm	
900x500x960mm high	2	590mm	
1000x500x960mm high	2	590mm	

3 Tier Units

Dimensions	Tiers	Pitch	£
800x500x960mm high	3	280mm	
900x500x960mm high	3	280mm	
1000x500x960mm high	3	280mm	

Options	£
Stainless solid base overshef	
Hook-on st/st container / bin	

Example Code - CUC-3-1000x500 = 3-Tier-1000x500



Security Cages – SEC

Security Cages lockable hinged doors (padlock not included). All units delivered pre-assembled.


Dimensions	Nylon	St/St
900 x 500 x 1800mm high		
1000 x 500 x 1800mm high		
1200 x 500 x 1800mm high		
1500 x 500 x 1800mm high		
1800 x 500 x 1800mm high		
900 x 600 x 1800mm high		
1000 x 600 x 1800mm high		
1200 x 600 x 1800mm high		
1500 x 600 x 1800mm high		
1800 x 600 x 1800mm high		

(Lock not included in above prices)

Example Product Code - SECN-12x5 = 1200 x 500 Nylon Security Unit

Mobile option – Pre Fitted	Code	£ set
125mm castors – all swivel / 2x braked	EZ-ACS-CAS-125	
100mm castors – all swivel / 2x braked	EZ-ACS-CAS-100	
125mm castors – all swivel / 2x braked / st st	EZ-ACS-SSCAS-125	
Concertina doors (for narrow corridors)		

**Stainless steel unit has the option of solid or wire shelves
Please stipulate at the time of order**



Vegetable Rack

Aluminium Sub-Frame

4 Basket Unit

Dimensions	Tiers	Baskets	£
775x577x1700mm high	4	4x Nylon	
775x577x1700mm high	4	4x St/St	

8 Basket Unit

Dimensions	Tiers	Baskets	£
1569x577x1700mm high	4	8x Nylon	
1569x577x1700mm high	4	8x St/St	

Options	£
Mobile option 125mm castors	
Mobile option 100mm castors	

Example Code - VR-2B-N = 2-Tier-Nylon Vegetable Rack



'EZ RACK' REMOVABLE MAT SHELVING SYSTEMS

Storage


Aluminium / Polymer Mat Option – EZPM



Usage

- Chiller / Freezer ■ Kitchen / Crockery ■ Drystore
- Linen ■ Potwash ■ Chemical Storage

Aluminium / Stainless Mat Option – EZSM



Usage

- Chiller / Freezer ■ Kitchen / Crockery ■ Drystore
- Linen ■ Potwash ■ Chemical Storage

Complete 4 tier Units -1700mm high 1550mm + 2000mm heights also available

Lengths	373mm Deep		475mm Deep		577mm Deep	
	4 tier	Tier +/-	4 tier	Tier +/-	4 tier	Tier +/-
596						
684						
772						
862						
950						
1038						
1126						
1216						
1304						
1394						
1569						
1746						
1834						
1922						
2048						
2136						
2224						
2314						
2404						
2492						
2580						
2670						
2760						
2845						
2935						
3110						

Example Product Code Complete 4 tier unit = EZPM-4-577x1216

Complete 4 tier Units -1700mm high 1550mm + 2000mm heights also available

Lengths	373mm Deep		475mm Deep		577mm Deep	
	4 tier	Tier +/-	4 tier	Tier +/-	4 tier	Tier +/-
596						
684						
772						
862						
950						
1038						
1126						
1216						
1304						
1394						
1569						
1746						
1834						
1922						
2048						
2136						
2224						
2314						
2404						
2492						
2580						
2670						
2760						
2845						
2935						
3110						

Example Product Code Complete 4 tier unit = EZSM-4-577x1216

Options	Code	£
Mobile Option 125mm Castors (Only applies to 596 to 1569mm units)	EZR-ACS-CAS125	
Mobile Option 100mm Castors (Only applies to 596 to 1569mm units)	EZR-ACS-CAS100	
Mobile Option st/steel castors (Only applies to 596 to 1569mm units)	EZR-ACS-SSCAS-125	

Options	Code	£
Deduction for 1500mm uprights	EZR-ACS-1550UP	
Addition for 2000mm uprights	EZR-ACS-2000UP	
Drawer Runner + 100mm Poly Pan (373 & 577mm only, please stipulate at time of order)	EZR-ACS-DR	



Corner clips can be supplied in lieu of upright/s. Please state at time of order if you wish to create a 'U' or 'L' shape configuration.



Polyrakk Plus - 4-Tier – PP



Complete 4-tier units - 1800mm high
(1600 & 2000mm heights also available)

Length	355mm	Tier +/-	455mm	Tier +/-	610mm	Tier +/-
910						
1060						
1220						
1370						
1525						
1825						
1930						
2080						
2240						
2400						
2550						
2705						
2845						
3010						
3155						
3350						
3610						

Example code: PP-4-455X1220 = 455x1220 4 tier unit

Options	Code	£
Mobile Option 125mm Castors (Only applies to 910 to 1825mm units)	EZR-ACS-CAS125	
Mobile Option 100mm Castors (Only applies to 910 to 1825mm units)	EZR-ACS-CAS100	

- Polypropylene coated steel frame system giving 100% anti-corrosion guarantee.
- Heavy duty usage – 250kg load capacity
- Steel core to uprights and cross beams for extra rigidity.
- Shelves made up of removable grids – dishwasher clean compatible
- Easily erected and adjusted – shelves @ 100mm increments
- Temp tolerant from +88C to -30C
- End and centre uprights allow single bay usage or continuous runs.
- Corner connectors allow unobstructed “L” and “U” shaped configurations.
- Simple addition of castors make units mobile (no mobile kits / extra bracing required)



METROMAX Q SHELVING

Storage



Metromax Q - Polymer mat



Complete 3-Tier units – 63" – 1585mm high

	18" – 457mm	21" – 530mm	24" – 610mm
24" – 610mm			
30" – 760mm			
36" – 914mm			
42" – 1060mm			
48" – 1220mm			
54" – 1372mm			
60" – 1524mm			
72" – 1829mm			

Complete 4-Tier units – 74" – 1890mm high

	18" – 457mm	21" – 530mm	24" – 610mm
24" – 610mm			
30" – 760mm			
36" – 914mm			
42" – 1060mm			
48" – 1220mm			
54" – 1372mm			
60" – 1524mm			
72" – 1829mm			

Example Product Code – MQ742148G-4 = 1220 x 530 depth 4-tier unit

Single Shelves

	18" – 457mm	21" – 530mm	24" – 610mm
24" – 610mm			
30" – 760mm			
36" – 914mm			
42" – 1060mm			
48" – 1220mm			
54" – 1372mm			
60" – 1524mm			
72" – 1829mm			

Mobile option	£
125mm castors - all swivel / 2x braked	
100mm castors - none with brakes	



hygienic, removable polymer mats



Unique "quick release" design

- Removable polymer mats - louvred format with Microban protection
- Powder coated wire shelf subframe for strength
- Powder coated posts - grooved to accept plastic assembly collars
- Unique design allows quick release for adjustment of shelves
- Load capacity 300kg per shelf
- Usages - Equipment / Ward stores
Theatre stores
General stores
Laboratory
Coldroom / Freezer /
Humid environments


Polymer Bow Tie Dunnage Racks



Polymer dunnage

Code	Dimensions	Load	£
HP2230PD	760x533x370mm high	680kg	
HP2236PD	914x533x370mm high	680kg	
HP2248PD	1220x533x370mm high	1365kg	
HP2260PD	1525x533x370mm high	1365kg	

- One piece polymer design
- Corrosion resistant construction
- Slotted top for air circulation
- Easy to clean smooth, radiused surfaces
- Bow tie connector supplied



HIGH DENSITY SYSTEMS

Mechanically Driven Chassis System



Shows stainless perforated mounted on 'Double Chassis'



Shows chrome wire shelving mounted on 'Double Chassis'

- High Density systems designed to maximise space available
- Stainless chassis on which shelving systems are mounted
- Chassis driven by hand wheel situated at front of unit
- Chassis traverse along a floor laid track positioned at extreme rear of unit
- Track positioned at rear of units removes danger of trip hazards



- Movement of chassis creates access aisle where desired
- Chassis can be Double or Single models
- Glide strips allow smooth running of castors and protects floor surfaces
- 'Gearing' of chassis movement can be adjusted
- Lockable option available
- Suitable for all Freezer / Chiller / Drystore environments
- All prices on application

Manual Movement Chassis System



Shows Polyakk shelving mounted on manual movement chassis.

- High Density systems designed to maximise space available
- Stainless chassis on which shelving systems are mounted
- Chassis driven by manual push / pull of units
- Chassis traverse along a floor laid track positioned at extreme rear of unit
- Movement of chassis creates access aisle where desired
- Chassis can be Double or Single models
- Glide strips allow smooth running of castors and protects floor surfaces
- Track and bearings allow smooth running of units
- Lockable option available
- Track positioned at rear of units removes danger of trip hazards
- Suitable for all Freezer / Chiller / Drystore environments
- All prices on application

Suspended Top Track System




- Top Track System
- Aluminium extruded 'Super Structure'
- Units suspended from top track
- Floor areas clear from obstructions / easy to clean
- Units traverse on bearings
- Infinite layouts / designs
- Only compatible with 'EZ Rack Removable' Units
- Suitable for all Freezer / Chiller / Drystore environments
- Minimum height required 2300mm internal
- All prices on application

Metro Top Track system



- Top track system using aluminium extruded track positioned at high level
- Track positioned @ 2185mm FFL and connected to stationary end units
- Mobile units traverse along track to create an access aisle where required
- System condenses and maximises space in cramped situations
- Promotes stock rotation and stock identification / segregation
- Floor surfaces are easily cleaned
- All shelving systems (except aluminium/polymer) can be incorporated into this system
- Minimum height required = 2250mm
- Maximum loading per mobile unit = 400kg
- Stationary intermediate units required when track exceeds 6400mm length
- Fully bespoke design - **Price on application**



Metro QwikTrack system



- QwikTrack system using aluminium extruded or stainless floor laid track
- Track surface mounted, front and back and connected to stationary end units
- Mobile units traverse along track to create an access aisle where required
- Ideal in situations where ceilings are low and Top track cannot be used
- All shelving systems (except aluminium/polymer) can be incorporated into this system
- Maximum load for mobile units = 900kg
- Mobile unit height must not exceed 1880mm
- Fully bespoke design - **Price on application**



Stainless Wall Shelves - solid format



Stainless Solid Wall Shelves - 300mm Deep

Dimensions	Code	£
Up to 900mm	WSSOL-9x3	
1000mm	WSSOL-10x3	
1200mm	WSSOL-12x3	
1500mm	WSSOL-15x3	
1800mm	WSSOL-18x3	

One-piece design - 1.2mm thickness
removable/ height adjustable

Stainless Solid Wall Shelves - 400mm Deep

Dimensions	Code	£
Up to 900mm	WSSOL-9x4	
1000mm	WSSOL-10x4	
1200mm	WSSOL-12x4	
1500mm	WSSOL-15x4	
1800mm	WSSOL-18x4	

One-piece design - 1.2mm thickness
removable/ height adjustable

Stainless Wall Battens

Dimensions	Code	£ per set
300mm high	WBS-300	
500mm high	WBS-500	
1200mm high	WBS-1200	
1500mm high	WBS-1500	

Battens slotted at 25mm increments

Stainless Wall Shelves - tubular format



Stainless Tubular Wall Shelves - 300mm Deep

Dimensions	Code	£
Up to 900mm	WSSLA-9x3	
1000mm	WSSLA-10x3	
1200mm	WSSLA-12x3	
1500mm	WSSLA-15x3	
1800mm	WSSLA-18x3	
2000mm	WSSLA-20x3	
2400mm	WSSLA-24x3	

Tubular format - 20mm diameter tube
removable/ height adjustable

Stainless Tubular Wall Shelves - 400mm Deep

Dimensions	Code	£
Up to 900mm	WSSLA-9x4	
1000mm	WSSLA-10x4	
1200mm	WSSLA-12x4	
1500mm	WSSLA-15x4	
1800mm	WSSLA-18x4	
2000mm	WSSLA-20x4	
2400mm	WSSLA-24x4	


Tubular format - 20mm diameter tube
removable/ height adjustable

Stainless Wall Battens

Dimensions	Code	£ per set
300mm high	WBS-300	
500mm high	WBS-500	
1200mm high	WBS-1200	
1500mm high	WBS-1500	

Battens slotted at 25mm increments

Chrome Wire Wall Shelves - Single tier & 2 Tier



Shows 2 tier unit 800x300

Chrome Wire Wall Shelves - Single Tier - 300mm Deep

Dimensions	Code	£
600mm	WSCW-6x3-1	
800mm	WSCW-8x3-1	
900mm	WSCW-9x3-1	
1000mm	WSCW-10x3-1	
1200mm	WSCW-12x3-1	
1500mm	WSCW-15x3-1	

Above prices are for complete units (includes shelf / brackets / poles / clamps)

Above units use 300mm high poles

For runs over 1500mm long please
contact for price

Chrome Wire Wall Shelves - 2 Tier - 300mm Deep


Dimensions	Code	£
600mm	WSCW-6x3-2	
800mm	WSCW-8x3-2	
900mm	WSCW-9x3-2	
1000mm	WSCW-10x3-2	
1200mm	WSCW-12x3-2	
1500mm	WSCW-15x3-2	

Above prices are for complete units (includes shelf / brackets / poles / clamps)

Above units use 600mm high poles

For runs over 1500mm long please
contact for price


Dishwash Basket Wall Shelf - Solid Base



Dimensions	Baskets	Code	£
1100mm	2	DBWSS-2	
1600mm	3	DBWSS-3	
2200mm	4	DBWSS-4	

Unit c/w solid base with drain hole

Dishwash Basket Wall Shelf - Open



Dimensions	Baskets	Code	£
1100mm	5	DBWSO-2	
1600mm	7	DBWSO-3	
2200mm	9	DBWSO-4	

REFUSE / WASTE BINS

Storage

Step-on Waste Bins



Front-step style:

Item	Dimensions	Code	£
50 Ltr	456x291x719mm	WBSOF-50	
68 Ltr	499x310x802mm	WBSOF-68	
90 Ltr	570x352x825mm	WBSOF-90	

- Bins available in Beige, White, Red, Yellow, Grey, Black & Blue
- 90 Ltr c/w built in wheels

Rigid Liners:

(Applicable for 'Front-step style' bins only.)

Style	Code	£
50 Ltr Single Rigid liner	WBSOF-50-ACS-SL	
68 Ltr Single Rigid liner	WBSOF-68-ACS-SL	
90 Ltr Single Rigid liner	WBSOF-90-ACS-SL	
90 Ltr Dual Rigid liner	WBSOF-90-ACS-DL	

End-step style:

Item	Dimensions	Code	£
50 Ltr	527x343x720mm	WBSOE-50	
68 Ltr	561x373x781mm	WBSOE-68	
90 Ltr	637x403x813mm	WBSOE-90	

- Bins available in Beige & Black
- Single Rigid Liner included with all 'End-step style' bins
- 90 Ltr c/w built in wheels

Miscellaneous:

Item	Dimensions	Code	£
Closet Organiser	475x83mm high	1992	
Pop-up Cone	760mm high	PUC76	



60 and 87ltr Polymer Waste Bins

Polymer Waste Bins:

Item	Dimensions	Code	£
60 Ltr	508x279x632mm	WBSJ60	
87 Ltr	508x279x760mm	WBSJ87	

- Bins available in Grey, Black, Blue, Red, Green & Yellow.
- (60 Ltr only available in Grey & Black.)

Accessories:

Items	Code	£
Polymer Swing Lid (adds 105mm)	WBSJL	
Polymer Dolly (adds 120mm)	WSJD	
S/S Single Dolly (adds 115mm)	WBSJWD-1	
S/S Double Dolly (adds 115mm)	WBSJWD-2	
S/S Triple Dolly (adds 115mm)	WBSJWD-3	
S/S Quad Dolly (adds 115mm)	WBSJWD-4	



Rectangular Waste Bins

Rectangular Waste Bins:

Item	Dimensions	Code	£
12.9 Ltr	289x210x308mm	WB13	
26.6 Ltr	365x260x380mm	WB26	
39 Ltr	387x279x505mm	WB39	

- Bins available in Black, Grey & Blue (with recycling logo)

Fire Resistant Rectangular Waste Bins:

Item	Dimensions	Code	£
26.5 Ltr	365x260x380mm	WBFR26	
37.9 Ltr	387x279x505mm	WBFR38	

- 26.5 Ltr available in Black & Grey
- 37.9 Ltr available in Beige only



Stainless Flip Top Bins - with & without surround



■ Without surround



■ With surround

Stainless Flip Top Bin - without surround

Dimensions	Capacity	Code	£
450x535x900mm high	100 ltr	FTRB	

- Stainless construction with polymer lid
- Rigid bag support with elastic strap
- 150mm diameter wheels

Stainless Flip Top Bin - with stainless surround

Dimensions	Capacity	Code	£
450x535x900mm high	100 ltr	FTRB-S	

- Stainless construction with polymer lid
- Rigid bag support with elastic strap
- 150mm diameter wheels
- Rigid stainless surround with hinged door and latch

Large round and square Waste Bins



■ Image show bins with optional lid and dolly

Polymer Round Bins

Item	Dimensions	Code	£
Round Bin - 76 ltr	500 dia x 580mm high	WBR76	
Round Bin - 121 ltr	560 dia x 690mm high	WBR121	
Round Snap-On Lid		WBRL	
Round Dolly	570mm dia x 100mm high	WBRD	

- Bins & lids available in Grey / White, Dolly suits both size bins, Lid suits both bin

Polymer Square Bins

Item	Dimensions	Code	£
Square Bin - 105 ltr	550x550x572mm high	WBS105	
Square Bin - 151 ltr	600x600x730mm high	WBS151	
Square Snap-On Lid		WBSL	
Square Dolly	650x650x100mm high	WBSD	

- Bins & lids available in Grey / White, Dolly suits both size bins, Lid suits both bins

'PREMIER' GASTRO RACKING TROLLEYS

Gastro 1/1 Trolleys - Full Height & Low Level



Shows Full Height - 20 tier unit



Shows Low Level - 7 tier

Full Height Models

Dimensions	Tiers	Code	Pitch	Load Profile	£
450x610x1650mm high	10	PGT-1/1-10	135mm	325mm	
450x610x1650mm high	15	PGT-1/1-15	90mm	325mm	
450x610x1650mm high	20	PGT-1/1-20	65mm	325mm	

Low Level Models

Dimensions	Tiers	Code	Pitch	Load Profile	£
450x610x900mm high	7	PGLL-1/1-7	90mm	325mm	

- Fully welded stainless steel construction
- Retaining edge to front and rear of trayslides
- Low Level unit c/w solid worktop
- 125mm castors fitted with bumpers as standard

Options	Code	£
Food Quality Clear Covers - 1700mm high only	PGT-ACS-1/1FC17	
Food Quality Clear Covers - 900mm high only	PGT-ACS-1/1FC9	
Anti -tilt trayslides	PGT-ACS-TR	

Please see Trolley Accessories page 33 for Gastro 1/1 wire grids + pans

Gastro 2/1 Trolleys - Full Height & Low Level



Shows Full Height - 20 tier unit



Shows Low Level - 7 tier

Full Height Models

Dimensions	Tiers	Code	Pitch	Load Profile	£
660x774x1650mm high	10	PGT-2/1-10	135mm	530mm	
660x774x1650mm high	15	PGT-2/1-15	90mm	530mm	
660x774x1650mm high	20	PGT-2/1-20	65mm	530mm	

Low Level Models

Dimensions	Tiers	Code	Pitch	Load Profile	£
660x774x900mm high	7	PGLL-2/1-7	90mm	530mm	

- Fully welded stainless steel construction
- Retaining edge to front and rear of trayslides
- Low Level unit c/w solid worktop
- 125mm castors fitted with bumpers as standard


Options	Code	£
Food Quality Clear Covers - 1700mm high only	PGT-ACS-2/1FC17	
Food Quality Clear Covers - 900mm high only	PGT-ACS-2/1FC9	
Anti -tilt trayslides	PGT-ACS-TR	

Please see Trolley Accessories page 33 for Gastro 2/1 wire grids + pans

Space Saving Gastro Trolleys - 'Z' & 'H' Frame



Shows 'Z' Frame units



Gastro 1/1 - 'Z' Frame Models - 80% space saving

Dimensions	Tiers	Code	Pitch	Load Profile	£
610x450x1650mm high	20	PGSS/SZ-1/1-20	65mm	325mm	

Gastro 2/1 - 'Z' Frame Models - 80% space saving

Dimensions	Tiers	Code	Pitch	Load Profile	£
655x730x1650mm high	20	PGSS/SZ-2/1-20	65mm	530mm	

Gastro 1/1 - 'H' Frame Models - 50% space saving

Dimensions	Tiers	Code	Pitch	Load Profile	£
610x450x1650mm high	19	PGSS/SH-1/1-19	65mm	325mm	

Gastro 2/1 - 'H' Frame Models - 50% space saving

Dimensions	Tiers	Code	Pitch	Load Profile	£
655x730x1650mm high	19	PGSS/SH-2/1-19	65mm	530mm	

- Fully welded stainless steel construction
- Retaining edge to front and rear of trayslides
- 125mm castors fitted with bumpers as standard

Options	Code	£
Food Quality Clear Covers	PGT-ACS-FC	
Anti -tilt trayslides	PGT-ACS-TR	

Please see Trolley Accessories page 33 for Gastro wire grids + pans

'PREMIER' RACKING TROLLEYS

Transportation

Patisserie Trolleys (600X400) - Full Height & Low Level



Shows Full Height - 20 tier unit



Shows Low Level - 7 tier

Full Height Models

Dimensions	Tiers	Code	Pitch	Load Profile	£
703x528x1650mm high	10	PPAT-10	135mm	400mm	
703x528x1650mm high	15	PPAT-15	90mm	400mm	
703x528x1650mm high	20	PPAT-20	70mm	400mm	

Low Level Models

Dimensions	Tiers	Code	Pitch	Load Profile	£
703x528x900mm high	7	PPAT-7	90mm	400mm	

- Fully welded stainless steel construction
- Retaining edge to front and rear of trayslides
- Low Level unit c/w solid worktop
- 125mm castors fitted with bumpers as standard
- 600mm profile option available

Options	Code	£
Aluminium Trays 600x400	PPAT-ACS-AT	
Stainless Trays 600x400	PPAT-ACS-ST	
Anti-tilt trayslides	PGT-ACS-TR	

Please see Trolley
Accessories page 33 for
Patisserie Trays / grids

Bakery Trolleys (30X18') - Full Height & Low Level



Shows Full Height - 20 tier unit



Shows Low Level - 7 tier

Full Height Models

Dimensions	Tiers	Code	Pitch	Load Profile	£
815x515x1700mm high	10	PBAK-10	135mm	457mm (18")	
815x515x1700mm high	15	PBAK-15	90mm	457mm (18")	
815x515x1700mm high	20	PBAK-20	65mm	457mm (18")	

Low Level Models

Dimensions	Tiers	Code	Pitch	Load Profile	£
815x515x900mm high	7	PBAK-7	90mm	457mm (18")	

- Fully welded stainless steel construction
- Retaining edge to front and rear of trayslides
- Low Level unit c/w solid worktop
- 125mm castors fitted with bumpers as standard
- 30" profile option available

Options	Code	£
Aluminium Trays 30x18"	PBAK-ACS-AT	
Stainless Trays 30x18"	PBAK-ACS-ST	
Anti-tilt trayslides	PGT-ACS-TR	

Please see Trolley
Accessories page 33 for
Bakery Trays / grids

Gastro 1/1 Static Racks - Single/Double/Triple



Gastro 1/1 Static Racks

Model / Dimensions	Tiers	Code	Pitch	Load Profile	£
Single - 380X530X1850mm high	9	PGR-1-1/1	180mm	325mm	
Double - 750X530X1850mm high	2x9	PGR-2-1/1	180mm	325mm	
Triple - 1115X530X1850mm high	3x9	PGR-3-1/1	180mm	325mm	

- Fully welded stainless steel construction
- All units to accept 1/1 - 150mm pans
- Pans not included in price

Please see Accessories page 33 for Gastro Pan prices

Mobile option available - single model only

Diameter	100mm	125mm
Code	EZ-ACS-CAS-100	EZ-ACS-CAS-125
£ per set		

Set = 2x braked + 2x unbraked castors

TRAY CLEARING TROLLEYS – 'PREMIER' & 'CLUB'

'Premier' Tray Clearing Trolleys



Shows double 12 tier unit without panels



Shows single 12 tier unit with standard stainless panels

- All trolleys above accept standard trays up to 530x370mm
- Other tray sizes catered for - Please stipulate tray size at time of order
- Coloured panels / Woodgrain panels available
- Option for rear panels also available ■ Bespoke sizes also available

'Premier' Single Tray Clearing Trolley - Without Panels

Dimensions	Tiers	Code	Pitch	Load Profile	£
498x633x1700mm high	10	PCT-1X10	140mm	375mm	
498x633x1700mm high	12	PCT-1X12	115mm	375mm	

'Premier' Single Tray Clearing Trolley - With Panels

Dimensions	Tiers	Code	Pitch	Load Profile	£
498x633x1700mm high	10	PCT-1X10-P	140mm	375mm	
498x633x1700mm high	12	PCT-1X12-P	115mm	375mm	

Above unit c/w stainless solid side panels as standard

'Premier' Double Tray Clearing Trolley - Without Panels

Dimensions	Tiers	Code	Pitch	Load Profile	£
903x633x1700mm high	2x10	PCT-2X10	140mm	375mm	
903x633x1700mm high	2x12	PCT-2X12	115mm	375mm	

'Premier' Double Tray Clearing Trolley - With Panels

Dimensions	Tiers	Code	Pitch	Load Profile	£
903x633x1700mm high	2x10	PCT-2X10-P	140mm	375mm	
903x633x1700mm high	2x12	PCT-2X12-P	115mm	375mm	

Above unit c/w stainless solid side panels as standard

Decorative Panels - choice of wood / coloured options (further options available)



Solid Walnut Side Panel'




Shows blackboard / walnut panels



Shows walnut frame with stainless steel inlay



Shows grey frame with dark blue inlay



Shows red + white + logo



Walnut frame with grey & black vertical stripes on inlay

'Club' Epoxy Coated Tray Clearing Trolleys



Shows double 12 tier unit without panels



Shows single 12 tier unit with panels

- Coloured panels / Woodgrain panels available
- Option for rear panels also available
- Standard trolley colour is black - other colours available
- Bespoke sizes also available

'Club' Single Tray Clearing Trolley - Without Panels

Dimensions	Tiers	Code	Pitch	Load Profile	£
513x633x1700mm high	10	CTC-1X10	140mm	375mm	
513x633x1700mm high	12	CTC-1X12	115mm	375mm	

'Club' Single Tray Clearing Trolley - With Panels

Dimensions	Tiers	Code	Pitch	Load Profile	£
513x633x1700mm high	10	CTC-1X10-P	140mm	375mm	
513x633x1700mm high	12	CTC-1X12-P	115mm	375mm	

Above unit c/w black powder coated side panels as standard

'Club' Double Tray Clearing Trolley - Without Panels

Dimensions	Tiers	Code	Pitch	Load Profile	£
933x633x1700mm high	2x10	CTC-2X10	140mm	375mm	
933x633x1700mm high	2x12	CTC-2X12	115mm	375mm	

'Club' Double Tray Clearing Trolley - With Panels

Dimensions	Tiers	Code	Pitch	Load Profile	£
933x633x1700mm high	2x10	CTC-2X10-P	140mm	375mm	
933x633x1700mm high	2x12	CTC-2X12-P	115mm	375mm	

Above unit c/w black powder coated side panels as standard

- All trolleys above accept standard trays up to 530x370mm
- Other tray sizes catered for - Please stipulate tray size at time of order

DISPENSING TROLLEYS 'PREMIER' & 'CLUB'

Transportation

'Premier' Stainless Tray Dispense



'Premier' Tray Dispense

Dimensions	Capacity	Code	£
670x520x790mm high	100 Tray	PTD	

- Stainless steel construction
- Unit c/w solid stainless base
- Maximum tray size 530x370mm
- Bespoke sizes available - please specify at time of ordering

'Club' Epoxy Coated Tray Dispense



'Club' Tray Dispense

Dimensions	Capacity	Code	£
670x520x790mm high	100 Tray	CTD	

- Powder Coated steel construction
- Unit c/w solid base
- Maximum tray size 530x370mm
- Bespoke sizes available - please specify at time of ordering

'Premier' Stainless Cutlery Dispense



'Premier' Cutlery Dispense

Dimensions	Cutlery Tray	Code	£
630x600x1000mm high	3	PCSDT-3	
630x600x1000mm high	2 + shelf	PCSDT-2	

- Stainless steel construction
- 2 tier unit c/w solid stainless base shelf - removable
- Plastic cutlery trays included

Shows 3 tray unit - PCSDT-3

'Club' Epoxy Coated Cutlery Dispense



'Club' Cutlery Dispense

Dimensions	Cutlery Tray	Code	£
630x600x1000mm high	3	CCSDT-3	
630x600x1000mm high	2 + shelf	CCSDT-2	

- Powder Coated steel construction
- 2 tier unit c/w solid stainless base shelf - removable
- Plastic cutlery trays included
- Standard colour = black
- Other colours available on request

Shows 3 tray unit - CCSDT-3

'Premier' Stainless Tray & Cutlery Dispense



Shows 1 tier cutlery tray unit - PTCD-1

'Premier' Tray + Cutlery Dispense

Dimensions	Cutlery Tray	Capacity	Code	£
600x510x1220mm high	1	100 Tray	PTCD-1	
600x510x1220mm high	2	100 Tray	PTCD-2	
600x510x1220mm high	3	100 Tray	PTCD-3	

- Stainless steel construction
- Unit c/w solid stainless base
- Maximum tray size 530x370mm
- Units have 1 / 2 / or 3 tiers of cutlery trays
- Plastic cutlery trays included
- Bespoke sizes available - please specify at time of ordering

'Club' Epoxy Coated Tray & Cutlery Dispense



Shows 1 tier cutlery tray unit - CTCD-1

'Club' Tray + Cutlery Dispense

Dimensions	Cutlery Tray	Capacity	Code	£
600x510x1220mm high	1	100 Tray	CTCD-1	
600x510x1220mm high	2	100 Tray	CTCD-2	
600x510x1220mm high	3	100 Tray	CTCD-3	

- Powder Coated steel construction
- Unit c/w solid base
- Maximum tray size 530x370mm
- Units have 1 / 2 / or 3 tiers of cutlery trays
- Plastic cutlery trays included
- Bespoke sizes available - please specify at time of ordering

'Premier' Stainless School Meal Dispense



'Premier' School Meal Dispense

Dimensions	Cut Out	Code	£
950x500x950mm high	855x301mm	SAL-T-9x5	

- Stainless steel construction
- Tubular formed frame
- Top shelf with cut-out to accept pans
- Unit c/w 3x 1/3 and 4x 1/6 stainless pans
- Hinged Fold down front tray



SERVING / GP TROLLEYS 'PREMIER' & 'CLUB'

'Premier' Serving / General Purpose Trolleys



- Stainless steel construction
- Fully welded
- Dished shelves

2 Tier Units

Dimensions	Tiers	Pitch	£
800x530x960mm high	2	560	
895x625x960mm high	2	560	
1095x695x960mm high	2	560	

3 Tier Units

Dimensions	Tiers	Pitch	£
800x530x960mm high	3	260	
895x625x960mm high	3	260	
1095x695x960mm high	3	260	

4 Tier Units

Dimensions	Tiers	Pitch	£
800x530x1260mm high	4	260	
895x625x1260mm high	4	260	
1095x695x1260mm high	4	260	

Example Product Code - PST-3-895x530 = 3-T GP Trolley

'Club' Serving / General Purpose Trolleys - Aluminium inlays



2 Tier Units

Dimensions	Tiers	Pitch	£
900x600x960mm high	2	560	

Aluminium removable inlay trays
Fully welded black epoxy coated frame & handles

3 Tier Units

Dimensions	Tiers	Pitch	£
900x600x960mm high	3	260	

Aluminium removable inlay trays
Fully welded black epoxy coated frame & handles

Example Product Code - CST-3-AT = 3-Tier
Aluminium Inlay GP Trolley

'Club' Serving / General Purpose Trolleys - Wood Laminate inlays



2 Tier Units

Dimensions	Tiers	Pitch	£
900x600x960mm high	2	560	

Choice of light oak, beech and walnut laminates
Fully welded black epoxy coated frame & handles

3 Tier Units

Dimensions	Tiers	Pitch	£
900x600x960mm high	3	260	

Choice of light oak, beech and walnut laminates
Fully welded black epoxy coated frame & handles

Example Product Code - CST-3-WL
= 3-Tier Wood Lam GP Trolley

BANQUET / PLATED MEAL TROLLEYS

Transportation



'EZ Stack' Plated Meal Trolley - 96 plate capacity

Dimensions	Plates	Pitch	Code	£
670x670x1740mm high	96	60mm	EZS 96	

Options	Code	£
Clear zippered cover	EZS-ACS-C	
Thermo Insulated cover - c/w viewing panel	EZS-ACS-TC	

Powder coated stainless steel frame
Stainless arms with 'non slip' rubber coating
Sliding arms allow universal storage of bowl and plate sizes



Plated Meal Trolley - 104 plate capacity

Dimensions	Plates	Pitch	Code	£
600x600x1790mm high	104	50mm	PMT-104	

Options	£
Clear zippered cover	PMT-ACS-C
Thermo insulated cover - c/w viewing panel	PMT-ACS-TC

Sliding arms allow universal storage of bowl and plate sizes
Powder coated steel frame



shows thermo cover - open



shows thermo cover closed



'EZ Stack' Plated Meal Trolley - 48 plate capacity c/w worktop

Dimensions	Plates	Pitch	Code	£
670x670x1050mm high	48	60mm	EZS 48	

Stainless steel grade 304 worktop - 600x600mm
Powder coated stainless steel frame
Stainless arms with 'non slip' rubber coating
Sliding arms allow universal storage of bowl and plate sizes



Plated Meal Trolley - 52 plate capacity

Dimensions	Plates	Pitch	Code	£
600x600x1050mm high	52	50mm	PMT-52	

Powder coated steel frame
Sliding arms allow universal storage of bowl and plate sizes

WARE WASH TROLLEYS

Dishwash Basket Trolley - Full Height Model

Dishwash Basket Trolleys

Dimensions	Capacity	Pitch	Code	£
600x650 x1700mm high	7 Baskets	200mm	PDB-7	

Options	Code	£
Food Quality Cover	PDB-7-ACS-COV	
Removable drip tray	PDB-ACS-DT	

- Stainless steel construction
- Full height model c/w welded trayslides
- Units designed to accept 500x500mm baskets



Dishwash Basket Dolly - with handle & without handle



Shows unit 'with' handle

Dishwash Basket Dolly

Dimensions	Model	Code	£
554x510x850mm high	With Handle	PD-500x500	
554x510x200mm high	Without Handle	PD-500x500-WH	

- Stainless steel construction
 - Both unit c/w solid stainless base
 - Designed to accept 500x500 baskets
- Integral tubular handle on unit 'with'
Gastro norm 2/1 dolly also available (same pricing)

Dishwash Basket Trolley - Low Level Models



Shows low level 4 tier unit

Dishwash Basket Trolleys

Dimensions	Model	Capacity	Pitch	Code	£
565x568x890mm high	Low Level	4 Baskets	Adjust	PDBLL-4	
565x568x890mm high	Low Level	3 Baskets	Adjust	PDBLL-3	

- Stainless steel construction
- Low Level models c/w height adjustable trayslides
- Units designed to accept 500x500mm baskets
- Extra / replacement trayslides available for low level units

Baskets not included

Dishwash Basket / Tray Lowerator



Baskets not included

Shows Basket model

Basket / Tray Lowerators

Dimensions	Model	Capacity	Code	£
828x561x929mm high	Basket	7 Baskets	PBTL-B	
828x561x929mm high	Tray	120 Trays	PBTL-L	

- Stainless steel construction
- Maximum Load 120kg
- Load of 65kg+ = support arm at lowest level

Dishwash Basket Drip-Dry Trolley



Shows 3 tier - 24 rack unit

Dishwash Basket Drip-Dry Trolley

Dimensions	Tiers	Capacity	Code	£
1000x495x1700mm high	3	24 Baskets	PDDDBT-3	
1000x495x1200mm high	2	16 Baskets	PDDDBT-2	

- Stainless construction
- Design allows baskets to be stacked 'on-end'
- 8 baskets stacked per tier
- Unit mobile - static option available

Plate Carts

Shows optional cutlery dispense frame



Shown with optional dividers

Plate Carts

Dimensions	Model	Divider Pitch	Code	£
1125x500x790mm high	Small	85mm	PPT-S	
1125x640x810mm high	Large	85mm	PPT-L	

- Stainless Construction
- One-piece angled base and back.
- Slotted to accept optional wire dividers
- Cutlery Dispense frame c/w 5x 1/3 pans St/Steel 100mm

Options	Code	£
Stainless Dividers (each)	PPT-ACS-DIV	
Food Quality Cover	PPT-ACS-COV	
Cutlery Dispense frame c/w plastic cutlery tray + 3 1/3 pans 100mm	PPT-ACS-CDU	

Queen Mary Banquet Cart

Shows unit with flat shelf option



Queen Mary Banquet Cart

Dimensions	Tiers	Shelves	Code	£
1600x750x1550mm high	6	Flat	PQMBC-F	
1600x750x1650mm high	6	With Upstands	PQMBC-U	

- Stainless steel Construction throughout
- Heavy duty shelves fully fabricated to frame
- 50x50 Box section frame
- Shelves either flat format or with 100mm upstands
- 200kg load capacity per level
- Heavy duty 200mm castors
- Wrap around bumper fitted as standard

BAKERY / PATISSERIE TROLLEYS

Transportation



Shows 20 tier 30x18 Bakery unit

'Premier' Bakery / Patisserie Trolleys

'Premier' Bakery Trolleys (30x18)

Dimensions	Tiers	Pitch	Load Profile	Code	£
815x515x1700mm high	10	135mm	18"	PBAK-10	
815x515x1700mm high	15	90mm	18"	PBAK-15	
815x515x1700mm high	20	65mm	18"	PBAK-20	
815x515x900mm high	7	90mm	18"	PBAK-7	

'Premier' Patisserie Trolleys (600x400)

Model	Tiers	Pitch	Load Profile	Code	£
703x528x1650mm high	10	135mm	400mm	PPAT-10	
703x528x1650mm high	15	90mm	400mm	PPAT-15	
703x528x1650mm high	20	65mm	400mm	PPAT-20	
703x528x900mm high	7	90mm	400mm	PPAT-7	



Shows Low Level - 7 tier as shown on page 19

- Fully welded stainless steel construction
- Retaining edge to front and rear of trayslides
- Low Level unit c/w solid worktop
- 125mm castors fitted with bumpers as standard
- 600mm profile option available
- 'Broadway' profile options available

'Premier' Cooling Rack

'Premier' Cooling Rack

Dimensions	Model	Capacity	Code	£
835x925x1650mm high	Solid Shelves	7 tier	PBCR-S	
828x561x929mm high	Wire Shelves	7 tier	PBCR-W	

- Stainless construction throughout
- 7 tiered unit to accept baking tins
- Option for solid or wire format shelves
- Retaining ledges on all shelves
- Heavy duty 200mm castors



'Premier' Seed / Topping Trolley

'Premier' Seed / Topping Trolley

Dimensions	Model	Pans	Code	£
740x630x1000mm high	Small	2	PBST-S	
1070x630x1000mm high	Large	3	PBST-L	

- Stainless Construction
- Tubular frame to accept gastro 1/1 pans
- Unit c/w stainless pans - 150mm deep + lids
- Stainless base shelf



Shows 'large' unit with 3x pans

'Premier' Flour Bin



'Premier' Flour Bin

Dimensions	Model	Code	£
605x395x725mm high	Single Compartment	PBFB-1	
605x395x725mm high	Twin Compartment	PBFB-2	

- Stainless Construction
- Unit either single compartment or with central divider
- Unit c/w hinged lid
- 100mm castors + wrap around bumper

'Premier' Bread Basket Dolly - with and without handle



'Premier' Bread Basket Dolly - with and without handle

Dimensions	Capacity	Model	£
880 x 580 x 965mm high	120kg	PPC-880X580	
Removable Solid Base	n/a	PCC-ACS-SB	
1025 x 600 x 1050mm high	400kg	PPC-1025X600	
Removable Solid Base	n/a	PCC-ACS-SB	

- Stainless steel construction
- Solid removable base - optional
- Units designed to accept max baskets size 850x550mm
- One-piece tubular handle



Mobile Ingredient Bins

Dimensions	Model	Capacity	Colour	£
355 x 740 x 710mm high	IB3600	79ltr	White	
395 x 750 x 710mm high	IB3602	99ltr	White	
455 x 755 x 710mm high	IB3603	116ltr	White	

- High density polypropylene construction
- Clear sliding lid on all units for easy identification of contents
- All units supplied with a scoop
- Scoop hook system reduces cross-contamination
- All units supplied as mobile



LINEN / LAUNDRY TROLLEYS

Linen Carts - (Self-Levelling)



Linen Carts Spring Loaded

Dimensions	Model	Spring Capacity	Code	£
1000x420x540 high	Small	35kg	PLCSL-S	
1000x600x540 high	Medium	50kg	PLCSL-M	
1000x640x540 high	Large	100kg	PLCSL-L	

- Lightweight Aluminium Body
- Wrap around bumper fitted
- Heavy Duty 200mm castors

Room Service Linen Exchange Cart



Room Service Linen Exchange Cart

Dimensions	Capacity	Model	£
1220x610x1600mm high	1x Flast Shelf & 2x Slanted c/w 2x Tote Boxes	AST55DC-ACC	
1525x610x1600mm high	1x Flast Shelf & 2x Slanted c/w 2x Tote Boxes	AST65DC-ACC	
Extended Handle	n/a	EH24NC	

- Chrome Wire Finish
- Retaining mesh to sides and rear
- Unit c/w 2 x Tote boxes + runners
- Push / Pull handle included

Room Service / Linen Cart



Roomservice Linen Carts - Slanted Shelves

Dimensions	Capacity	Model	£
1220x610x1600mm high	1x Flast Shelf & 2x Slanted	AST55DC	
1525x610x1600mm high	1x Flast Shelf & 2x Slanted	AST65DC	
Extended Handle	n/a	EH24NC	

- Chrome Wire Finish
- Enclosure mesh to sides and rear
- Slanted shelves @ 27 degree

Polymer Linen Trucks



convertible Linen Truck



- Provides the perfect solution for storage and transport of bulky, hard to handle items.
- Use for transport of bulk soiled or clean laundry within a facility or from an offsite location, transport large bulky items, collect refuse or recyclables such as corrugated boxes.

- Lightweight polymer construction, ergonomic full height integrated handle, and smooth rolling sound dampening casters roll effortlessly even over uneven surfaces.

- Smooth polymer surface, rounded corners, stainless steel shelves and hardware, combined with standard drain holes on the bottom of the cart, allows for easy washing and drainage.



Bulk Linen Truck

Polymer Linen Trucks

Dimensions	Model	Finish	Code	£
749x1219x1829mm high	Convertible Linen Truck	Polymer	TXPA-CLT48S	
749x1219x1829mm high	Bulk Linen Truck	Polymer	TXPA-BLK48S	

LINEN / LAUNDRY TROLLEYS

Transportation

Laundry Dispense Trolleys



Shows triple column unit with trays + coloured handles



Shows double units

Laundry Dispense Trolleys

Dimensions	Model	Capacity	Code	£
970x610x1100mm high	Double	16x Half Trays	TLC-16	
1400x610x1100mm high	Triple	24x Half Trays	TLC-24	

- Stainless steel construction
- Stainless side panels included
- Unit c/w 200mm deep 'Containex' Trays
- Removable stainless top tray
- Unit c/w hinged fold-up hanging rail

Linen Dispense Cart



Linen Cart

Dimensions	Tiers	Finish	Code	£
1100x660x1373mm high	4	Stainless	TLT	

- Stainless steel construction
- Integral push / pull handle
- Dished solid format shelves
- Bumpers fitted as standard

Options	Code	£
Transportation Cover	TLT-ACS-C	

Dirty Linen House-Runner Trolleys



Shows large model



Small model

Dirty Linen House-Runner Trolleys

Dimensions	Model	Capacity	Code	£
914x610x991mm high	Large Lodgix Cart	25ltr	LXHR-POR	
610x610x991mm high	Small Lodgix Cart	25ltr	LXHR-ESS	

- Chrome wire design with linen sack
- Solid base shelf to accommodate sack when full
- Push / pull handles
- Bumpers fitted as standard

Bussing Trolleys



Bussing Trolley

Dimensions	Code	Finish	£
740x610x960mm high	CBC-3	Epoxy	
740x610x960mm high	SBC-3	St-Steel	

- Powder Coated tubular frame
- Stainless Steel tubular frame
- Unit c/w 3x plastic tubs / bin / utility pan
- Integral handle
- Bumpers fitted as standard

HOUSEKEEPING TROLLEYS

Hospitality / Breakfast Trolley



Housekeeping / Breakfast Trolley

Dimensions	Tiers	Pitch	Code	£
880x625x970mm high	2x7	90mm	PHBT	

Options	Code	£
Removable Bin Holder	PHBT-ACS-BH	
Food Quality Side Panels	PHBT-ACS-SP	
Hinged Fold-Down extended top	PHBT-ACS-FDT	
Food quality cover	PHBT-ACS-CC	

- Stainless Steel construction
- c/w retaining wire to worktop
- Trayslides to accept tray size 530x325mm
- Bespoke sizes available

Wooden Room Service Trolleys



Shows Light Oak 3 tier unit with stainless handles and retaining wires

'Premier' Room Service Trolley - 2 tier

Dimensions	Model	Code	£
Bespoke Service	N/A	N/A	

- Solid Wood construction
- Total bespoke design service
- Choice of solid wood finishes

Room Service Trolley



Room Service Trolley - 2 tier

Dimensions	Tiers	Pitch	Code	£
895x625x960mm high	2	590mm	PRST-9X5-2	

Room Service Trolley - 3 tier

Dimensions	Tiers	Pitch	Code	£
895x625x960mm high	3	280mm	PRST-9X5-3	

Options	Code	£
Hook-on bin	PRST-ACS-BH	
Laminate Panels	N/A	
Coloured panels	N/A	
Lockable Hinged Doors	N/A	

- Stainless steel construction
- Retaining wire to all shelves
- Soundproofed - anti-vibration shelves

Housekeeping Carts



Housekeeping Cart

Dimensions	Code	£
1524x555x1397high	LXHK3-PRO	

- Polymer Construction
- Lockable side and top storage
- Integral side bin

HOUSEKEEPING TROLLEYS

Transportation

Room Service Tray Clearing Trolley



Shows double column unit with solid walnut panels

Room Service Tray Clearing Trolley - single column

Dimensions	Tiers	Pitch	Code	£
538x703x1700mm high	6	200mm	PBTCT-1X12	

Room Service Tray Clearing Trolley - double column

Dimensions	Tiers	Pitch	Code	£
983x703x1700mm high	2x6	200mm	PBTCT-2X12	

- Designed to accept Butlers/Room Service Trays - 600-630x400-430mm

Options	Code	£
Solid Wood panels	N/A	
Laminate Panels	N/A	
Coloured panels	N/A	
Lockable Hinged Doors	N/A	

Polymer Room Service Trolley



Deep Ledge Series

- Available in 2 sizes both in 2 & 3 tier formats
- Ultimate Cleanability: Smooth surfaces are designed to resist staining and wipe clean easily.
- Specific Models with Microban® product protection: The blue Deep Ledge models have built in Microban® product protection. This inhibits the growth of bacteria, mold, mildew, and fungi that cause odors, stains, and product degradation
- Corrosion-Proof Shelves: All-polymer shelf will never corrode.
- Contains Spills: Deep Ledge Series shelves feature a deeper 23/4" (70mm) ledge to contain product or spills.
- Attractive Aesthetics allow for use in a variety of applications.
- Sturdy Construction: Each shelf can hold up to 68kgs while each cart can hold up to 180kgs
- Easy-to-Adjust: Optional center shelf adjusts @ (25mm) increments.
- Ergonomic Handle designed for easy use.
- Easy, No-Tool Assembly: Ships knocked down.



Dimensions	Model	Description	Colour	£
546 x 832 x 1041mm high	BC2030-2DMB	2-tier	Blue	
546 x 832 x 1041mm high	BC2030-3DMB	3-tier	Blue	
685 x 984 x 1041mm high	BC2636-2DMB	2-tier	Blue	
685 x 984 x 1041mm high	BC2636-3DMB	3-tier	Blue	

Dimensions	Model	Description	£
540 x 337 x 700mm high	BCVB2D	Wastebasket Inc. Holder	
540 x 368 x 197mm high	BC2030-3DMB	Utility Bin Inc. Holder	

The above accessories only apply to the BC2030 size



Mini-Bar Replenish Trolley



Mini-Bar Replenish Trolley

Dimensions	Code	£
838x559x1067high	PMBRT	

FAST FOOD TROLLEYS

'Premier' Pizza Dough Trolleys



shows unit with perforated trays


'Premier' Pizza Dough Trolleys

Dimensions	Tiers	Pitch	Load Profile	Code	£
720x490x1750mm high	5	315mm	520mm	PPIZ	

- Stainless steel construction
- Full height rear back bar
- c/w 5x stainless wire grids or perforated trays
- 125mm castors

Options	Code	£
Extra Wire Grids	PPIZ-ACS-SG	
Extra Perforated Trays	PPIZ-ACS-PT	

'Premier' Shake Dollys



'Premier' Shake Dollys

Dimensions	Code	£
600x400x170mm high	PMSD	

- Stainless One-piece Construction
- Heavy Duty 3.0mm plate
- Heavy duty nylon castors

'Premier' Fast Food Defrost Trolleys



Shows large units with pans and baskets

'Premier' Fast Food Defrost Trolleys

Dimensions	Containers	Code	£
655x730x1700mm high	6x Pans + 5x 2/1 baskets	PFFD-L	
450x610x1700mm high	3x Pans + 5x 1/1 baskets	PFFD-S	

- Fully welded stainless steel construction
- Large and Small Trolley options
- Polycarb pans are 1/1 150mm deep
- 1/1 and 2/1 Wire baskets 80mm deep

Oven Utensil Rack



Oven Utensil Rack - Nylon Coated

Dimensions	Code	£
1000x600x300mm high	OUR-N-10x6	
1200x600x300mm high	OUR-N-12x6	

- Nylon coated wire finish
- 4-sided retaining ledge

Oven Utensil Rack - Stainless Steel

Dimensions	Code	£
1000x600x300mm high	OUR-S-10x6	
1200x600x300mm high	OUR-S-12x6	

- Stainless Steel wire finish
- 4-sided retaining ledge

COFFEE SHOP TROLLEYS

Transportation

Coffee Shop Tray Clearing Trolleys

Coffee Shop Tray Clearing Trolley -
Stainless Steel - with custom panels

Dimensions	Tiers	Model	Pitch	Code	£
510x640x 1700mm high	10	Single Column	140mm	N/A	
930x640x 1700mm high	2x10	Double Column	140mm	N/A	

Coffee Shop Tray Clearing Trolley -
Epoxy Coated - with custom panels

Dimensions	Tiers	Model	Pitch	Code	£
510x640x 1700mm high	10	Single Column	140mm	N/A	
930x640x 1700mm high	2x10	Double Column	140mm	N/A	




Shows walnut / blackboard panel



Shows powder coated with RAL 9016 panels



Shows Tuscan Walnut panels



Shows stainless with RAL 3000 panels

Coffee Shop Serving / Clearing Trolleys

Coffee Shop Serving / Clearing Trolley -
Powder Coated with Laminate inlays

Dimensions	Tiers	Pitch	Code	£
800x530x960mm high	3	260mm	N/A	
895x530x960mm high	3	260mm	N/A	

Coffee Shop Serving / Clearing Trolley - Solid Wood

Dimensions	Tiers	Pitch	Code	£
800x530x960mm high	3	260mm	N/A	
895x530x960mm high	3	260mm	N/A	

Coffee Shop Serving / Clearing Trolley - Stainless Steel

Dimensions	Tiers	Pitch	Code	£
800x530x960mm high	3	260mm	N/A	
895x530x960mm high	3	260mm	N/A	



Shows powder coated model with walnut laminate inlays



Shows powder coated unit with aluminium inlays




Shows solid wood model - light oak



Shows stainless steel model

Colour / finish options



Any colour can be scanned - price on application

Sample of laminates available



Polymer Utility Trolley: myCart Series



- Available in 3 sizes and all as either 2 or 3 tier units.
- Smooth one piece shelves easily wipe clean and won't stain.
- Corrosion proof, impact resistant polymer shelves are designed to withstand daily abuse.
- Contains Spills: Lipped edge retains small spills and prevents items from sliding off during transport.
- Shelves have built-in Microban Antimicrobial product protection.
- Easy, No-Tool Assembly: Flat-Pack design.

Dimensions	Model	Description	£
456 x 800 x 900mm high	MY1627-24BU	2-tier	
456 x 800 x 900mm high	MY1627-34BU	3-tier	
595 x 873 x 900mm high	MY2030-24BU	2-tier	
595 x 873 x 900mm high	MY2030-34BU	3-tier	
730 x 1022 x 900mm high	MY2636-25BU	2-tier	
730 x 1022 x 900mm high	MY2636-35BU	3-tier	

Options	Model	Description	£
584 X 375 X 413mm high	MYWB2	Wastebasket Inc. Holder*	
584 X 387 X 178mm high	MYUB2	Utility Bin Inc. Holder*	

*The above accessories only apply to the MY2030 size



Adjustable "Poker Chip" Trolley

- Adjustable Poker Chip Dish Dolly is perfect for holding multiple sizes of plates & dishes, anything from 115mm dishes to 300mm dinner plates.
- Easy one-handed adjustments on the underside of the dolly allows flexibility.
- Four recessed handles make it easy to maneuver in and out of tight areas and saves space.
- Four 125mm dia. swivel casters (2 braked) provide for easy maneuverability.
- Dividers and tower are removable to facilitate cleaning.
- Translucent vinyl cover included protects clean dishes from dust and water splashes while in storage.
- Cart body has built-in *Microban® Antimicrobial Product Protection which inhibits the growth of bacteria, mold, mildew, and fungi that cause odors, stains, and product degradation.

Dimensions	Model	Description	£
677 x 677 x 812mm high	PCD11A	Adjustable Poker Chip Trolley	



Side Load Polymer Dish & Tray Carts - SSD Series



- Side-Load Dish and Tray Cart is perfect for holding a variety of different sized dishes and trays.
- Holds up to 60 dishes in each column, and/or approximately 80 trays per column.
- New recessed handles increase maneuverability and make transport effortless.
- Low overall height allows for maximum space utilization and convenient under counter storage.
- Four 125mm dia. swivel casters (2 braked) provide for easy maneuverability.
- Translucent vinyl cover included protects clean dishes from dust and water splashes while in storage.
- Cart body has built-in *Microban® Antimicrobial Product Protection which inhibits the growth of bacteria, mold, mildew, and fungi that cause odors, stains, and product degradation.

Dimensions	Model	Description	£
1007 x 550 x 837mm high	SSD16	Side Load Dish/Tray Cart	



TROLLEY ACCESSORIES

Transportation

Gastro Pans - Clear Polycarbonate



Depth

Pan Size	65mm	100mm	150mm	200mm	Lid
Gastro 1/1					
Gastro 1/2					
Gastro 2/4					
Gastro 1/3					
Gastro 1/4					
Gastro 1/6					
Gastro 1/9					

Example Code - FPGN-P1/1-150 = Gastro 1/1 150mm deep polycarbonate

Gastro Pans - Stainless Steel



Depth

Pan Size	65mm	100mm	150mm	200mm	Lid
Gastro 1/1					
Gastro 1/2					
Gastro 2/4					
Gastro 1/3					
Gastro 1/4					
Gastro 1/6					
Gastro 1/9					

Example Code - FPGN-SS1/1-150 = Gastro 1/1 150mm deep stainless

Gastro Wire Grids & Baskets - Nylon Coated Wire




Nylon Coated Wire Grids

Grid	Dimensions	Code	£
Gastro 2/1 Flat Grid	650x530mm	ACS-WSN-2/1	
Gastro 1/1 Flat Grid	530x325mm	ACS-WSN-1/1	

Nylon Coated Wire Baskets

Basket	Dimensions	Code	£
Gastro 2/1 Basket	650x530x80mm deep	ACS-WBN-2/1	
Gastro 1/1 Basket	530x325x80mm deep	ACS-WBN-1/1	

Gastro Wire Grids & Baskets - Stainless Wire



Stainless Steel Wire Grids

Grid	Dimensions	Code	£
Gastro 2/1 Flat Grid	650x530mm	ACS-WSS-2/1	
Gastro 1/1 Flat Grid	530x325mm	ACS-WSS-1/1	

Stainless Steel Wire Baskets

Basket	Dimensions	Code	£
Gastro 2/1 Basket	650x530x80mm deep	ACS-WBSS-2/1	
Gastro 1/1 Basket	530x325x80mm deep	ACS-WBSS-1/1	

Bakery/Patisserie Trays & Wire Grids

Trays

Tray	Dimensions	Code	£
Stainless Patisserie	600x400x25mm deep	PBAK-ACS-SPAT-T	
Aluminium Patisserie	600x400x25mm deep	PBAK-ACS-APAT-T	
Stainless Bakery	762x457x25mm deep	PBAK-ACS-SBK	
Aluminium Bakery	762x457x25mm deep	PBAK-ACS-ABK	

Wire Grids

Grids	Dimensions	Code	£
Stainless Patisserie	600x400	PBAK-ACS-SPAT-G	
Stainless Bakery	762x457	PBAK-ACS-SBK-G	



Trolley Covers

Trolley Size	Clear	Thermal
Gastro 1/1 Full Height		
Gastro 2/1 Full Height		
Gastro 1/1 Low Level		
Gastro 2/1 Low Level		
Bakery Full Height		
Patisserie Full Height		
Bakery Low Level		
Patisserie Low Level		
Plated Meal Trolley		

Example Code :-

Gastro 1/1 Clear cover = PGT-ACS-1/1-FC



Shows thermal cover to plated meal trolley

Containex Trays - 600x400

Containex Trays

Tray	Dimensions	Code	£
Full Size 100mm	600x400x100mm deep	HTM-6X4X1	
Full Size 200mm	600x400x200mm deep	HTM-6X4X2	
Half Size 100mm	300x400x100mm deep	HTM-3X4X1	
Half Size 200mm	300x400x200mm deep	HTM-3X4X2	

Clear polycarbonate trays



Shows full tray with optional removable dividers + handles



Shows Full Trays 200mm deep with Red handle

Containex Tray Dividers

Dividers	Dimensions	Code	£
Full Size 100mm	600x100mm high	HTMD-6X1	
Full Size 200mm	600x200mm high	HTMD-6X2	
Half Size 100mm	400x100mm high	HTMD-4X1	
Half Size 200mm	400x200mm high	HTMD-4X2	
Quart Size 100mm	300x100mm high	HTMD-3X1	
Quart Size 200mm	300x200mm high	HTMD-3X2	

Clear polycarbonate dividers

Options	Code	£
Containex Handles	HTM-H	

Handles available in Blue /

Red / Green /

Yellow / White

Shows half tray 200mm deep with optional dividers



PREPARATION TABLES AND SINKS

Preparation Centre / Wall Tables

Wall Tables 650mm Depth

Dimensions	Code	£	Extra Undershef
900x650x875mm high	FAB-T-9X65		
1000x650x875mm high	FAB-T-10X65		
1200x650x875mm high	FAB-T-12X65		
1500x650x875mm high	FAB-T-15X65		
1800x650x875mm high	FAB-T-18X65		

Wall Tables 700mm Depth

900x700x875mm high	FAB-T-9X7		
1000x700x875mm high	FAB-T-10X7		
1200x700x875mm high	FAB-T-12X7		
1500x700x875mm high	FAB-T-15X7		
1800x700x875mm high	FAB-T-18X7		

Prices above based on 30mm leg and includes 1x undershef

Please note height dimensions above to not allow for 75mm upstand

Options	£	Options	£
Chefs / Knife drawer		Integral cupboard under – single door (lockable)	
Mobile (2x swivel / 2x braked castors)		Integral cupboard under – double door (lockable)	
Basket runners under (in lieu of undershef)		Mounted polymer chopping board	



Single Bowl Sinks

650mm depth

Dimensions	Bowl size	Code	£	Extra Undershef
900x650x875mm high	500x500x250mm	FAB-SS-9X65		
1000x650x875mm high	500x500x250mm	FAB-SS-10X65		
1200x650x875mm high	500x500x250mm	FAB-SS-12X65		
1500x650x875mm high	500x500x250mm	FAB-SS-15X65		
1800x650x875mm high	500x500x250mm	FAB-SS-18X65		

700mm Depth

900x700x875mm high	500x500x250mm	FAB-SS-9X7		
1000x700x875mm high	500x500x250mm	FAB-SS-10X7		
1200x700x875mm high	500x500x250mm	FAB-SS-12X7		
1500x700x875mm high	500x500x250mm	FAB-SS-15X7		
1800x700x875mm high	500x500x250mm	FAB-SS-18X7		

Prices above include 1x undershef

Please note height dimensions above do not allow for 75mm upstand

Please specify handling of sink at time of order



Options	£
Mixer taps	
Overhead spray	
600x450x300mm bowl (in lieu of 500x500 bowl)	
Sink valance	

Double Bowl Sinks

650mm Depth

Dimensions	Bowl size	Code	£	Extra Undershef
1500x650x875mm high	500x500x250mm	FAB-DS-15X65		
1800x650x875mm high	500x500x250mm	FAB-DS-18X65		
2000x650x875mm high	500x500x250mm	FAB-DS-20X65		
2400x650x875mm high	500x500x250mm	FAB-DS-24X65		

700mm Depth

1500x700x875mm high	500x500x250mm	FAB-DS-15X7		
1800x700x875mm high	500x500x250mm	FAB-DS-18X7		
2000x700x875mm high	500x500x250mm	FAB-DS-20X7		
2400x700x875mm high	500x500x250mm	FAB-DS-24X7		

Prices above include 1 x undershef

Please note height dimensions above do not allow for 75mm upstand

Please specify handling of sink at time of order



Options	£
Mixer taps	
Overhead spray	
600x450x300mm bowl (in lieu of 500x500mm bowl)	
Sink valance	

'RISE AND FALL' PREPARATION TABLES AND SINKS

Fabrication

Preparation Centre / Wall Tables

650mm Depth

Dimensions	Code	£	Extra undershelf
900x650x875mm high	FAB-ADJ-T-9X65		
1000x650x875mm high	FAB-ADJ-T-10X65		
1200x650x875mm high	FAB-ADJ-T-12X65		
1500x650x875mm high	FAB-ADJ-T-15X65		
1800x650x875mm high	FAB-ADJ-T-18X65		

Preparation Centre / Wall Tables

700mm Depth

900x700x875mm high	FAB-ADJ-T-9X7		
1000x700x875mm high	FAB-ADJ-T-10X7		
1200x700x875mm high	FAB-ADJ-T-12X7		
1500x700x875mm high	FAB-ADJ-T-15X7		
1800x700x875mm high	FAB-ADJ-T-18X7		

Prices above include manual hydraulic powered piston system - height adj 720mm - 1020mm

Prices above include 1x undershelf

Please note above height dims do not allow for 75mm upstand - wall units only.

Options	£
Optional Electronic height adjustment (extra)	
Chefs / Knife drawer	

Single Bowl Sinks - 650mm Depth

Dimensions	Bowl size	Code	£
900x650x875mm high	500x500x250mm	FAB-ADJ-SS-9X65	
1000x650x875mm high	500x500x250mm	FAB-ADJ-SS-10X65	
1200x650x875mm high	500x500x250mm	FAB-ADJ-SS-12X65	
1500x650x875mm high	500x500x250mm	FAB-ADJ-SS-15X65	
1800x650x875mm high	500x500x250mm	FAB-ADJ-SS-18X65	

Single Bowl Sinks - 700mm Depth

900x700x875mm high	500x500x250mm	FAB-ADJ-SS-9X7	
1000x700x875mm high	500x500x250mm	FAB-ADJ-SS-10X7	
1200x700x875mm high	500x500x250mm	FAB-ADJ-SS-12X7	
1500x700x875mm high	500x500x250mm	FAB-ADJ-SS-15X7	
1800x700x875mm high	500x500x250mm	FAB-ADJ-SS-18X7	

Prices above include manual hydraulic powered piston system - height adj 720mm - 1020mm

Prices above include 1x undershelf

Please note above height dims do not allow for 75mm upstand

Please stipulate at time of order handing of sink

Options	£
Optional Electronic height adjustment (extra)	
Mixer taps	
Overhead spray	
600x450x300mm bowl (in lieu of 500x500 bowl)	
Sink valance	

Double Bowl Sinks - 650mm Depth

Dimensions	Bowl size	Code	£
1500x650x875mm high	500x500x250mm	FAB-ADJ-DS-15X65	
1800x650x875mm high	500x500x250mm	FAB-ADJ-DS-18X65	
2000x650x875mm high	500x500x250mm	FAB-ADJ-DS-20X65	
2400x650x875mm high	500x500x250mm	FAB-ADJ-DS-24X65	

Double Bowl Sinks - 700mm Depth

1500x700x875mm high	500x500x250mm	FAB-ADJ-DS-15X7	
1800x700x875mm high	500x500x250mm	FAB-ADJ-DS-18X7	
2000x700x875mm high	500x500x250mm	FAB-ADJ-DS-20X7	
2400x700x875mm high	500x500x250mm	FAB-ADJ-DS-24X7	

Prices above include manual hydraulic powered piston system - height adj 720mm - 1020mm

Prices above include 1x undershelf

Please note above height dims do not allow for 75mm upstand

Please stipulate at time of order handing of sinks

Options	£
Optional Electronic height adjustment (extra)	
Mixer taps	
Overhead spray	
600x450x300mm bowl (in lieu of 500x500 bowl)	
Sink valance	



Shows 1200x700mm table with manual piston movement



Shows 1200x700mm single bowl sink with electronic movement



Shows single bowl sink with electronic movement - in lowered position

WARE WASH TABLING



Shows 750mm inlet

- Stainless Construction throughout
- Sounddeadened reinforced one-piece worktop
- Splash Back 300mm high

Dishwash Inlet Tabling - Standard

Dishwash Inlet Tabling - Single Bowl

Dimensions	Bowl Size	Code	£
750x700x900mm high	400x400mm	FAB-DTI-S-75	
1000x700x900mm high	600x450mm	FAB-DTI-S-100	
1200x700x900mm high	600x450mm	FAB-DTI-S-120	
1500x700x900mm high	600x450mm	FAB-DTI-S-150	
1800x700x900mm high	600x450mm	FAB-DTI-S-180	
2000x700x900mm high	600x450mm	FAB-DTI-S-200	

Options	Code	£
Mixer Taps	FAB-ACS-MT	
Overhead Spray	FAB-ACS-OS	

Dishwash Inlet Tabling - Double Bowl

Dimensions	Bowl Size	Code	£
1200x700x900mm high	2x 400x400	FAB-DTI-D-120	
1500x700x900mm high	1x600x450mm / 1x 400x400mm	FAB-DTI-D-150	
1800x700x900mm high	2x 600x450mm	FAB-DTI-D-180	
2000x700x900mm high	2x 600x450mm	FAB-DTI-D-200	
2200x700x900mm high	2x 600x450mm	FAB-DTI-D-220	

- Boxed sides to front / back and side
- Made to suit relevant dishwasher
- Lip to attach to Dishwasher
- C/w undershelf as standard
- Inset Bowls c/w waste overflow
- Mixer Taps and /or Overhead optional



Dishwash Inlet Tabling - Bespoke

Dishwash Inlet Tabling - Bespoke

Dimensions	Bowl Size	Code	£
Bespoke	Bespoke	N/A	

Options	Options	£
Bowl Size	Sink Valance	
Splashback height	Mixer Taps	
Scrapping Ring	Overhead Spray	
Utensil Rinse Sink	Undershelves	
Trayslides Under	Overshelves	

- Fully bespoke service.
- In-line or 'L' shaped configurations
- Tabling made to suit required dishwasher
- Any or all of the options added

Dishwash Outlet Tabling - Standard and Bespoke



Shows standard 700mm outlet tabling



Bespoke unit with splashback

Dishwash Outlet Tabling - Standard

Dimensions	Code	£
700x700x900mm high	FAB-DTO-70	
900x700x900mm high	FAB-DTO-90	
1100x700x900mm high	FAB-DTO-110	
1600x700x900mm high	FAB-DTO-160	

Dishwash Outlet Tabling - Bespoke

Dimensions	Code	£	Options	£
Bespoke	Bespoke		Splashback height	
			Undershelf / shelves	
			Overshelf / shelves	
			Trayslides	

Dishwash Outlet - Roller Tabling



Shows 1100mm straight roller table



Shows curved 90 degree corner tables

Dishwash Outlet - Roller Straight

Dimensions	Code	£
1100x600x900mm high	FAB-DTO-ROL-110	
1600x600x900mm high	FAB-DTO-ROL-160	
2100x600x900mm high	FAB-DTO-ROL-210	

- Stainless Construction
- Stainless axles + bearings
- Base with fall and drain outlet
- Optional stainless rollers
- PVC 40mm dia rollers - removable

Dishwash Outlet - Roller 90 Degree Curved

Dimensions	Code	£
1100x1100mmx900mm high	FAB-DTO-ROL-C	

- Stainless Construction
- Stainless axles + bearings
- Base with fall and drain outlet
- Optional stainless rollers
- PVC 40mm dia rollers - removable

WASH HAND BASINS / UTILITY SINKS

Fabrication

Knee Operated Wash Hand Basin



Shows with upstand + soap dispenser

Knee Operated Wash Hand Basin

Dimensions	Model	Code	£
330x330x170mm high	Without upstand	WHBK	
330x330x500mm high	With Upstand	WHBK-U	

- Stainless Steel Construction
- Bowl size 275mm diameter
- Bowl depth 115mm
- Mixer tap included
- Knee operated 'push' panel

Janitors Sink



Janitors Sink

Dimensions	Code	£
500x600x890mm high	FAB-JS	

- Stainless steel construction
- Cladded to front and sides
- Heavy Duty legs + frame
- c/w hot + cold pre-mixer tap
- Mop sink c/w removable bucket grid

'Premier' Knee Operated Wash Hand Basin



Knee Operated Wash Hand Basin

Dimensions	Model	Code	£
400x440x755mm high	Knee operated	PWHBK	

- Stainless Steel Construction
- One piece basin + splashback
- Bowl size 350x275mm
- Bowl depth 80mm
- Mixer tap included
- Knee operated 'push' panel
- Wall mount
- c/w integral towel bin

Mop Sink



Mop Sink

Dimensions	Code	£
500x480x780mm high	FAB-MS	

- Stainless steel construction
- One-piece top and splash back
- 400x400 bowl c/w removable perforated bucket grid

Options	Code	£
Bib Taps	FAB-ACS-BIB-T	

'Premier' Infra Red Operated Wash Hand Basin



'Premier' Infra Red Operated Wash Hand Basin

Dimensions	Model	Code	£
400x400x755mm high	Infra Red Control	PWHBIR	

- Stainless Steel Construction
- One piece basin + splashback
- Bowl size 350x275mm
- Bowl depth 80mm
- Mixer tap included
- Infra Red detection tap
- c/w integral towel bin
- Wall mount

Cutlery Soak Sink



Cutlery Soak Sink

Dimensions	Sink Capacity	Code	£
740x740x900mm high	100 ltr	FAB-CSS	

- Stainless Steel Construction
- Tank size 600x600x300mm deep
- Unit c/w drain plug, tap and drain pipe
- Heavy Duty frame + legs
- Bumpers fitted as standard

Options	Code	£
Cutlery shute	FAB-CSS-CS	
Basket runners under	FAB-CSS-BR	

Hinged Door / Drawer Counters

Hinged Door / Drawer Counters

Dimensions	Cupboard depth	Code With Upstand	Code Without Upstand	£
*500x700x900mm high	560mm	FAB-HDDC-500-U	FAB-HDDC-500	
1000x700x900mm high	560mm	FAB-HDDC-1000-U	FAB-HDDC-1000	
1400x700x900mm high	560mm	FAB-HDDC-1400-U	FAB-HDDC-1400	
1800x700x900mm high	560mm	FAB-HDDC-1800-U	FAB-HDDC-1800	

*500mm unit is a single door / drawer unit

Options	Code	£
Lockable option	FAB -ACS-LOCK	£45

- Stainless Construction throughout
- Soundeened reinforced worktop
- Rounded front edge
- Option for 100mm upstand to rear
- Lined hinged doors - magnetic catch
- Reverse fold to form one-piece handle
- 120mm recess at rear for obstructions
- 60mm diameter stainless adjustable feet
- Base + 1x intermediate shelf
- Drawer depth 150mm



Hinged Door Counters

Hinged Door Counters

Dimensions	Cupboard depth	Code With Upstand	Code Without Upstand	£
*500x700x900mm high	560mm	FAB-HDC-500-U	FAB-HDC-500	
800x700x900mm high	560mm	FAB-HDC-800-U	FAB-HDC-800	
1000x700x900mm high	560mm	FAB-HDC-1000-U	FAB-HDC-1000	

*500mm unit is a single door unit

Options	Code	£
Lockable option	FAB -ACS-LOCK	

- Stainless Construction throughout
- Soundeened reinforced worktop
- Rounded front edge
- Option for 100mm upstand to rear
- Lined hinged doors - magnetic catch
- Reverse fold to form one-piece handle
- 120mm recess at rear for obstructions
- 60mm diameter stainless adjustable feet



Drawer Units - 3 and 4 drawer

Drawer Units

Dimensions	Drawers	Cupboard depth	Code With Upstand	Code Without Upstand	£
500x700x900mm high	3	560mm	FAB-DU-3-U	FAB-DU-3	
500x700x900mm high	4	560mm	FAB-DU-4-U	FAB-DU-4	

- Stainless Construction throughout
- Soundeened reinforced worktop
- Rounded front edge
- Option for 100mm upstand to rear
- 3 drawer unit - draws = 150mm deep
- 4 drawer unit - draws = 100mm deep
- Drawers on telescopic slides
- Reverse fold to form one-piece handle
- 120mm recess at rear for obstructions
- 60mm diameter stainless adjustable feet



Open Fronted Shelf Counters

Open Fronted Shelf Units

Dimensions	Cupboard depth	Code With Upstand	Code Without Upstand	£
1000x700x900mm high	560mm	FAB-OFSU-1000-U	FAB-OFSU-1000	
1200x700x900mm high	560mm	FAB-OFSU-1200-U	FAB-OFSU-1200	
1500x700x900mm high	560mm	FAB-OFSU-1500-U	FAB-OFSU-1500	
1800x700x900mm high	560mm	FAB-OFSU-1800-U	FAB-OFSU-1800	
2000x700x900mm high	560mm	FAB-OFSU-2000-U	FAB-OFSU-2000	

- Stainless Construction throughout
- Soundeened reinforced worktop
- Rounded front edge
- Option for 100mm upstand to rear
- Base and Intermediate shelf included
- Infill panels to sides and rear
- 120mm recess at rear for obstructions
- 60mm diameter stainless adjustable feet
- Option for additional shelves



COUNTERS

Fabrication

Sink and Cupboard Counter



Shows double bowl + drainer unit

Hinged Door / Drawer Counters

Dimensions	Cupboard depth	Format	Code	£
1200x700x900mm high	660mm	Single Bowl + Drainer	FAB-SBSCU-1200	
1200x700x900mm high	660mm	Double Bowl	FAB-DBSCU-1200	
1600x700x900mm high	660mm	Double Bowl + Drainer	FAB-DBSCU-D-1600	
<ul style="list-style-type: none"> Stainless Construction throughout Sliding cupboard door 500x500x300mm deep inset basins Rounded front edge Mixer taps or overhead spray 60mm dia stainless adjustable feet Water retaining edge to worktop 100mm upstand 				
Options	Code	£		
Lockable option	FAB-ACS-LOCK			

Sliding Door Counter – Ambient



Shows heated unit

Ambient Sliding Door Counters

Dimensions	Cupboard depth	Code With Upstand	Code Without Upstand	£
1000x700x900mm high	560mm	FAB-ASDC-1000-U	FAB-ASDC-1000	
1200x700x900mm high	560mm	FAB-ASDC-1200-U	FAB-ASDC-1200	
1500x700x900mm high	560mm	FAB-ASDC-1500-U	FAB-ASDC-1500	
1800x700x900mm high	560mm	FAB-ASDC-1800-U	FAB-ASDC-1800	
2000x700x900mm high	560mm	FAB-ASDC-2000-U	FAB-ASDC-2000	
2400x700x900mm high	560mm	FAB-ASDC-2400-U	FAB-ASDC-2400	

- Stainless Construction throughout
- Sounddeadened reinforced worktop
- Rounded front edge
- Option for 100mm upstand to rear
- Lined sliding doors on polyamide rollers
- Reverse fold to form one-piece handle
- 120mm recess at rear for obstructions
- 60mm dia stainless adjustable feet

- Heated unit with ventilated heated interior
- Heated UnitPower 2050 W / 230V

Wall Cupboards - Sliding and Hinged Doors



Shows 1500mm sliding door unit

Wall Cupboards - Lockable Hinged Door

Dimensions	Cupboard depth	Code	£
500x400x700mm high	400mm	FAB-WCHD-500	
1000x400x700mm high	400mm	FAB-WCHD-1000	

Above units c/w lock + key

Wall Cupboards - Sliding Door

Dimensions	Cupboard depth	Code	£
1000x400x700mm high	400mm	FAB-WCSD-1000	
1200x400x700mm high	400mm	FAB-WCSD-1200	
1500x400x700mm high	400mm	FAB-WCSD-1500	
1800x400x700mm high	400mm	FAB-WCSD-1800	
2000x400x700mm high	400mm	FAB-WCSD-2000	

- Stainless Construction throughout
- Hinged or Sliding door option
- Sloping top (10 degrees)
- Max load 160kg
- One internal shelf

Corner Unit



Corner Unit

Dimensions	Code With Upstand	Code Without Upstand	£
1000x1000x900mm high	FAB-CCU-1000-U	FAB-CCU-1000	
<ul style="list-style-type: none"> Stainless Construction throughout Sounddeadened reinforced worktop Rounded front edge Option for 100mm upstand to rear Lined hinged door - magnetic catch 			



Shows counter combination - double sliding door unit and 4 drawer unit with continuous bridging worktop



Shows worktop with round inset bowl and water retaining edge + overhead gantry

Sliding Door Cupboards - Double Door - Full Height



Sliding Door Cupboards - Full Height

Dimensions	Code	£
1000x600x1900mm high	FAB-SDC-1000	
1200x600x1900mm high	FAB-SDC-1200	
1400x600x1900mm high	FAB-SDC-1400	
1600x600x1900mm high	FAB-SDC-1600	
1800x600x1900mm high	FAB-SDC-1800	

- Stainless Construction throughout
- Lined sliding doors on polyamide rollers
- Double lined side panels
- Base shelf + 3 internal adjustable shelves
- Reverse fold to form one-piece handle
- 60mm diameter stainless adjustable feet
- Sloping top 10 degree

Options	Code	£
Lockable option	FAB-ACS-LOCK	
Mobile option	FAB-ACS-CASTOR	

Hinged Door Cupboards - Double Door - Full Height



Hinged Door Cupboards - Double Door - Full Height

Dimensions	Code	£
1000x600x1900mm high	FAB-HDC-1000	
1200x600x1900mm high	FAB-HDC-1200	
1400x600x1900mm high	FAB-HDC-1400	
1600x600x1900mm high	FAB-HDC-1600	

- Stainless Construction throughout
- Lined hinged doors
- Double lined side panels
- Base shelf + 3 internal adjustable shelves
- Reverse fold to form one-piece handles
- 60mm diameter stainless adjustable feet
- Sloping top 10 degree

Options	Code	£
Lockable option	FAB-ACS-LOCK	
Mobile option	FAB-ACS-CASTOR	

Hinged Door Cupboards - Single Door - Full Height



Hinged Door Cupboards - Single

Dimensions	Code	£
600x500x1890mm high	FAB-HDC-S-600	
1000x500x1890mm high	FAB-HDC-S-1000	

Hinged Door Cupboards - Single - with partition

Dimensions	Code	£
600x500x1890mm high	FAB-HDC-S-P-600	
1000x500x1890mm high	FAB-HDC-S-P-1000	

Shows unit with vertical partition



Shows base drain hole and pan

Options	Code	£
Lockable option	FAB-ACS-LOCK	
Mobile option	FAB-ACS-CASTOR	
Base drain hole + pan	FAB-ACS-DHP	

- Stainless Construction throughout
- Lined hinged doors
- Double lined side panels
- Model options with or without vertical partition
- Base shelf + 3 internal adjustable shelves
- Reverse fold to form one-piece handles
- 60mm diameter stainless adjustable feet
- Sloping top 10 degree

Hinged Door Cupboards - Low Level



Hinged Door Cupboards - Low Level

Dimensions	Doors	Code	£
600x600x850mm high	1	FAB-LLHDC-600	
1000x600x850mm high	2	FAB-LLHDC-1000	

Options	Code	£
Lockable option	FAB-ACS-LOCK	
Mobile option	FAB-ACS-CASTOR	

- Stainless Construction throughout
- Lined hinged doors
- Double lined side panels
- 2x Model options
- Reverse fold to form one-piece handles
- 60mm diameter stainless adjustable feet
- c/w 1x internal shelf