

MEDIUM DUTY WORKBENCHES

FULLY WELDED, READY TO USE



Model AB1575M 1500 x 750
with extra bottom shelf.



Model AB2075L 2000 x 750
Laminate top medium duty workbench illustrated with:
5 drawer unit, cupboard, louvre and tool panels with
support bars, light rail, fluorescent light and bench top
trunking with two twin sockets (supplied unwired).



Model AB1260L 1200 x 600
Laminate top medium duty
workbench.

- Medium Duty Workbenches constructed from hollow section steel.
- All joints are welded.
- Each leg has a metal adjustable foot which enables the workbenches to be firmly seated on an uneven floor without rocking.
- Ideal for the assembly of small components especially for the electronics industry but equally useful as packing workbenches.
- Large choice of sizes and specifications available.
- We can vary manufacture to more closely match your specification - please ask.

▪ **Optional Extra items:**

- Cupboard
- Single drawer
- Cupboard with integral single drawer
- Five drawer cupboard unit
- 13 amp twin socket
- Fluorescent light
- Upper shelf
- Bottom shelf
- Louvre and tool panels
- Bench top trunking.

400mm PAINTED STEEL DRAWERS...

...can be fitted as an extra item.



Standard Frame Colour Choices:



- RAL5010 Sapphire Blue
- RAL7040 Goose Grey
- 14C39 Holly Green
- RAL7016 Anthracite



- RAL9006 Silver
- White
- Black

Non-standard colours are available for volume orders. Please ask for details.





- NOT flat pack.
- Adjustable feet.
- Workbench frame standard finish is blue.
- Other colours available.
- Choice of sizes.
- MDF, Laminate and ESD Laminate worktops overlap the workbench top by 10mm on all sides.

STANDARD SIZES MEDIUM DUTY WORKBENCHES

WORKBENCH SIZE	MDF TOP	LAMINATE TOP	ESD LAMINATE TOP*	GALVANISED STEEL TOP
Length and Depth (mm)	CODE	CODE	CODE	CODE
1200 x 600	AB1260M	AB1260L	AB1260LE	AB1260S
1200 x 750	AB1275M	AB1275L	AB1275LE	AB1275S
1200 x 900	AB1290M	AB1290L	AB1290LE	AB1290S
1500 x 600	AB1560M	AB1560L	AB1560LE	AB1560S
1500 x 750	AB1575M	AB1575L	AB1575LE	AB1575S
1500 x 900	AB1590M	AB1590L	AB1590LE	AB1590S
1800 x 600	AB1860M	AB1860L	AB1860LE	AB1860S
1800 x 750	AB1875M	AB1875L	AB1875LE	AB1875S
1800 x 900	AB1890M	AB1890L	AB1890LE	AB1890S
2000 x 600	AB2060M	AB2060L	-	AB2060S
2000 x 750	AB2075M	AB2075L	-	AB2075S
2000 x 900	AB2090M	AB2090L	-	AB2090S
2000 x 1200	AB2012M	AB2012L	-	AB2012S

Standard height 840mm can be varied to order

*ESD is electrical static dissipative



Model AB2090M 2000 x 900

MDF top medium duty workbench illustrated with: Upper shelf, drawer unit, cupboard/single drawer unit and twin socket bench top island unit.

400mm PAINTED STEEL DRAWERS...

...can be fitted as an extra item.



Standard Frame Colour Choices:



RAL5010 Sapphire Blue



RAL7040 Goose Grey



14C39 Holly Green



RAL7016 Anthracite



RAL9006 Silver



White



Black

Non-standard colours are available for volume orders. Please ask for details.





HEAVY DUTY WORKBENCHES

QUALITY MATERIALS AND QUALITY WORKMANSHIP



Model 1575WC
with wood top and vice.



Model 1260SC with steel top.

CHOICE OF
WORKTOP:
Steel or Wood

STANDARD SIZES HEAVY DUTY WORKBENCHES		
WORKBENCH SIZE	GALVANISED STEEL TOP	45mm SOLID WOOD TOP
Length and Depth (mm)	Code	Code
1200 X 600	1260SC	1260WC
1200 X 750	1275SC	1275WC
1200 X 900	1290SC	1290WC
1500 X 600	1560SC	1560WC
1500 X 750	1575SC	1575WC
1500 X 900	1590SC	1590WC
1800 X 600	1860SC	1860WC
1800 X 750	1875SC	1875WC
1800 X 900	1890SC	1890WC
2000 X 600	2060SC	2060WC
2000 X 750	2075SC	2075WC
2000 X 900	2090SC	2090WC

Standard height 840mm can be varied to order

ALL HEAVY DUTY WORKBENCHES INCLUDE AS STANDARD:

- **BOTTOM SHELF**
- **VICE PLATE** welded under the front right hand corner
- **REAR LIP**
- **SINGLE CUPBOARD**

- Constructed from steel angle with braced galvanised steel top or 45mm solid wood top.
- Choice of four standard lengths in the static workbenches range, each of which is available in three depths.
- Cupboards measure 600mm x 600mm by workbench depth.
- **Optional Extra items:**
 - Second cupboard
 - Single drawer
 - Five drawer cupboard unit.

Top quality Engineers Workbench Vices...

...can be fitted to any workbench if specified when ordering (we drill holes for vice) or supplied separately.



ENGINEERING VICES	
JAW WIDTH	CODE
100mm (4")	4VICE
125mm (5")	5VICE
150mm (6")	6VICE
200mm (8")	8VICE

400Mm painted steel drawers...

...can be fitted as an extra item.



Standard Frame Colour Choices:

 RAL5010 Sapphire Blue	 RAL9006 Silver
 RAL7040 Goose Grey	 White
 14C39 Holly Green	 Black
 RAL7016 Anthracite	

Non-standard colours are available for volume orders. Please ask for details.



SUPER HEAVY DUTY WORKBENCHES

FULLY WELDED AND READY TO USE



Model 2075WSC...
...with wood and steel
top. Shown with accessories: extra
cupboard, drawer and 150mm (6") vice.

ALL SUPER HEAVY DUTY WORKBENCHES INCLUDE AS STANDARD:

- **BOTTOM SHELF**
- **VICE PLATE** welded under the front right hand corner
- **REAR LIP**
- **SINGLE CUPBOARD**

STANDARD SIZES SUPER HEAVY DUTY WORKBENCHES

WORKBENCH SIZE	GALVANISED STEEL TOP OVER A 45mm SOLID WOOD TOP
Length and Depth (mm)	CODE
1200 x 600	1260WSC
1200 x 750	1275WSC
1200 x 900	1290WSC
1500 x 600	1560WSC
1500 x 750	1575WSC
1500 x 900	1590WSC
1800 x 600	1860WSC
1800 x 750	1875WSC
1800 x 900	1890WSC
2000 x 600	2060WSC
2000 x 750	2075WSC
2000 x 900	2090WSC

Standard height 840mm can be varied to order

- Constructed from steel angle with galvanised steel top over a 45mm solid wood top.
- Choice of four standard lengths in the static workbench range, each of which is available in three depths.
- Cupboards measure 600mm x 600mm by workbench depth.
- **Optional Extra items:**
 - Second cupboard
 - Single drawer
 - Five drawer cupboard unit.

Top quality Engineers Workbench Vices...

...can be fitted to any
workbench if
specified when
ordering (we
drill holes
for vice)
or supplied
separately.



ENGINEERING VICES	
JAW WIDTH	CODE
100mm (4")	4VICE
125mm (5")	5VICE
150mm (6")	6VICE
200mm (8")	8VICE

400Mm painted steel drawers...

...can be fitted as an
extra item.



Standard Frame Colour Choices:

	RAL5010 Sapphire Blue		RAL9006 Silver
	RAL7040 Goose Grey		White
	14C39 Holly Green		Black
	RAL7016 Anthracite		

Non-standard colours are
available for volume orders.
Please ask for details.



MOBILE WORKBENCHES

MAXIMUM MOBILITY
MAXIMUM STABILITY



ON LEGS



ON CASTORS



Model 1260SCP



Model 1260SFCP

Shown with optional Vice.

STANDARD SIZES MOBILE WORKBENCHES		
WORKBENCH SIZE	SINGLE CUPBOARD	5 DRAWER & CUPBOARD
Length and Depth (mm)	CODE	CODE
1200 x 600	1260SCP	1260SFCP
1200 x 750	1275SCP	1275SFCP
1500 x 600	1560SCP	1560SFCP
1050 x 750	1575SCP	1575SFCP
Standard height 840mm on legs can be varied to order		

- Fully mobile workbenches.
- Stands on four legs when in use to give maximum stability, with the wheels off the floor.
- Simple lever action pushes down the under-carriage and takes the weight off the legs onto the castors, enabling easy movement of the complete unit.
- Two versions:
 - Standard cupboard (SCP models)
 - Five drawer unit and matching cupboard (SFCP models).
- Optional Extra items:**
 - Second cupboard
 - Single drawer
 - Vice.

ALL MOBILE WORKBENCHES INCLUDE AS STANDARD:

- BOTTOM SHELF**
- VICE PLATE** welded under the front right hand corner
- LOWERING UNDERCARRIAGE**
- SINGLE CUPBOARD**

Top quality Engineers Workbench Vices...

...can be fitted to any workbench if specified when ordering (we drill holes for vice) or supplied separately.



ENGINEERING VICES	
JAW WIDTH	CODE
100mm (4")	4VICE
125mm (5")	5VICE
150mm (6")	6VICE
200mm (8")	8VICE



Standard Frame Colour Choices:

	RAL5010 Sapphire Blue		RAL9006 Silver
	RAL7040 Goose Grey		White
	14C39 Holly Green		Black
	RAL7016 Anthracite	Non-standard colours are available for volume orders. Please ask for details.	





TOOL TROLLEYS

QUALITY WORKMANSHIP USING TOP QUALITY MATERIALS



Model 1050ST



Model 1050SCT



Model 1050SDCT



Model 1050SCCT

STANDARD SIZES TOOL TROLLEYS		
SIZE 1000 x 500mm	WITH CASTORS	WITHOUT CASTORS
MODEL	CODE	CODE
Top and base only	1050ST	1050S
With single cupboard	1050SCT	1050SC
With double doors	1050SDCT	1050SDC
With two cupboards	1050SCCT	1050SCC
Standard height 840mm can be varied to order		

- 1000 x 500mm workbench with two swivel/braked castors and two fixed castors.
- Constructed from steel angle with braced galvanised top.
- Choose from four versions.

Top quality Engineers Workbench Vices...

...can be fitted to any workbench if specified when ordering (we drill holes for vice) or supplied separately.



ENGINEERING VICES	
JAW WIDTH	CODE
100mm (4")	4VICE
125mm (5")	5VICE
150mm (6")	6VICE
200mm (8")	8VICE



Standard Frame Colour Choices:


	RAL5010 Sapphire Blue		RAL9006 Silver
	RAL7040 Goose Grey		White
	14C39 Holly Green		Black
	RAL7016 Anthracite	Non-standard colours are available for volume orders. Please ask for details.	



QUALITY WORKBENCHES AND CABINETS

THE STRENGTH IS IN THE FRAME

The workbenches have a substantial steel frame on which all joints are carefully welded. The workbench features a bottom shelf and cupboard plus a built in vice plate and a preformed 2mm steel top with front downturn with a rear lip (which can be omitted on request) to prevent things falling off.



READY FOR IMMEDIATE USE

All our steel workbenches, tool trolleys and cabinets are manufactured in the UK. Our products are supplied to a multitude of customers throughout the UK but particularly to the motor trade, the electronics industry and heavy engineering.

Our workbenches are manufactured in the UK to high quality standards and are ready to use.

Delivery is free (to most parts of the UK) and our workbenches are usually delivered within 10 working days.

The workbenches are all steel framed, fully welded units, available as medium duty workbenches, heavy duty workbenches and super heavy duty workbenches. They are also available as mobile workbenches and tool trolleys to allow fitters or engineers to take the workbench to the job.

We supply a comprehensive range of accessories including vices, shelves, drawers and cupboards and we will be happy to quote for any non-standard units or accessories that you may require.

Merlin

Industrial Products Ltd

Vat GB591551821 Company Number 02906480 - 1994
Dun and Bradstreet Number (581590544)
NATO Code Number (NCAGE KD520)
EORI Number GB591551821000
UTR 6353208046

Call 01752 690 622 during UK Office hours
Email sales@mipl.uk



Available from Merlin Industrial Products - 01752 690622 - sales@mipl.uk