
just colour




















ONLYFROM

PAMPROOK I

Reduced Environmental Impact





just colour

Composition: Surface: PVC

Backing: Cotton/PES

Total weight: 705g/m²

Thickness: 1.10mm

Bursting strength: 1,200+ kPa/m²

Abrasion: 100,000+ Martindale rubs

Roll length: 25m

Width: 137-139cm

Flame retardancy: BS5852 Ignition Source 5 – Crib 5

BS7176 Medium Hazard

S.I.1988 No. 1324 Schedule 4 and 5

BS EN1021-1 and 2

CS-25 FMVSS 302 IMO A 652 (16)

Antimicrobial: Independent testing has verified that Just Colour fabric is effective

at reducing the spread of MRSA, E.Coli and other similar bacteria.

JIS Z 2801:2000

Clean regularly with a damp soapy cloth and rinse well with clean

water to retain appearance and durability. Difficult substances including lipstick, ink and food colouring should be removed immediately to ensure staining does not occur. A soft brush can be used for heavy, ingrained soiling. In cases where disinfecting is required the vinyl surface can be cleaned with a solution of disinfectant specified by manufacturers. The use of solvents, bleaches, abrasives, synthetic detergent, wax polishes or aerosol

sprays is not recommended.

Cnieπain Fabrics Wellington Place Trim Ireland

Tel: 00 353 46 943 1396 UK Freephone: 0800 035 5955

ax: 00 353 46 943 7669 **UK Fax: 0845 862 2046**

marketing@chieftainfabrics.com www.chieftainfabrics.com







