

# STORAGE & HANDLING SOLUTIONS MEDICAL & HEALTHCARE









# Shelfspan

making better use of space



### Key – product suitable for:



Linen & Laundry



**Bulk Storage** 



**Ward Storage** 



Theatres



Sterile S

### **STAINLESS STEEL**

### **SOLID & VENTED SHELF OPTIONS**







### STAINLESS STEEL SHELVING



### FLEXIBLE STAINLESS STEEL SHELVING WITH SOLID OR VENTED SHELVES

- Grade 304 stainless steel posts and shelves (316 upgrade available)
- Temperature resistant to −30°C
- Fully adjustable shelf heights every 100mm
- Adjustable post feet for uneven floors
- Quick and easy to assemble bolt-free, no specialist tools required
- Up to 200kg shelf load UDL
- Height Options: 1400mm, 1600mm, 1800mm and 2000mm

\*Note: Load capacity based on static units. Load capacities vary according to design. Please contact us for accurate load bearings for your desired design.

DEPTH (mm)

LENGTH (mm)	30	60	40	60	50	60	66	0
	SOLID	VENTED	SOLID	VENTED	SOLID	VENTED	SOLID	VENTED
660	ARTS36	ARTV36	ARTS46	ARTV46	ARTS56	ARTV56	ARTS66	ARTV66
760	ARTS37	ARTV37	ARTS47	ARTV47	ARTS57	ARTV57	ARTS67	ARTV67
860	ARTS38	ARTV38	ARTS48	ARTV48	ARTS58	ARTV58	ARTS68	ARTV68
960	ARTS39	ARTV39	ARTS49	ARTV49	ARTS59	ARTV59	ARTS69	ARTV69
1060	ARTS310	ARTV310	ARTS410	ARTV410	ARTS510	ARTV510	ARTS610	ARTV610
1160	ARTS311	ARTV311	ARTS411	ARTV411	ARTS511	ARTV511	ARTS611	ARTV611
1260	ARTS312	ARTV312	ARTS412	ARTV412	ARTS512	ARTV512	ARTS612	ARTV612
1360	ARTS313	ARTV313	ARTS413	ARTV413	ARTS513	ARTV513	ARTS613	ARTV613
1460	ARTS314	ARTV314	ARTS414	ARTV414	ARTS514	ARTV514	ARTS614	ARTV614
1560	ARTS315	ARTV315	ARTS415	ARTV415	ARTS515	ARTV515	ARTS615	ARTV615
1660	ARTS316	ARTV316	ARTS416	ARTV416	ARTS516	ARTV516	ARTS616	ARTV616
1760	ARTS317	ARTV317	ARTS417	ARTV417	ARTS517	ARTV517	ARTS617	ARTV617
1860	ARTS318	ARTV318	ARTS418	ARTV418	ARTS518	ARTV518	ARTS618	ARTV618
1960	ARTS319	ARTV319	ARTS419	ARTV419	ARTS519	ARTV519	ARTS619	ARTV619
2060	ARTS320	ARTV320	ARTS420	ARTV420	ARTS520	ARTV520	ARTS620	ARTV620

Codes are for a standard 1600mm high, 4-tier unit

Unique shelf supports allow for full access into corners on add on units





### **ECLIPSE STAINLESS STEEL WIRE**

### **OPEN WIRE SHELVING SYSTEM**







### **ECLIPSE STAINLESS STEEL WIRE SHELVING**



### GRADE 304 STAINLESS STEEL, UP TO 300KG\* SHELF LOAD

- Shelves manufactured in grade 304 stainless steel, posts in stainless steel or chrome
- Innovative design reduce costs and improve access using add-on units
- Suitable for use in many environments including wet and dry areas
- Standard height: 1820mm

\*Note: Load capacity based on static units. Load capacities may vary according to design. Please contact us for accurate load bearings for your desired design

### LENGTH (mm)

DEPTH (mm)	915	1070	1220	1520	1820
460	SSW44	SSW51	SSW45	SSW46	SSW52
610	SSW48	SSW54	SSW49	SSW50	SSW55

\*Add suffix /C for chrome posts and /S for stainless steel posts, i.e. SSW44/C Codes are for a standard 1820mm high, 4-tier unit



Quick and easy to assemble bolt - free, no specialist tools required.

Fully adjustable - shelf heights every 25mm.

Add swivel castors for mobility. Available in 75mm, 100mm and 120mm sizes.

Unbraked and braked options.





### **EKO FIT**

### **FLEXIBLE POLYMER SHELVING SYSTEM**













### **EKO FIT POLYMER SHELVING**



# THE MOST FLEXIBLE SHELVING SYSTEM AVAILABLE, WITH LENGTHS UP TO 2 METRES AND 330 SIZE VARIATIONS

- Superior strength and hygiene, ideal for all healthcare areas
- Load bearing parts are manufactured with high strength anodised aluminium, up to 250kg per shelf and 1000kg per bay UDL
- Plastic components moulded to high resistance using basic acids and bacteria proof raw materials
- Easily removable and dishwasher proof shelf slats
- Temperature resistance range is -30°C to +90°C
- Accreditations from NSF and NF
- Standard height: 1700mm (other heights available)

\*Note: Load capacity based on static units. Load capacities may vary according to design. Please contact us for accurate load bearings for your desired design. Shelf elements suitable for cleaning in standard commercial dishwasher and detergents. Not suitable for use in autoclaves. Easy to clean wipe down surface or simply remove slats.

### LENGTH (mm)

DEPTH (mm)	770	920	1070	1220	1370	1520	1820
375	KFS375/17/4	KFS379/17/4	KFS383/17/4	KFS387/17/4	KFS391/17/4	KFS395/17/4	KFS403/17/4
450	KFS450/17/4	KFS454/17/4	KFS458/17/4	KFS462/17/4	KFS466/17/4	KFS470/17/4	KFS478/17/4
600	KFS600/17/4	KFS604/17/4	KFS608/17/4	KFS612/17/4	KFS616/17/4	KFS620/17/4	KFS628/17/4

Codes are for a standard 1700mm high, 4-tier unit and from the 'Express Range .

Please contact us if other sizes are needed.

Removable polyethylene shelf elements for easy cleaning





### **ECLIPSE PLASTIC PLUS**

# THE STRENGTH OF STEEL WITH THE BENEFITS OF PLASTIC



### **ECLIPSE PLASTIC PLUS POLYMER SHELVING**



## 10 YEAR ANTIBACTERIAL & ANTI - CORROSION GUARANTEE WITH EXTRA HEAVY-DUTY 360KG\* SHELF LOAD

- 99.9% effective antibacterial additive to posts, frames and shelf panels
- Removable polymer shelf panels for extra hygiene
- Temperature resistant from -29°C to +88°C
- Mix and match removable solid or vented shelf panels
- Fully adjustable shelf heights every 25mm
- Available in 48 size combinations
- 1625mm, 1820mm and 2130mm height options

### LENGTH (mm)

DEPTH (mm)	610	760	915	1070	1220	1370	1520	1820
460	8168	8169	8170	8171	'8172	8173	8174	8175
610	8184	8185	8186	8187	8188	8189	8190	8191

Add suffix 'S after the code for solid shelves and 'V for vented shelves, i.e. 8168V Codes are for a standard 1625mm high, 4-tier unit



Removable polypropylene panels for easy cleaning in a commercial washer\*

\*Standard commercial dishwasher & detergents only. Frame wipe clean with damp sponge or water jet only. Temperature resistance range is -29°C to +88°C

Add swivel castors for mobility. Available in 75mm, 100mm and 120mm sizes.

Unbraked and braked options.





<sup>\*</sup> Note: Load capacity based on static units. Load capacities vary according to design. Please contact us for accurate load bearings for your

### **ECLIPSE PERMA PLUS**

# EPOXY COATED WIRE SHELVING WITH AN ANTIBACTERIAL EDGE



### **ECLIPSE PERMA PLUS EPOXY COATED SHELVING**



### 10 YEAR ANTIBACTERIAL & ANTI-CORROSION GUARANTEE

- Ideal for medical and hygiene-sensitive areas
- Quick and easy to assemble
- Coated shelves and posts for complete protection
- Up to 300kg\* shelf load capacity UDL
- Fully adjustable shelf heights every 25mm
- Innovative design reduce costs and improve access by using add-on units
- Available in 81 size combinations
- 1625mm, 1820mm and 2130mm height options

\*Note: Load capacity based on static units. Load capacities may vary according to design. Please contact us for accurate load bearings for your desired design.

				LENGTH (mm)				
DEPTH (mm)	610	760	915	1070	1220	1370	1520	1820
305		EPP32	EPP37	EPP34	EPP38			
355		EPP35	EPP36	EPP33	EPP30	EPP39	EPP41	EPP42
460	EPP40	EPP43	EPP44	EPP51	EPP45	EPP53	EPP46	EPP52
610	EPP47A	EPP47	EPP48	EPP54	EPP49	EPP56	EPP50	EPP55

Codes are for a standard 1625mm high, 4-tier unit



10 years antimicrobial and anti-corrosion guarantee

99.9% effective against most common bacterial strains

Add swivel castors for mobility. Available in 75mm, 100mm and 120mm sizes.

Unbraked and braked options.





### **ECLIPSE CHROME WIRE**

### **OPEN WIRE SHELVING SYSTEM**










### **ECLIPSE CHROME WIRE**



### HARD WEARING CHROME FINISH WITH UP TO 300KG\* SHELF LOAD.

- Ideal for dry store, medical authorities and hospital environments
- Quick and easy to assemble
- Innovative design reduce costs and improve access by using add-on units
- Open wire design allowing for the circulation of air, light penetration and improved visibility
- Fully adjustable shelf heights every 25mm
- Available in 87 size combinations
- Huge range of accessories including angled shelves, display baskets and utility rails
- Options 1625mm, 1820mm and 2130mm height

\*Note: Load capacity based on static units. Load capacities may vary according to design. Please contact us for accurate load bearings for your desired design.

### LENGTH (mm)

DEPTH	460	610	760	915	1070	1220	1370	1520	1820
305		EC31	EC32	EC37	EC34	EC38			
355			EC35	EC36	EC33	EC30	EC39A	EC41	EC42
460	EC39	EC40	EC43	EC44	EC51	EC45	EC53	EC46	EC52
610		EC47A	EC47	EC48	EC54	EC49	EC56	EC50	EC55

Codes are for a standard 1625mm high, 4-tier unit



Quick and easy to assemble bolt - free, no specialist tools required.

Fully adjustable - shelf heights every 25mm.

Add swivel castors for mobility. Available in 75mm, 100mm and 120mm sizes.

Unbraked and braked options.






### **ECLIPSE ACCESSORIES**

### SHELF LEDGES

115mm high



	LENGTH (mm)										
-	305	355	460	610	760	915	1070	1220	1370	1520	1820
CODE	SL12	SL14	SL18	SL24	SL30	SL36	SL42	SL48	SL54	SL60	SL72

### SHELF DIVIDERS

170mm high

	LENGTH (mm)							
	305	355	460	610				
CODE	SL12	SL14	SL18	SL24				



### **UTILITY RAILS**

25mm high



	LENGTH (mm)								
	460	610	760	915	1070	1220	1370	1520	1820
CODE	SL18	SL24	SL30	SL36	SL42	SL48	SL54	SL60	SL72

### **TICKET EDGING**

### **CONDUCTIVE COLLARS**

### **POST CLAMPS**

CODE 1699/927

CODE ESCC












Other accessories available - please contact us for details

### **ECLIPSE SPECIAL SHELVES**

### **SLOPING SHELF**


27 degree



		SIZE (mm)	
·	305 x 610	460 x 915	460 x 1220
CODE	SLT1224/27	SLT1836/27	SLT1848/27

### **SLOPING SHELF**


45 degree



	J. L. ()						
-	305 x 610	460 x 915	460 x 1220				
CODE	SLT1224/45	SLT1836/45	SLT1848/45				


### **BASKET SHELF**

90mm high



	SIZE (mm)					
_	460 x 610	460 x 915				
CODE	EC1824B	EC1836B				

### WALL SHELVING



760 915 1220 DEPTH (mm) 305 CW30076 CW30091 CW30122 355 CW35076 CW35091 CW35121

LENGTH (mm)

CW46091

CW46076 Add suffix /1 for 1-tier or /2 for 2 - tier

460

Other shelves available - please contact us for details



CW46122

### **HIGH DENSITY STORAGE**

### MORE STORAGE IN LESS SPACE













### WHY HIGH DENSITY STORAGE?

### Why High Density Storage?

High density storage is a grand name for a very simple idea - get more storage into the same space by removing all but one access aisle. By using mobile units between static ends, the aisle becomes moveable; so the unnecessary aisle in the static system now become additional units in the high density system.



Shelfspan offer 2 types of High Density systems to maximise your surface area storage:

### FLOOR TRACK HD

- Mobile shelving unit slides easily along aluminium floor tracks on Grade 304 stainless steel blocks
- Use on all Eclipse range shelving & Eko Fit
- Use in dry store, cold rooms and freezers
- Lower cost than other HD options
- Retro-fit to existing Shelfspan shelving
- One piece stainless steel rolling block allows for smooth action with minimal drift
- Up to 400kg loading per mobile unit

### TRACKLESS OVERHEAD HD

- Mobile units mounted on Grade 304 stainless steel blocks glide easily on standard smooth flooring
- Kept in line with overhead aluminium guide rails and top mounted stainless steel shuttles
- No floor track, so easy to keep clean
- Use on all Eclipse range shelving & Eko Fit
- Up to 1800mm unit length and spans up to 4 metres
- Retro-fit to existing Shelfspan shelving
- One piece stainless steel rolling block allows for smooth action with minimal drift
- Up to 400kg loading per mobile unit

Includes free site survey and end-to-end planning from concept to installation



### **MODU-MED**

### **MODULAR STORAGE SYSTEM**



'A place for everything and everything in its place' Benjamin Franklin







### BENEFITS OF MODU-MED STORAGE SYSTEMS

Modu-Med storage systems can greatly improve the efficiency of any medical environment, as well as being HTM71 compliant.

- **Better utilisation of space** Modu-Med systems can provide up to 50% more storage capacity and free valuable space for other uses.
- **Stock management** Improved stock rotation, reduced stock damage and reduced risk of picking error.
- **Staff improvements** Quicker to locate stock meaning staff can spend more time with patients and reduce patient waiting time.
- **Improved flexibility** Cabinets can be adapted as needed to suit requirements of stock and changes of department.





The perfect solution for many medical environments including:

- Operating theatres
- Prep rooms
- Ward stores
- Clean utilities

- Anaesthetic rooms
- Sterile services
- Specialist departments including A&E, cardiac, orthopaedics etc.



### **MODU-MED RACKING SYSTEMS**



- Modu Med racks differ from conventional racks through their high flexibility and modularity and are very easy to install.
- Racks can accommodate modules in both the 400mm or 600mm wide directions.
- Modules (trays) are inserted into removable plastic supports which can be adjusted at 68mm increments – without the use of tools
- All modules include a safety stop system to prevent them falling when pulled out.
- HTM71 compliant

### Rack Frame - 1980 high

Size	Starter	Add-On
600 x 436	MHD40ST	MHD40AO
400 x 436	MHD60ST	MHD40AO



### **MODU-MED RACKING SYSTEMS**



- Racks available in epoxy coated steel and stainless steel.
- Coloured labels can be used to categorise each tray or basket.
- Modules can be positioned in either a horizontal position, slant position or tilt position with stoppers.
- Each unit can accommodate up to 24 trays at 50mm deep, up to 12 trays/baskets at 100mm deep and up to 6 trays/baskets at 200mm deep.
- Top panels can be added to help prevent dust (see image above).



### **MODU-MED CABINET SYSTEMS**





- Large range of modular cabinets including high, low, wall and sink, available with or without doors. All made of high density fibreboard with a high pressure laminate (HPL) finish.
- Can accommodate modules in either the 400mm or 600mm wide direction.
- Side panels can be equipped with wheels on each insert position to help slide heavy loaded modules.
- To meet the ever growing changes and requirements in hospitals, mobile cabinets are also available.
- HTM71 compliant



### **MODU-MED STORAGE SYSTEMS**



The modules make up the heart of the Modu-Med system; all modules are based around an international 600mm x 400mm size meaning they are interchangeable between all cabinets, racks and carts.

- HTM71 compliant
- Modules are available as trays (depths of 50mm, 100mm or 200mm) or baskets (depths of 100mm or 200mm) in light grey or transparent ABS.
- All modules are partially nestable and can be divided in both directions with light grey or transparent dividers.
- The dividers make use of a unique dovetail joint meaning no extra tools are needed.
- The dividers can also be shortened to create compartments of varying sizes.





- All trays and baskets can be fitted out with a safety stop, so they can be used as drawers inside different storage and transport elements.
- The modular configuration of the Modu-Med system offers a very flexible, space saving and ergonomic solution.



### TRAY AND BASKET MODULES



Tray in ABS, light grey, can be stacked and separated -400 x 600 x 50mm (WxLxH)

### MTG645



Tray in ABS, light grey, can be stacked and separated -400 x 600 x 100mm (WxLxH)

### MTG6410



Tray in ABS, light grey, can be stacked and separated -400 x 600 x 200mm (WxLxH)

### MTG6420



Tray in ABS, transparent, can be stacked and separated -400 x 600 x 50mm (WxLxH)

**MTC645** 



Tray in ABS, transparent, can be stacked and separated -400 x 600 x 100mm (WxLxH)

### MTC6410



Tray in ABS, transparent, can be stacked and separated -400 x 600 x 200mm (WxLxH)

### MTC6420




Basket in ABS, light grey, can be stacked and separated -400 x 600 x 100mm (WxLxH)

**MBG6410** 

Basket in ABS, light grey, can be stacked and separated -400 x 600 x 200mm (WxLxH)

Wire basket, can be stacked and separated -400 x 600 x 100mm (WxLxH)







Basket in ABS, transparent, can be stacked and separated -400 x 600 x 200mm (WxLxH)

**MBC6420** 



Wire basket, can be stacked and separated -400 x 600 x 200mm (WxLxH)

MW6410



Basket in ABS, transparent,

can be stacked and separated -



making better use of space

\*Printing on modules available - Minimum order quantities apply

# **MODU-MED PRODUCT RANGE**

### TRAY AND BASKET ACCESSORIES



Stop system for trays and baskets, injection moulded plastic, light grey. Can be fixed to every corner of the module.

Grey - TSTOPG Clear - TSTOPC



Label holder - injection moulded plastic, white. To be attached to trays , baskets and their dividers. Available in varying sizes and also doubles.

Portrait – LBHP Landscape – LBHL



Long Divider (ISO) for modules, *ABS* modules only, available in 200, 100, 50mm; clear and grey ABS.

Modu-Med card to which the label is applied, plastic. Available in white and colours for stock management.

Size (mm)	Grey	Clear
300 x 50	TDG35	NA
300 x 100	TDG310	NA
300 x 200	TDG320	NA
400 x 50	TDG45	TDC45
400 x 100	TDG410	TDC410
400 x 200	TDG420	TDC420
600 x 50	TDG65	TDC65
600 x 100	TDG610	TDC610
600 x 200	TDG620	TDC620



T piece in flexible, white plastic to connect shortened dividers. *ABS modules only*, Dim. 30x30x30 mm (L x W x H)

DIVTP

Colour	Size	Code	Size	Code
White	86 x 54	PCCLW	59 x 38	PLCW
Red	86 x 54	PCCLR	59 x 38	PLCR
Blue	86 x 54	PCCLB	59 x 38	PLCB
Yellow	86 x 54	PCCLY	59 x 38	PLCY
Green	86 x 54	PCCLG	59 x 38	PLCG
Orange	86 x 54	PCCLO	59 x 38	PLCO

Cover for Toxic Drawer

**TOXICDC** 



### **MODU-MED PLUS**







- HTM71 compliant
- Can accommodate modules in both the 400mm and 600mm wide directions and the trolleys are available in heights of between 900mm and 2150mm.
- Available with coloured side panels, closable rolling fronts, drawer fronts or doors.
- Tray and basket modules can be stored in horizontal, slant or tilt position.
- Suitable for MRI areas (with use of anti-static castors).
- Suitable for trolley wash (special adaption required drainage holes).
- Telescopic drawers.
- Adjustable handle height.

Н	eic	ıht (	(mm)	

Size (mm)	Column Type	900	1050	1500	1850	2150
	Column Type	900	1030	1300	1000	2130
Single with Drawers						
700 x 500	400mm column width	MOD90D40	MOD105D40			
500 x 700	600mm column width	MOD90D60	MOD105D60			
Twin with Drawers						
480 x 1290	2 x 600mm column width	MOD90D60/2	MOD105D60/2			
<b>Triple with Drawers</b>						
660 x 1290	3 x 400mm column width	MOD90D60/3	MOD105D60/3			
Tall with Roller Door						
660 x 480	400mm column width	MOD9DR40	MOD10DR40	MOD15DR40	MOD18DR40	MOD21DR40
480 x 660	600mm column width	MOD9DR60	MOD10DR60	MOD15DR60	MOD18DR60	MOD21DR60
Twin with Roller Door						
660 x 960	2 x 400mm column width	MOD9RR40	MOD10RR40	MOD15RR40	MOD18RR40	
480 x 1320	2 x 400mm column width	MOD9RR60	MOD10RR60	MOD15RR60	MOD18RR60	









Ward Storage

# MODU-MED PLUS

### **MODU-MED PLUS ACCESSORIES**



### Stainless Steel top with 3 edges

Tray	Code
400mm wide	- MODSST40
600mm wide	- MODSST60



### **Accessories Clamp**

Tray	Code
Outside	- MODCLMP/O
Inside	- MODCLMP/I



### **Telescopic Drawers**

Tray Depth	Size	Code
50mm	600 x 74	TPD607
	400 x 74	TPD407
100mm	600 x 114	TPD6011
	400 x 114	TPD4011
200mm	600 x 232	TPD6023
	400 x 232	TPD4023
2 x 50mm (600mm wide)	1290 x 74	TPD127/60
2 x 100mm (600mm wide)	1290 x 114	TPD1211/60
2 x 200mm (600mm wide)	1290 x 232	TPD1223/60
3 x 50mm (400mm wide)	1290 x 74	TPD127/40
3 x 100mm (400mm wide)	1290 x 114	TPD1211/40
3 x 200mm (400mm wide)	1290 x 114	TPD1223/40



### Height adjustable handle

400mm	- MODPH40
600mm	- MODPH60



### **MODU-MED OPEN TROLLEYS**





- HTM71 compliant
- Open trolleys are available in a number of sizes and are made from epoxy coated steel tube.
- Can accommodate modules in both 400mm and 600mm wide directions.
- Lightweight, flexible, modular and easy to move.
- All trolleys provided with 4 swivel castors (2 braked) loadings vary according to the size of the trolley.
- Tray and basket modules fit into the module supports with the safety stop function.
- Height of supports adjustable every 68mm without the use of tools.

Depth x Width (mm)	Column Type	Height (mm)	Ref
655 x 460	400mm module width	850	OPT840
450 x 720	600mm module width	850	OPT860
650 x 950	2 x 400mm module width	850	OPT840/2
450 x 720	600mm module width	1050	OPT1060
650 x 660	400mm module width	1640	OPT1640
650 x 890	2 x 400mm module width	1640	OPT1640/2
650 x 1305	3 x 400mm module width	1640	OPT1640/3









# MODU-MED PRODUCT RANGE

### **OPEN TROLLEY ACCESSORIES**



Laptop Stand

Code: OPTLS



**Documents Holder** 

Code: OPTDH



Infusion Pole

Code: OPTIP



Tilt Bin Stand

Code: OPTTBS









Tilt Bins - Ideal for storing any small items and consumables

3 bins: OPTTB/3 4 bins: OPTTB/4 5 bins: OPTTB/5 6 bins: OPTTB/6



### **TROLLEYS AND CARTS**



### **ECLIPSE LAUNDRY/LINEN AND GARMENT CARTS**



ECLIPSE Chrome Laundry Collection Cart (Left) and Linen Distribution Cart (Right)

### **Laundry Carts**

WIDTH (mm)

DEPTH (mm)	915	1220
460	ECLCC1836	ECLCC1848
610	ECLCC2436	ECLCC2448

### **ECLIPSE Chrome Laundry & Linen Carts**

- For collection of soiled laundry and distribution of clean linen.
- Open wire design for excellent air-flow.
- Easy to clean.
- Quick and easy to assemble
- All units are 1775mm high
- Fully adjustable shelf heights every 25mm
- Supplied with 120mm castors, 2 of which are braked.
- Maximum unit load 300kg.

### **Linen Carts**

WIDTH (mm)

DEPTH (mm)	915	1220	1520
460	ECLD1836	ECLD1848	ECLD1860
610	ECLD2436	ECLD2448	ECLD2460



### **Garment Rails**


 Convert your ECLIPSE shelving unit into a garment hanging space using these easy to fit rails.

	LENGTH (mm)		
915 1220		1520	
SL36	SL48	SL60	



### SUTURE CARTS





### **Suture Cart**

Holds suture boxes or other stock on sloped shelves for fast, easy identification and access. 27 or 45 degree slope available.

- Standard unit supplied with 1820mm chrome posts, 4 sloped shelves, 8 dividers and 4 x 120mm castors.
- Additional accessories available including ticket edging, cart handles, shelf dividers and extra shelves
- Maximum unit load 300kg.

		WIDTH	l (mm)	
	27 Degree		45 Degree	
DEPTH (mm)	m) 915 1220		915	1220
460	STC36/27	STC48/27	STC36/45	STC48/45









Ward Storage

### **TROLLEYS**



### **304 GRADE STAINLESS STEEL GENERAL PURPOSE TROLLEY**



- Dished shelves with anti-drip edges
- Wipe clean hygienic design
- Welded construction
- Rubber disc bumpers
- Non-marking castors, 2 braked
- No assembly required

LENGTH (mm)

	2 Tier		3 Tier			
DEPTH (mm)	695	895	1095	695	895	1095
495	2SSGP6x4			3SSGP6x4		
595		2SSGP8x5			3SSGP8x5	
695			2SSGP10x6			3SSGP10x6



- Grey colour powder coated steel frame
- Removable aluminium shelves
- Non-marking castors, 2 braked
- No assembly required
- 825 x 525 x 900mm high 2 or 3 tier option
















### **ECLIPSE CHROME WIRE GENERAL PURPOSE TROLLEY**

- 2 or 3 tier trolley, manufactured from steel with a hard-wearing polished nickel chrome finish.
- Supplied with 75mm castors, 2 of which are braked.
- 1060mm height
- Maximum load 210kg

LENGTH (mm)











making better use of space

### **MOBILE INSTRUMENT CABINETS**

Designed for the handling and transportation of contaminated instruments to be washed and sterilised before being delivered back to departments.

- Stainless steel units equipped with 4x160mm non marking grey rubber wheels with stainless steel roller bearings. 2 fixed and 2 swivel with pedal operated brake.
- Doors can be opened up to 270° to allow full cleaning of interior and exterior surfaces.
- Units equipped with 4 vertical tube push handles.
- All units are 1470mm high and available in 3 different interior designs.

### **Holding Columns**



Size (mm)	Columns	Shelves	Code
1010 x 710	2	6	SMS-204D2GR (6 STU)
1260 x 710	3	9	SMS-204D3GR (9 STU)
1260 x 710	2	6	SMS-20412 GR
1010 x 710	2	16	SMS-204D2 (6 STU)
1260 x 710	3	24	SMS-204D3 (9 STU)
1260 x 710	2	16	SMS-20412

### **Stainless Steel Solid Shelves**

Available in the following sizes and variations (mm):

- SMS-204D2SH (6STU)
   1010 x 710 x 1470 2 shelves, 356mm apart.
- SMS-204D3SH (9STU)
   1260 x 710 x 1470 2 shelves, 356mm apart.











### **MOBILE INSTRUMENT CABINETS**

### Removable Frames with High Density Polyethylene (PEHD) Slides

Supplied as 4 separate sections including the mobile instrument cabinets, the cabinet racks, the loading trolley and fixed platform. The frame can be easily transported either inside the cabinet or on the trolley and can stand alone by using the fixed deposit platform. The frame is easily moved between both by the use of the PEHD slides.

### **Mobile Instrument Cabinets (1470mm high)**

Size (mm)	No. of Slides	To Fit Rack	Code
1010 x 710	1	SMS-RACKD2	SMS-204D2TR (6 STU)
1010 x 710	2	SMS-RACKD1 (x2)	SMS-204D2/2TR (3+3 STU)
1260 x 710	1	SMS-RACKI2	SMS-20412 TR
1260 x 710	2	SMS-RACKI1 (x2)	SMS-20412/2TR
1260 x 710	1	SMS-RACKD3	SMS-204D3TR (9STU)



### Cabinet Racks (1040mm high)

Size (mm)	Columns	Shelves	Code
356 x 600	1	3	SMS-RACKD1 (3 STU)
687 x 600	2	6	SMS-RACKD2 (6 STU)
1018 x 600	3	9	SMS-RACKD3 (9STU)
453 x 600	1	3	SMS-RACKI1
881 x 600	2	6	SMS-RACKI2



### **Loading Trolleys**

Size (mm)	No. of Slides	To Fit Rack	Code
754 x 452	1	SMS-RACKD1	SMS-125XD1
806 x 664	1	SMS-RACKD2	SMS-125XD2
806 x 664	2	SMS-RACKD1 (x2)	SMS-125XD2/2
1056 x 664	1	SMS-RACKD3	SMS-125XD3
754 x 549	1	SMS-RACKI1	SMS-125XI1
1056 x 664	1	SMS-RACKI2	SMS-125XI2
1056 x 664	2	SMS-RACKI2 (x2)	SMS-125XI2/2



### **Fixed Platforms**

Size (mm)	No. of Slides	To Fit Rack	Code
805 x 620	1	SMS-RACKD2	SMS-PLTXD2
805 x 620	2	SMS-RACKD1 (x2)	SMS-PLTXD2/2
1056 x 620	1	SMS-RACKD3	SMS-PLTXD3
1056 x 620	1	SMS-RACKI2	SMS-PLTXI2
1056 x 620	2	SMS-RACKI1 (x2)	SMS-PLTXI2/2









# LIGHT ALLOY TOOL TRANSPORT

Aluminium trolleys designed for the handling and transportation of infected/contaminated instruments to be sterilised, before redelivery to departments.

- Light anodised alloy trolleys with non-marking grey rubber wheels.
- Doors can be opened up to 270° with magnet blocking system during the open position to allow full cleaning of interior and exterior surfaces.
- Doors operate by 2 vertical stainless steel rods and transported by 2 horizontal handles, 1 on each side panel.

#### **Holding Columns**



Equipped with removable vertical panels formed with 10 nylon glass fibre guides every 114mm. Suitable to contain baskets or shelves to hold sterilisation containers.

Available in the following sizes (mm):

860 x 710 x 1500 - 2 columns

Code: SMS-N204G2

1230 x 710 x 1500 - 3 columns

Code: SMS-N204G3 (9 STU)

#### **Aluminium Solid Shelves**

Equipped with 2 removable light anodised alloy interior shelves fastened on by nylon supports. Each shelf is positioned 356mm apart.

Available in the following sizes (mm):

860 x 710 x 1500 - 2 shelves

Code: SMS-N204G2SH (6 STU)

1230 x 710 x 1500 - 2 shelves

Code: SMS-N204G3SH (9 STU)









# **AUXILIARY AND DRESSING TABLES**

#### **Auxiliary Tables**



#### CODE: AUXTS1D

- Stainless steel
- Upper shelf with rim
- 80mm castors with bumpers, 2 braked
- Size available: 600 x 400 x 830mm



# CODE:AUXTR1D(One Drawer) CODE:AUXTR2D(Two Drawers)

- Stainless steel
- 2 tray shape shelves 20mm deep
- Choice of 1 or 2 drawers

# **Dressing Tables**



#### CODE: DRT2T

- Stainless Steel
- 600 x 400 x 60mm detachable trays
- 80mm castors with bumpers, 2 braked
- Size available: 1050 x 420 x 830mm



#### CODE: DRT2T2D

- Stainless steel
- 2 removable trays and 2 drawers
- 80mm castors with bumpers, 2 braked
- Size available: 720 x 400 x 800mm



#### CODE: DRTWB

- Wire basket for the DRT2T and DRT2T2D
- Size available:420 x 220 x 150mm












#### CODE: DRTWBKT

- Waste bucket for the DRT2T and DRT2T2D
- 7 litre capacity

# **INSTRUMENT TABLES**





- Stainless steel
- Flat surfaces
- 80mm castors with bumpers, 2 braked
- Size available: 600 x 400 x 800mm



#### CODE: INSTB2FS/90

- Stainless steel
- Flat surfaces
- 80mm castors with bumpers, 2 braked
- Size available: 900 x 400 x 800mm



#### CODE: INSTB2FSUR/60

- Stainless steel
- Upper rimmed shelf
- Lower flat surface shelf
- 80mm castors with bumpers, 2 braked
- Size available: 600 x 400 x 800mm



#### CODE: INSTB2FSUR/90

- Stainless steel
- Upper rimmed shelf
- Lower flat surface shelf
- 80mm castors with bumpers, 2 braked
- Size available: 900 x 400 x 800mm









Theatres

# **NSTRUMENT TABLES**

# **INSTRUMENT TABLES**



#### CODE: INSTB2FSTS/68

- Stainless steel
- 2 tray shape shelves with rounded corners
- 80mm castors with bumpers, 2 braked
- Size available: 680 x 420 x 800mm



#### **CODE: INSTBMHALV**

- Stainless Steel
- Flat surface with rimmed edges
- Height adjustable with use of double crank (one on each side)
- Min Max height: 920 1315mm
- Size available: 940 x 500 x 920 -1315mm



#### **CODE: MYTHYHA**

- Stainless steel
- Hydraulic system for raising and lowering
- Min Max height: 850 1200mm
- Detachable tray
- 80mm castors with bumpers, 2 braked
- Size available: 650 x 530 x 850 1200mm



#### CODE: MYTMHA

- Stainless steel
- Adjustable height support
- 600 x 400 x 20mm detachable tray
- 80mm castors with bumpers, 2 braked
- Size available: 600 x 400 x 750 -

1200mm







Theatres

Sterile Services












#### **Din Baskets**

Multi-use containers used for the internal transport of items and instruments requiring full disinfecting and washing with subsequent preparation for re-use.



- Constructed from AISI 304L electro-polished stainless steel.
- Perforated side wall to offer greater protection to sharp instruments whilst allowing maximum water penetration.
- Smooth edges promoted drainage and drying.
- 18kg load bearing capacity.



The table below shows product codes for the flat base baskets, for the full wire mesh baskets, add 400 to the number i.e. SMS-5100 would be SMS-5500.



Height (mm)

					<u> </u>						
			5	0			6	0		7	0
	Depth (mm)	240	300	480	500	240	350	480	600	240	480
	120	SMS-5100	-	-	-	SMS-5110	-	-	-	SMS-5120	-
	250	SMS-5130	-	SMS-5190	-	SMS-5140	-	SMS-5200	-	SMS-5150	SMS-5210
	300	-	SMS-5160	-	SMS-5250	-	-	-	SMS-5270	-	-
	350	-	-	-	-	-	SMS-5170	-	-	-	-
	480	-	-	SMS-5220	-	-	-	SMS-5230	-	-	SMS-5240

#### **Din Basket Lids**

- For use with flat base and full wire mesh baskets
- Provide additional protection for equipment during processing, transport and storage.
- Burr free to eliminate damage to surgical gloves.
- Lockable
- Available for all sizes of baskets as shown above.

Size	Code	Size	Code	Size	Code
120 x 240	SMS-6100	350 x 350	SMS-6130	300 x 500	SMS-6170
240 x 250	SMS-6110	250 x 480	SMS-6150	300 x 600	SMS-6190
300 x 300	SMS6120	480 x 480	SMS-6160	-	-





#### **Endoscope Baskets**



Designed to store and protect endoscopes during the sterilisation process.


- Electro-polished AISI 304L stainless steel.
- Includes soft silicon inserts for optimum support.
- Removable lid with secure lock.
- Available with small integral fine mesh box to hold smaller more delicate items.
- All 52mm high and 80mm wide.

Length	Single Scope	Double Scope
290mm	SMS-6500	SMS-6530
460mm	SMS-6510	SMS-6540
670mm	SMS-6520	SMS-6550

#### **Trinket Boxes and Fine Mesh Boxes**

Designed to contain smaller items during the sterilisation process.







Includes hinged lid and clip lock for security during washing.



Size (mm)	Trinket	Fine Mesh	Size (mm)	Trinket	Fine Mesh	Size (mm)	Trinket	Fine Mesh
80 x 30 (Round)	SMS-7050	SMS-8050	100 x 100 x 40	SMS-7120	SMS-8120	240 x 80 x 40	SMS-7150	SMS-8150
80 x 80 x 40	SMS-7100	SMS-8100	130 x 80 x 40	SMS-7130	SMS-8130	230 x 180 x 40	SMS-7160	SMS-8160
90 x 60 x 30	SMS-7110	SMS-8110	180 x 130 x 30	SMS-7140	SMS-8140			

# **Clip-In Trays**



Shelfspan

making better use of space

- Constructed from electro-polished AISI 304L stainless steel to protect against corrosion.
- Soft silicone rails to securely hold instruments and reduce instrument contact by up to 59% to improve water flow during cleaning.
- Ergonomic latch with locking mechanism.
- Open pattern creates 40% additional area for more access during cleaning and sterilisation.

Capacity	Code
5 Instruments	SMS-9100
10 Instruments	SMS-9110
20 Instruments	SMS-9120

#### **Instrument Cassettes**



- Constructed from electro-polished AISI 304L stainless steel to protect against corrosion.
- Soft silicone rails to securely hold instruments and reduce instrument contact by up to 59% to improve water flow during cleaning.
- Ergonomic latch with locking mechanism.
- Open pattern creates 30% additional area for more access during cleaning and sterilisation.

Capacity	Code
5 Instruments	SMS -9130
10 Instruments	SMS -9140
20 Instruments	SMS -9150

#### **Fine Mesh Micro Instrument Boxes**

Designed to hold delicate micro or dental instruments.

- Constructed from electro polished AISI 304L stainless steel to protect against corrosion.
- Constructed with fine mesh measuring 1.12mm x 1.12mm.
- Includes hinged lid and clip lock for security.
- Soft silicone inserts hold instruments securely.



Capacity	Code
3 Instruments	SMS-9803
5 Instruments	SMS-9805
10 Instruments	SMS-9810
20 Instruments	SMS-9820

#### Silicone Mat



- Drainage holes and buttons on the underside to allow for easy drainage and steam penetration.
- Aids in optimum fixing of delicate instruments or surgical equipment.
- Designed to withstand all known washing and sterilisation methods.
- Available as 520 x 220mm can be cut to size.

CODE: SMS-9510

# **Holding Pins**

Designed to keep ring-handle instruments secure during the cleaning cycle and transportation.

- Constructed from electro polished AISI 304L stainless steel which protects against corrosion.
- Universal secure fitting.
- Can easily be moved to keep the basket adaptable.

CODE: SMS-9500





# **SECURE STORAGE**

# LOCKERS, CAGES & COSHH CUPBOARDS



#### **LOCKERS**

#### **LOCKERS**





Size (mm)

305 x 305

305 x 380

305 x 450

450 x 450









- 1, 2, 3, 4, 5 or 6 door lockers
- Height: 1780mm Width: 305mm Depth: 305mm or 460mm
- Fitted with security shelf to prevent unauthorised access to compartment below
- Fitted with standard, mastered cam locks
- Single tier lockers fitted with top shelf and coat hook, two tier fitted with coat hook in each compartment
- Strengthened and ventilated doors with rubber buffers
- Powder coated with active germ guard protection
- Grey carcass with choice of grey, red or blue doors

#### **ECLIPSE WIRE MESH LOCKERS**

Providing secure storage for high value or high risk items such as electronics, small parts or pharmaceuticals.

- Manufactured from electroplated zinc finished 2.5mm wire, with a 25 x 25mm grid, and 8mm frames
- All sizes fitted with hasp and staple lock; single and 2 door lockers also have 3 point locking system (padlocks not included)
- Fitted with 150mm legs and floor brackets (fixings not included)
- All units available with 1-6 doors and 1-3 columns - All 1980mm high.


Code

WM305

WM380

WM450

WM450450



No. of Doors	Add to code
1	SD
2	2D
3	3D
4	4D
5	5D
6	6D















No. of Columns	Add to code
1	
2	/2
3	/3



# **ECLIPSE SECURITY CAGES**



#### **ECLIPSE Security Cages**

Providing secure storage for high value or high risk items such as electronics, small parts or pharmaceuticals.

- Finished in hard-wearing chrome.
- Available with 3, 4 or 5 shelves and either static or mobile
- Number of shelves stated includes the top and bottom shelf.
- Padlock not included.
- Unit is supplied assembled ready for use.
- Max load 300kg UDL per shelf on static units (915mm width).

	Size (mm)	3 Shelves	4 Shelves	5 Shelves
Static	460 x 915 x 1625	ESC31836	ESC41836	ESC51836
	460 x 1220 x 1625	ESC30148	ESC41848	ESC51848
Mobile	460 x 915 x 1625	MSC31836	MSC41836	MSC51836
	460 x 1220 x 1625	MSC30148	MSC41848	MSC51848









Ward Storage

Sterile Services

# HAZARDOUS AND COSHH CUPBOARDS

# **Hazardous Cupboards**













- Supplied with adjustable spillage trays and liquid tight sump tray.
- Doors are rebated and secured by chrome locking handle.
- High visibility powder coated finish with appropriate warning labels.

Floor Cupboards					
1200 x 900 x 460	EHS129046ZYXX				
1800 x 900 x 460	EHS189046ZYXX				
1800 x 1200 x 460	EHS181246ZYXX				
700 x 350 x 300	EHS703530ZYXX				
700 x 900 x 460	EHS709046ZYXX				
900 x 460 x 460	EHS904646ZYXX				
900 x 900 x 460	EHS909046ZYXX				

Mobile Cupboards					
1040 x 900 x 460	EHS109046MYXX				
840 x 900 x 460	EHS849046MYXX				
Floor Chests					
510 x 610 x 340	EHS516134ZYXX				
610 x 1170 x 460	EHS611146ZYXX				
Wall Mounted					
570 x 850 x 255	EHS855725ZYXX				

Extra Shelves	
900 x 460	EHSES9046ZYXX
1200 x 460	EHSES1246ZYXX
460 x 460	EHSES4646ZYXX
350 x 300	EHSES3530ZYXX
Stands	
460 x 460	EHSST4646ZYXX
900 x 460	EHSST9046ZYXX
350 x 300	EHSST3530ZYXX


# **COSHH Cupboards**

# SUITABLE FOR STORAGE OF HAZARDOUS SUBSTANCES AS REQUIRED UNDER THE COSHH REGULATIONS

- Snag-free handles with 2 point locks
- Adjustable galvanised shelves with spill-retaining edges for excellent spill management\*
- Integral liquid-tight sump to provide correct handling of spills using absorbents\*
- Wall cupboards pre-drilled for mounting—fixings not included

Mobile Cuphoards

Stands include adjustable feet for uneven surfaces



Mobile Cupboalus	
1040 x 900 x 460	ECC109046MKXX
840 x 900 x 460	ECC849046MKXX
Floor Chests	
510 x 610 x 340	ECC516134ZKXX
610 x 1170 x 460	ECC611146ZKXX
Wall Mounted	
570 x 850 x 255	ECC855725ZKXX


Extra Shelves	
900 x 460	ECCES9046ZYXX
1200 x 460	ECCES1246ZYXX
460 x 460	ECCES4646ZYXX
350 x 300	ECCES3530ZYXX
Ct	
Stands	
<b>Stands</b> 460 x 460	ECCST4646ZKXX
	ECCST4646ZKXX ECCST9046ZKXX
460 x 460	



<sup>\*</sup> Except wall mounted cupboards

# **STOCK MANAGEMENT SYSTEMS**

# RADIO FREQUENCY IDENTIFICATION (RFID)















- The i-ROOM RFID system sends real time orders from the hospital departments to the warehouse, pharmacy and CSSD department.
- Scanning of barcodes is no longer needed.
- i-ROOM makes it possible to manage the logistics inside the hospital in a pro-active way.
- Logistic decisions can be made by means of real time information.
- Our i-ROOM RFID antennas are connected to tags/sensors in Modu-Med modular cabinets & racks and register immediately when a product compartment is empty.
- All products are managed according to the KanBan system.




-ROOM


# I-ROOM



The i-ROOM antenna is connected to the modular cabinets through an RFID signal



Each modular cabinet is equipped with Modu-Med modules



The ISO modules are divided into compartments; 2 per product = KanBan

All compartments are equipped with a KanBan label holder



The RFID label of the left label holder is moved across when the compartment is empty. This then activates the RFID label



# **I-ROOM**



The right compartment then becomes active



The RFID label sends the information to the i-ROOM



Product replenishments are ordered in real time

- Saves significant time as no scanning of barcodes
- Very simple procedures for staff
- Better decisions through real-time logistic information
- Automatic emergency procedures
- Automatic confirmation of deliveries to the departments
- Dynamic, real time logistic solution

Please contact us for more information