III ENSEMBLE

The **Ensemble** tables are perfect for small or conference meetings. With the variety of different tops and legs (panel, cylindrical or trumpet) options, you can create aesthetic meeting spaces and meet the employees needs.





buronomic



ENSEMBLE








CHARACTERISTICS





ENSEMBLE

Top 25 mm thick Structurex® melamine-coated top. 2 mm thick shock-proof ABS edging.









Trumpet leg made of steel with lacquered epoxy finish. Also available in version Structurex® panel leg or metal cylindrical leg.









TECHNICAL DESCRIPTION

- 25 mm thick Structurex® melamine-coated tops.
- 2 mm thick shock-proof ABS edging.
- Round tops and modular table tops with 1 central part drilled cable port. Barrel top with 2 part drilled cable ports (one at each extremity of top).
- 25 mm thick Structurex® melamine-coated curved panel or cross legs. Adjustable screw feet of Ø 60 mm and 10 mm range to compensate for any unevenness in the floor.
- Metal cylindrical legs of Ø 50 mm, epoxy paint finish, adjustable screw feet.
- Metal trumpet leg, central column Ø 100 mm and round base Ø 660 mm, epoxy paint finish.
- Cut outs (65 x 65 mm) at the top and bottom of the column of the trumpet leg allow vertical cable management.

ENSEMBLE

















Tops and legs MFC finishes

ROUND TABLES - Structurex® legs

	Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT
Round tables with Structurex® cross base leg (seats 3/4 people) H 74 cm	Ø 100 Ø 120	DN70 DN71	+	+	£ 345 £ 365

MODULAR TABLES - Structurex® legs

The modular tables are composed of multiple tops which will not have continuity of grain when placed next to each other.

	Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT
Modular tables* with Structurex® panel leg	D 120 / L 200	BJ46	+	+	£ 540
(seats 6/8 people) H 74 cm * Not available in Cedar finish	L 125 extension (seat 4 people)	BJ47	+	+	£ 330







Tops MFC finishes









ENSEMBLE I





ROUND TABLES - metal legs

	Dim. (cm)	Description	Ref.	Leg finish	Top finish	Price ex.VAT
Round tables with cylindrical legs (seat 3/4 people) / H 72 cm	Ø 100 Ø 120	Top fitted with 1 central part drilled cable port	DN72 DN73	+	+	£ 310 £ 330
Round tables with trumpet leg (seat 3/4 people) / H 72 cm	Ø 100 Ø 120	Top fitted with 1 central part drilled cable port	DR32 DR33	+	+	£ 450 £ 470

BARREL TABLES - metal legs

WITHOUT TOP ACCESS HATCH



DOUBLE OPENING TOP ACCESS HATCH

	Description	Ref.	Leg finish	Top finish	Price ex.VAT	Ref.	Leg finish	Top finish	Price ex.VAT
Barrel table with cylindrical legs (seat 6/8 people) D 100 / L 200 / H 72 cm	Top fitted with 2 part drilled cable ports. Metal stiffener under the top	DN76	+	+	£ 500	DR34	+	+	£ 630
Barrel table with trumpet legs (seat 6/8 people) D 100 / L 200 / H 72 cm	Top fitted with 2 part drilled cable ports	DR35	+	+	£ 820	DR36	+	+	£ 905

MODULAR TABLES - metal legs

The modular tables are composed of multiple tops which will not have continuity of grain when placed next to each other.

	Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT
Modular tables* with trumpet legs	D 120 / L 200	DR37	+	+	£ 870
(seat 6/8 people) H 72 cm * Not available in Cedar finish	L 125 extension (seats 4 people)	DR38	+	+	£ 440



ARCHES

Meeting


NEW

Suitable for the various work spaces, the Arches meeting tables blend perfectly with our range of collaborative desks.

In meeting, coworking or relaxation spaces, the various formats of the **Arch** tables are the ideal complement for your formal work layouts by creating friendly and federating areas, to be shared with your teams.













ARCHES Meeting












CHARACTERISTICS





ARCHES Meeting



TECHNICAL DESCRIPTION

- Tops made of 25 mm thick Structurex® melamine-coated panels. 2 mm thick shock-proof ABS edging
- Tops equipped, depending on versions, with part drilled cable ports (Ø 80 mm) or a double opening Top Access hatch (useful dimensions L 28,5 cm x D 12 cm) to route cables. Cable trays are available on option.
- Double electrified Top Access sold on option, equipped with an electrical socket strip with 3 power outlets + 1 USB A 5v + 1 USB C 5v + 1 cable port, with 2 m power supply cable. Additional equipment RJ45, HDMi and USB data transfer on option.
- · 4 legs available, connected by a central metal structure (beam or double beam depending on versions), epoxy finish:
- Dialogue metal and wood trapezium arch leg composed of a metal upper part of square cross-section 50 x 50 mm and solid beech wood legs of cross-section 50 x 30 mm in the lower part.
- Partage metal trapezium arch leg of square cross-section 50 x 50 mm.
- Astro metal arch leg of rectangular cross-section 70 x 30 mm.
- Astrolite metal arch leg of square cross-section 50 x 50 mm.
- Adjustable screw feet to compensate for any unevenness in the floor.

ARCHES Meeting - Dialogue





$\textbf{ROUND TABLES} \cdot \textbf{wood legs}$



	Dim. (cm)	Description	Ref.	Top finish	Price ex.VAT
Round tables (seats 3/4 people) H 72 cm	Ø 80 Ø 100 Ø 120	Top fitted with 1 central part drilled cable port	DP007 DN197 DN207	+	£ 450 £ 475 £ 495


$\textbf{BARREL TABLE} \cdot wood \ trapezium \ legs$



	Dim. (cm)	Description	Ref.	Top finish	Price ex.VAT
Barrel table (seats 6 people) H 72 cm	> D 100 / L 200	Top fitted with 2 part drilled cable ports	DN267	+	£ 750

$\textbf{SQUARE TABLES} \cdot wood \ trapezium \ legs$







WITHOUT TOP ACCESS HATCH

DOUBLE OPENING TOP ACCESS HATCH

		Dim. (cm)	Ref.	Top finish	Price ex.VAT	Ref.	Top finish	Price ex.VAT
Square tables Starter elements H 72 cm		D 143 / L 140 (seats 4/6 people)	DB927	+	£ 855	DQ2	17 +	£ 945
		D 163 / L 160 (seats 6/8 people)	DB967	+	£ 960	DQ2	27 + 📖	£ 1050
Square tables Add-on unit H 72 cm		D 143 / L 140 (seats 4 people)	DB937	+	£ 420	DQ2	37 +	£ 515
		D 163 / L 160 (seats 4 people)	DB977	+	£ 545	DQ2	47 + 📖	£ 640



Metal legs finishes











Tops MFC finishes







ARCHES Meeting - Partage **I**







ROUND TABLES - metal legs



	-	2
- 1	1	
•	١.	
1	١	

	Dim. (cm)	Description	Ref.	Leg finish	Top finish	Price ex.VAT
Round tables (seats 3/4 people) H 72 cm	Ø 80 Ø 100 Ø 120	Top fitted with 1 central part drilled cable port	DN99 DN31 DN32	+	+	£ 360 £ 390 £ 410

$\textbf{BARREL TABLE} \cdot \text{metal trapezium legs}$



	Dim. (cm)	Description	Ref.	Leg finish	Top finish	Price ex.VAT
Barrel table (seats 6 people) H 72 cm	D 100 / L 200	Top fitted with 2 part drilled cable ports	DN28	+	+	£ 565

$\textbf{SQUARE TABLES} \cdot \text{metal trapezium legs}$







WITHOUT TOP ACCESS HATCH **DOUBLE OPENING TOP ACCESS HATCH**

			Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT	Ref.	Leg finish	Top finish	Price ex.VAT
Square tables	D 143 / L 140 (seats 4/6 people)	DF14	+	+	£ 545	DQ33	+	+	£ 640		
Starter elements H 72 cm		D 163 / L 160 (seats 6/8 people)	DF16	+	+	£ 670	DQ34	+	+	£ 765	
Square tables		D 143 / L 140 (seats 4 people)	DB93	+	+	£ 420	DQ23	+	+	£ 515	
H 72 cm	d-on unit* 72 cm		D 163 / L 160 (seats 4 people)	DB97	+	+	£ 545	DQ24	+	+	£ 640

^{*} Not available in Cedar top

ARCHES Meeting - Astro
































Metal legs finishes Tops MFC finishes

RECTANGULAR TABLES - D 100 cm arch legs







L 140

L 200


	Ref.	Leg finish	Top finish	Price ex.VAT	Ref.	Leg finish	Top finish	Price ex.VAT
Rectangular tables Starter element D 100 / H 72 cm D 100 cm arch legs	BM62	+	+	£ 595	BM64	+	+	£ 635
Rectangular tables Add-on unit* D 100 / H 72 cm D 100 cm arch legs	BM63	+	+	£ 440	BM65	+	+	£ 480

^{*} Not available in Cedar top

RECTANGULAR TABLES - D 80 cm arch legs







DOUBLE OPENING TOP ACCESS HATCH

NEW			WITHOUT T	OP ACCESS HA	тсн		DOUBLE OPEN	ING TOP ACCES	S НАТСН
	Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT	Ref.	Leg finish	Top finish	Price ex.VAT
Rectangular tables Starter element H 72 cm D 80 cm arch legs	D 100 / L 200 (seats 6 people)	DR39	+	+	£ 555	DR41	+	+	£ 740
Rectangular tables Add-on unit* H 72 cm	D 100 / L 200 (seats 6 people)	DR40	+	+	£ 440	DR42	+	+	£ 615

^{*} Not available in Cedar top

D 80 cm arch legs













Tops MFC finishes









ARCHES Meeting - Astro







BARREL TABLES - metal arch legs





WITHOUT TOP ACCESS HATCH



DOUBLE OPENING TOP ACCESS HATCH

			Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT	Ref.	Leg finish	Top finish	Price ex.VAT
Barrel tables H 72 cm Top fitted with 2 part drilled			D 100 / L 200 (seats 6 people)	DN27	+	+	£ 610	NEW DQ93	+	+	£ 725
cable ports	"	" [(seats o people)								

SQUARE TABLES - metal arch legs







WITHOUT TOP ACCESS HATCH

DOUBLE OPENING TOP ACCESS HATCH

	Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT	Ref.	Leg finish	Top finish	Price ex.VAT
Square tables Starter elements	D 143 / L 140 (seats 4/6 people)	BZ73	+	+	£ 645	DQ35	+	+	£ 740
H 72 cm	D 163 / L 160 (seats 6/8 people)	BU76	+	+	£ 770	DQ36	+	+	£ 865
Square tables	D 143 / L 140 (seats 4 people)	BZ75	+	+	£ 535	DQ37	+	+	£ 630
Add-on unit* H 72 cm * Not available in Cedar top	D 163 / L 160 (seats 4 people)	BU77	+	+	£ 655	DQ38	+	+	£ 750

► Option	Dim. (cm)	ALUMINIUM Ref.	WHITE Ref.	BLACK Ref.	Price ex.VAT
Vertical cable channel Magnetic	D3/H61/L7	BM291K	BM297S	BM295G	£ 45



ARCHES Meeting - Astrolite





















Tops MFC finishes









- Metal legs finishes -

ROUND TABLES - metal legs



Ø 100 / 120

	Dim. (cm)	Description	Ref.	Leg finish	Top finish	Price ex.VAT
Round tables (seats 3/4 people)	Ø 80 Ø 100	Top fitted with 1 central part drilled cable port	DN98 DN33	+	+	£ 320 £ 375

$\textbf{BARREL TABLE} \cdot \text{metal arch legs}$



	Dim. (cm)	Description	Ref.	Leg finish	Top finish	Price ex.VAT
Barrel table (seats 6 people) H 72 cm	D 100 / L 200	Top fitted with 2 part drilled cable ports	DN29	+	+	£ 525

SQUARE TABLES - metal arch legs





WITHOUT TOP ACCESS HATCH



DOUBLE OPENING TOP ACCESS HATCH

		Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT	Ref.	Leg finish	Top finish	Price ex.VAT
Square tables		D 143 / L 140 (seats 4/6 people)	DF18	+	+	£ 495	DQ46	+	+	£ 590
Starter elements H 72 cm	ements	D 163 / L 160 (seats 6/8 people)	DF20	+	+	£ 620	DQ47	+	+	£ 715
Square tables		D 143 / L 140 (seats 4 people)	DB93	+	+	£ 420	DQ23	+	+	£ 515
Add-on unit* H 72 cm		D 163 / L 160 (seats 4 people)	DB97	+	+	£ 545	DQ24	+	+	£ 640

^{*} Not available in Cedar top





Ontions		ALUMINIUM	WHITE	BLACK	
► Options	Description	Ref.	Ref.	Ref.	Price ex.VAT
Cable port covers	Ø 80 mm - To fit into D 80 mm cable port Set of 2	AX061K	AX067S	AX065G	£ 11
Vertical cable channel Magnetic	H 61 / L 4,5 / D 1,5	BY011K	BY017S	BY015G	£ 42
Single metal cable trays D 16 / H 8 cm Useful H 4 cm	L 110 for L 140 desk L 130 for L 160 desk	AZ211K AZ221K	AZ217S AZ227S	AZ215G AZ225G	£ 56 £ 60
NEW UK Cable port power module UK power socket + 1 USB A socket 5v With a 2 m power supply cable	Ø 80 mm	_	DR997S	DR995G	£ 55
UK Cable port power module with sliding cover UK power socket + 1 USB A socket 5v + 1 HDMI socket With a 2 m power supply cable	Ø 80 mm	BZ351K	BZ357S	BZ355G	£ 120
Universal cable duct 4 rings. To be fixed under the top. Screws not supplied	D 6,5 / H 4,5 / L 9,5	DQ101K	_	_	£9


SUCCÈS

The various versions of the Succès tables accommodate your employees comfortably during their meetings.

Adjustable by adding extensions, the modular **Succès** tables adapt to the spaces and the number of seated persons. Modern and functional, **Succès** tables feature built-in electrification modules to connect multimedia objects. Available in several finishes, **Succès** adapts to all your meeting and conference spaces.









CHARACTERISTICS








SUCCÈS THE











TECHNICAL DESCRIPTION

Top and leg

- The Succès conference tables come in multiple variations:
 - standard version without electrification or modesty panel

Made of 25 mm thick Structurex® melamine-coated panels, 2 mm thick shock-proof ABS edging.

- standard version with modesty panel
- electrified version without modesty panel
- electrified version with modesty panel.
- Tops and legs made of 25 mm thick Structurex® melamine-coated panels. 2 mm thick shock-proof ABS edging.
- Metal modesty panels in aluminium or white lacquered epoxy finish.
- T-shaped legs providing excellent stability equipped with screw feet (of diameter 38 mm and 10 mm range) to compensate for any unevenness in the floor.
- For electrified versions, the tables are equipped with power outlet strips:
 - Starter element equipped with 3 power outlets, 1 USB A charging socket 5v, 1 USB C charging socket 5v and 1 cable port. 2 m power supply cable included
 - Add-on unit element equipped with 3 power outlets, 1 USB A charging socket 5v, 1 USB C charging socket 5v and 1 cable port. 2 m connection cable and connector plug included.

If extension tables with electrification are added, the new configurations must include a maximum of 2 add-on power outlet strips for each new starter power outlet strip. Connection equipment options (see page 151).

1 universal cable duct included (for versions with cable management).



Built-in power outlet strip, starter element and add-on unit. 3 power outlets + 1 USB A charging socket 5v + 1 USB C charging socket 5v + 1 cable port

















— Metal modesty panel — Tops and legs MFC finishes finishes

Conference **TABLES**

The conference tables are composed of multiple tops which will not have continuity of grain when placed next to each other.

		Dim. (cm)	Description	Ref.	Modesty panel finish	Top finish	Price ex.VAT				
Round tables			Basic specification With modesty panel	BR283 BR29	+	+	£ 1110 £ 1395				
(seats 6 to 8 people)	ole)	Ø 170 / H 73,5	With electrification (3 modules) With modesty panel + electrification	DS213 DS22	 +	+	£ 1890 £ 2175				
			Electrified versions with 3 modules (9 power outlets, 3 USB A 5v sockets, 3 USB C 5v sockets)								
			Basic specification	BQ773	_	+	£ 2120				
Oval tables			With modesty panel	BQ83	+	+	£ 2740				
(seats 8 to 12 people)		D 170 / H 73,5 / L 310	With electrification (2 modules)	DS233	<u> </u>	+	£ 2635				
	V		With modesty panel + electrification	DS24	+	+	£ 3255				
			Electrified versions with 2 modules (6 power outlets, 2 USB A 5v sockets, 2 USB C 5v sockets)								
			Basic specification	BQ793	_	+	£ 1855				
"U" tables			With modesty panel	BQ85	+	+	£ 2425				
(seats 8 to 10 people)		D 310 / H 73,5 / L 225	With electrification (3 modules)	DS253	<u> </u>	+	£ 2635				
	\bigcup		With modesty panel + electrification	DS26	+	+	£ 3205				
			Electrified versions with 3 modules (9 power out	lets, 3 USB A 5v soc	kets, 3 USB C 5v sock	ets)					
			Basic specification	BQ783		+	£ 2800				
Square tables			With modesty panel	BQ84	+	+	£ 3680				
(seats 12 to 16 people)		D 310 / H 73,5 / L 310	With electrification (4 modules)	DS273		+	£ 3830				
(

Electrified versions with 4 modules (12 power outlets, 4 USB A 5v sockets, 4 USB C 5v sockets)

240

Tops and legs MFC finishes













Conference **TABLES**

The conference tables are composed of multiple tops which will not have continuity of grain when placed next to each other.

		Dim. (cm)	Description	Ref.	Modesty panel finish	Top finish	Price ex.VAT
Elliptical tables (seats 12 to 14 people)		Basic specification With modesty panel	BQ743 BQ80	+	+	£ 2560 £ 3300	
	D 230 / H 73,5 / L 394	With electrification (6 modules) With modesty panel + electrification	DS293 DS30	— +	+	£ 4120 £ 4860	

Electrified versions with 6 modules (9 power outlets, 6 USB A 5v sockets, 6 USB C 5v sockets)

► Options		Dim. (cm)	Description	Ref.	Modesty panel finish	Top finish	Price ex.VAT
Straight extensions (seats 2 people) Not suitable for round and circle tables			Basic specification With modesty panel	BR343 BR35	+	+	£ 340 £ 470
		D 70 / H 73,5 / L 140	With electrification (1 module) starter element With electrification (1 module) add-on unit	DS313 DS323	_ _	+	£ 590 £ 605
	اسما	4	With modesty panel + electrification - starter element With modesty panel + electrification - add-on unit	DS33 DS34	+	+	£ 720 £ 735

Starter element electrification: 3 power outlets, 1 USB A 5v socket, 1 USB C 5v socket, 1 cable port. 2 m power supply cable Add-on unit electrification: 3 power outlets, 1 USB A 5v socket, 1 USB C 5v socket, 1 cable port. 2 m connection cable and connector plug

If extensions tables with electrification are added, the new configurations must include a maximum of 2 add-on power outlet strips for each new starter power outlet strip

		Dim. (cm)	Description	Ref.	Finish	Price ex.VAT
NEW						
Universal cable duct 4 rings. To be fixed directly beneath the desk. Screws not supplied	THE	D 6,5 / H 4,5 / L 9,5	To be fixed under the top or on the leg	DQ101K	Aluminium	£ 9





PRESTIGE

Meeting

Like the executive desks in the same range, the **Prestige** meeting furniture stands out through the use of quality materials and modern finishes. By adding extensions, the **Prestige** conference tables can accommodate any number of people, to give a high quality finish to any boardroom or meeting room.




CHARACTERISTICS



TECHNICAL DESCRIPTION

- 38 mm thick Nitech® tops with 3 mm thick inner edging with 2 mm thick shockproof ABS edging.
- Tables equipped with double opening Top Access hatch with cable tray L 90 cm included.
- Metal arch ribbon leg in chrome or black finish, cross-section 70 x 30 mm.
- Adjustable screw feet of Ø 25 mm and 10 mm range to compensate for any unevenness in the floor.
- The table can be extended indefinitely using L 140 x D 140 cm extension modules on shared arch legs, each extension can seat an extra 4 people.



Tops MFC finishes








Conference **TABLES**

The conference tables are composed of multiple tops which will not have continuity of grain when placed next to each other.



		Dim. (cm)	Description	Ref.	Finish	Price ex.VAT
Conference tables Double opening Top Access hatch and cable tray included		D 140 / H 73,5 / L 240	Black leg	DQ985	+	£ 1589
		(seats 8 to 10 people)	Chrome leg	DQ986	+	£ 2159
Central extension for conference tables Double opening Top Access hatch and cable tray included		D 140 / H 73,5 / L 140 (seats 4 people)	Black leg	DQ995	+	£ 960
			Chrome leg	DQ996	+	£ 1245

STORAGE



		Dim. (cm)	Description	Ref.	Structure finish	Doors finish	Price ex.VAT
Storage with 2 hinged doors 4 compartments	D 43 / H 123,5 / L 100		Black base	BZ215	+	+	£ 895
		D 43 / H 123,5 / L 100	Chrome base	BZ216	+	+	£ 1150
Storage with 4 hinged doors	D 43	D 43 / H 123,5 / L 100	Black base	BZ225	+	+	£ 1010
		D 43 / FI 123,5 / L 100	Chrome base	BZ226	+	+	£ 1265

I EUREKA

Fliptop tables

The **Eureka** folding tables are the ideal solution for dynamic companies looking for versatile furniture Designed to be handled by a single person, **Eureka** tables are ideal to quickly and easily set up a meeting room or temporary office. Quick and easy installation.





buronomic









EUREKA Fliptop tables







CHARACTERISTICS




NEW

CLAY

Tops and modesty panels MFC finishes

WHITE



EUREKA Fliptop tables



Electrification

2 round part drilled cable ports and 1 rectangular part drilled cable port in the centre for single Top Access hatch under the tops.







Leg

Top

Metal structure composed of 2 legs (1 column of rectangular cross-section 70 x 30 mm and steel plate base 45 x 5 mm) and Ø 75 mm casters with brakes.

25 mm thick Structurex® melamine-coated top.



Handles

locking / unlocking

the trays





Optional power Top Access hatch

TECHNICAL DESCRIPTION

- Tops made of 25 mm thick Structurex® melamine-coated panels. 2 mm thick shock-proof ABS edging.
- Cable management: 2 round part drilled cable ports and 1 rectangular part drilled cable port in the centre for single Top Access hatch
- Metal structure composed of 2 legs (1 column of rectangular cross-section 70 x 30 mm and steel plate base 45 x 5 mm) and Ø 75 mm casters with brakes. The assembly is connected by a central extendable steel beam for perfect stability, lacquered epoxy finish.
- The tops are extremely easy to tilt using the locking/unlocking handles.
- The vertical and horizontal positions are secured by a locking system which is unlocked by using the handles.
- The tilting system with pivoting axes is welded to the beam and screwed under the top.
- Suspended modesty panels available on option made of 16 mm thick Structurex® melamine-coated panels with 2 mm thick shock-proof ABS edging.
- 4 black connectors included for each table, to join tables together perfectly side by side.
- The tables are stored by nesting the legs together in order to save space: 19,5 cm per extra table in depth in addition to the size of the 1st folded table (D 60 / D 70 cm).



outlets

EUREKA Fliptop tables









Tops MFC finishes







NEW

Fliptop **STRAIGHT TABLES**



D 70 CM



D 80 CM

	Description	Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT	Ref.	Leg finish	Top finish	Price ex.VAT
Straight tables H 75 cm Kit of 4 connectors	On castors Ø 75 mm with brakes	L 120 L 140 L 160	DN40 DN41 DN42	+	+	£ 490 £ 505 £ 520	DH70 DH71 DH72	+	+	£ 500 £ 515 £ 530

Fliptop HALF-MOON TABLES



D 70 CM

Price ex.VAT

Price ex.VAT



D 80 CM

Half-moon tables
H 75 cm
Kit of 4 connectors
included

NEW



On castors Ø 75 mm with brakes

Description

Description

L 140 / 120 structure L 160 / 140 structure

Ref.

Ref.

Dim. (cm)

Dim. (cm)

DN43

Leg finish

Leg finish

£ 525

Top finish

Ref.

DN44

Ref.

Leg finish

Top finish

Top finish

£ 545

Price ex.VAT

Price ex.VAT

Fliptop INTEGRATED CORNER TABLES





Leg finish

D 80 CM

Integrated corner
tables
H 75 cm
On castors Ø 75 mm
with brakes

NEW



•			_	•			-	·	
Right corner Left corner	L 150 / 120 structure L 150 / 120 structure	DN45 DN46	+	+	£ 550 £ 550	_	_ _	_	_
Right corner Left corner	L 170 / 140 structure L 170 / 140 structure	_	_	_ _	_	DN47 DN48	+	+	£ 570 £ 570

Top finish

ALUMINIUM BRACKETS

Finish

Modesty panels MFC finishes

NEW







Price ex.VAT

£ 105

£ 115

£ 125



Structurex® modesty panels

▶ Options

H 28 cm H 35 cm table-mounted

Single Top Access

Cable port covers

hatch



Description	Ref.
For table	
L 120	BY371
L 140	BY381

BY391

L 160

O WHIT	E BRACKETS	BLACK BRACKETS				
Ref.	Finish	Ref.	Finish			
BY377	+	BY375	+			
BY387	+	BY385	+			

BY395

	ALUMINIUM	WHITE	BLACK		
Description	Ref.	Ref.	Ref.	Price ex.VAT	
Metal, to be fitted onto the tops (part drilled Top Access hatch), allows for central cables management. 24 x 12 cm	DP071K	DP077S	DP075G	£ 82	-
Ø 80 mm - To fit into D 80 mm cable port Set of 2	AX061K	AX067S	AX065G	£ 11	-

BY397

I SOLUTION


Fliptop tables

The **Solution** fliptop tables are simple and functional to take best advantage of multipurpose rooms. With their light structure on castors, the tables can be moved around freely, placed where you wish or folded and stored away. The **Solution** tables can be used to create single or multiple compositions for multipurpose rooms, meeting rooms and training rooms.






CHARACTERISTICS



TECHNICAL DESCRIPTION

- 25 mm thick Structurex® melamine-coated tops with rounded corners for optimum comfort. 2 mm thick shock-proof ABS edging.
- 70 cm deep to take up minimum space.
- Structure made of 2 elliptical metal legs connected by a beam for perfect stability.
- Ø 75 mm castors with brakes. Vertical and horizontal positions locked.
- · Extremely easy single-handed tilting.
- Vertical storage of the tables by nesting the legs to save space: 17 cm per extra table in depth and 7 cm in length.
- Structures equipped with buffers to protect the tops in vertical position.
- Kit of 2 connectors is included to connect the tables together and side by side.











Fliptop **STRAIGHT TABLES**

 1
D 70 CM

	Description	Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT
Straight tables D 70 / H 72 cm Kit of 2 connectors included	Fliptop tables equipped with large diameter castors	L 140 L 160 L 180	DH73 DH74 DH75	+	+	£ 540 £ 570 £ 600

Fliptop HALF-MOON TABLES



Leg finish	Top finish	Price ex.VAT
		f 540





Fliptop tables equipped with large diameter castors

Description

L 140 DH76

Ref.

Dim. (cm)



Half-moon table

Kit of 2 connectors included

D 70 / H 72 cm







II SOLUTION


Folding tables

Simple and functional, **Solution** folding tables allow you to create single or multiple layouts for multipurpose uses, meeting or training rooms.






CHARACTERISTICS



TECHNICAL DESCRIPTION

- 25 mm thick Structurex® melamine-coated tops with rounded corners for optimum comfort. 2 mm thick shock-proof ABS edging.
- Depth 70 cm to optimise space.
- In folded position the table is only 7 cm thick.
- The legs are equipped with adjustable screw feet giving up to 10 mm of adjustment.
- The folding mechanism of the legs was selected for easy handling and its secure locking system in open and closed positions.

























Folding **STRAIGHT TABLES**

D 70 CM

	Dim. (cm)	Ref.	Finish	Price ex.VAT
Straight tables D 70 / H 73,5 cm	L 140 L 160	AE591 AE601	+	£ 380 £ 390









□ RENCONTRE

With their modular shape, the **Rencontre** multipurpose tables allow numerous layout combinations for your meeting rooms or work spaces. Easy to set up, the Rencontre tables can be used to create permanent or occasional meeting or work spaces at low cost.





RENCONTRE □



☐ RENCONTRE



Top

25 mm thick Structurex® melamine-coated tops. 2 mm thick shock-proof ABS edging.



Metal frame

Supporting metal frames of cross-section 50 \times 20 mm, epoxy finishes matching the legs.




TECHNICAL DESCRIPTION

- 25 mm thick Structurex® melamine-coated tops.
- · 2 mm thick shock-proof ABS edging.
- Supporting metal frames of cross-section 50 x 20 mm, epoxy finishes matching the legs.
- Metal legs of square cross-section 30 x 30 mm, with lacquered epoxy finish.
- · The legs are attached to the frames by a system of screws and metal inserts.
- Adjustable screw feet of 10 mm range to compensate for any unevenness in the floor.

CHARACTERISTICS



Tops MFC finishes

















RENCONTRE □









4 legs **STRAIGHT TABLES**

D 60 CM

D 70 CM

D 80 CM


	Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT	Ref.	Leg finish	Top finish	Price ex.VAT	Ref.	Leg finish	Top finish	Price ex.VAT
Straight tables H 74 cm	L 120 L 140 L 160	DN81	+	+	£ 165 £ 185	 DN83 DN84	+	+	 £ 195	— — DN86	— — +	 	 £ 235
H 74 CIII	L 180	_	_	_	_	— —	_	_	£ 215 —	D.1.07	+	+	£ 265

4 legs **HALF-MOON TABLES**

H 74 cm

D 60 CM

L 120





L 160

	Ref.	Leg finish	Top finish	Price ex.VAT	Ref.	Leg finish	Top finish	Price ex.VAT	Ref.	Leg finish	Top finish	Price ex.VAT
Half-moon tables	DNIQO		*1 1	£ 105	DNISE	41 1		£ 225	DNISS		.	£ 275







RECEPTION











□ FIFTY-FULL


The **Fifty-Full** reception counter is a new, more complete, more modular and more customizable version of the Fifty-Fifty, thanks to its different modules. Equipped with high and low modules, this new, modern and functional reception counter is especially well-suited to welcome DDA wheelchair users.













FIFTY-FULL



FIFTY-FULL







- 25 mm thick Structurex® melamine-coated panels.
- 2 mm thick shock-proof ABS edging.
- 25 mm thick Structurex® facing assembled with elegant 45° mitre cut serving as reception shelf for visitors. Available with or without inner and outer LED.
- All worktops are fitted with two Ø 80 mm part drilled cable ports for cable management (except for DDA tops).
- Corner or intermediate modules can be added to the reception counter to adapt to changing requirements (fixing and juxtaposition by brackets and connecting plates), to ensure mobility and ergonomics of use.
- Adjustable screw feet of diameter 25 mm and range 10 mm to compensate for any unevenness in the floor.

(1) DDA = Disability Discrimination Act

FIFTY-FULL







• PRE-COMPOSED COUNTERS

		Description	Dim. (cm)	Ref.	Front panel + side finishes	Leg + top + infill finishes	Price ex.VAT
Reception counters D 77 / H 114 / L 200 cm Infill panel L 120 cm	Without LED	L 200	DM56	+	+	£ 1345	
	200	With LED	L 200	DM57	+	+	£ 1685
Reception counters D 77 / H 114 / L 280 cm Infill panel L 120 cm		Without LED	L 280	DM58	+	+	£ 1460
	With LED	L 280	DM59	+	+	£ 1795	

COUNTERS with central DDA⁽¹⁾

		Description	Dim. (cm)	Ref.	Front panel + side finishes	Leg + top + infill finishes	Price ex.VAT
Reception counters D 107,5 / H 114 / L 300 cm 2 infill panels L 60 cm	60	Without LED	L 300	DM60	+	+	£ 2135
	300	With LED	L 300	DM61	+	+	£ 2795
Reception counters D 107,5 / H 114 / L 380 cm 2 infill panels L 120 cm		Without LED	L 380	DM62	+	+	£ 2465
	120	With LED	L 380	DM63	+	+	£ 3125

(1) DDA = Disability Discrimination Act





MFC finishes
















COUNTERS with right or left hand DDA⁽¹⁾

				RI	IGHT HAND DDA ⁽¹⁾	ò	o.		EFT HAND DDA ⁽¹⁾	
		Description	Ref.	Front panel + side finishes	Leg + top + infill finishes	Price ex.VAT	Ref.	Front panel + side finishes	Leg + top + infill finishes	Price ex.VAT
Reception counters D 107,5 / H 114		Without LED	DM64	+	+	£ 1500	DM66	+	+	£ 1500
L 202,5 cm Infill panel L 60 cm	With LED	DM65	+	+	£ 1830	DM67	+	+	£ 1830	
Reception counters D 107,5 / H 114 L 242,5 cm Infill panel L 120 cm	Without LED	DM68	+	+	£ 1665	DM70	+	+	£ 1665	
	With LED	DM69	+	+	£ 1995	DM71	+	+	£ 1995	

► Options		Dim. (cm)		Ref. Finish	Price ex.VAT
Single metal cable tray		D 13 / H 12 / Useful H	4 cm / L 60	AF051K Aluminium	£ 46
		ALUMINIUM	WHITE	BLACK	
	Dim. (cm)	Ref.	Ref.	Ref.	Price ex.VAT
Cable port covers	Ø 80 mm - To fit into D 80 mm cable port Set of 2	AX061K	AX067S	AX065G	£ 11





FIFTY-FULL








2 EXTENSIONS

	Dim. (cm)	Ref.	Front panel finish	Top finish	Price ex.VAT
High intermediate units D 72,5 / H 109 cm Must be placed as an intermediary unit	L 100 extension L 140 extension	DM72 DM73	+	+	£ 495 £ 545
Intermediate DDA ⁽¹⁾ unit D 107,5 / H 109 cm Must be placed as an intermediary unit	L 100	DM74	+	+	£710
End DDA ⁽¹⁾ unit D 107,5 / H 109 cm Must be placed at the end of reception counter, right or left hand	L 102,5	DM75	+	+	£ 820
Left hand return units D 72,5 / H 109 cm	L 100 L 140	DM76 DM77	+	+	£ 600 £ 660
Right hand return units D 72,5 / H 109 cm	L 100 L 140	DM78 DM79	+	+	£ 600 £ 660

How to create your own reception counter?





(1) DDA = Disability Discrimination Act

MFC finishes











3 INFILL PANELS

	Description	Dim. (cm)	Ref.	Infill finish	Price ex.VAT
Infill panels D 20,2 / H 47 cm	Without LED	L 60 L 120	BY253 BY273	+	£ 300 £ 405
To be placed on an intermediate high module or return module	With LED	L 60 L 120	BY263 BY283	+	£ 630 £ 735

Ontions		ALUMINIUM	○ WHITE	BLACK	
► Options	Dim. (cm)	Ref.	Ref.	Ref.	Price ex.VAT
Cable port covers	Ø 80 mm - To fit into D 80 mm cable port Set of 2	AX061K	AX067S	AX065G	£ 11
Metal screen support For maximum 20 inch screen	D 18 / H 22,5 / L 24	_	_	BY295G	£ 120
Square support leg* *Recommended for any installation of more than 3 aligned modules	50 x 50 For H 74 unit	DN011K	DN017S	DN015G	£ 65
Single metal cable tray	D 13 / H 12 / Useful H 4 / L 60 To be fixed to back panel	AF051K	_	_	£ 46





□ FIFTY-FIFTY


The Fifty-Fifty reception counters combine a work surface and a reception top.

Used individually or associated with other units to create a reception assembly, they adapt to the required specifications. **Fifty-Fifty** associates different wood finishes: from front to work surface, from side panels to reception shelf. Easy to install and use, **Fifty-Fifty** creates a friendly atmosphere for employees and visitors alike.






FIFTY-FIFTY 🗖







FIFTY-FIFTY



Infill panel

Facing made of 38 mm thick Nitech® honeycomb melamine-coated panel, assembled with 45° mitre cut serving as reception shelf for visitors.





TECHNICAL DESCRIPTION

- 25 mm thick Structurex® melamine-coated panels. 2 mm thick shock-proof ABS edging.
- Facing made of 38 mm thick Nitech® honeycomb melamine-coated panel, assembled with 45° mitre cut serving as reception shelf for visitors.
- Cutouts on the worktop and the front to feed cables from the worktop down to the floor.
- · Finishing pads.



CHARACTERISTICS









Front panel and side MFC finishes













Leg, top and infill MFC finishes











COUNTERS









RIGHT	HAND	DDA ⁽¹⁾	

LEFT	HAND	DDA (1)
------	------	----------------

			KIG	HI HAND D	DA ⁽¹⁾		LEFT HAN	D DDA	
	Front panel + side finishes	Leg + top + infill finishes		Ref.	Finish		Ref.	Finish	Price ex.VAT
	Bleached oak Nebraska Timber	White	d	BS28NS BS28FS BS28MS		1	BS29NS BS29FS BS29MS		£ 1045 £ 1045 £ 1045
L 180 cm reception counters D 108 / H 115 / L 180 cm	White	Bleached oak Nebraska Timber		BS28SN BS28SF BS28SM			BS29SN BS29SF BS29SM		£ 1045 £ 1045 £ 1045
115	Black	Bleached oak Nebraska Timber White		BS28GN BS28GF BS28GM BS28GS		4	BS29GN BS29GF BS29GM BS29GS		£ 1045 £ 1045 £ 1045 £ 1045
708 7. 180	On	e-tone		BS283	+		BS293	+	£ 1045
	Bleached oak Nebraska Timber	White		BT12NS BT12FS BT12MS			BT13NS BT13FS BT13MS		£ 1110 £ 1110 £ 1110
L 200 cm reception counters	White	Bleached oak Nebraska Timber	P	BT12SN BT12SF BT12SM			BT13SN BT13SF BT13SM		£ 1110 £ 1110 £ 1110
D 108/H 115/L 200 cm	Black	Bleached oak Nebraska Timber White		BT12GN BT12GF BT12GM BT12GS		4	BT13GN BT13GF BT13GM BT13GS		£ 1110 £ 1110 £ 1110 £ 1110
708 200	On	e-tone	F	BT123	+		BT133	+	£ 1110

BIENVENUE

The Bienvenue reception counters give visitors a warm welcome.


Composed of high and low, straight and curved modules, with DDA extension for wheelchair users, including storage and cable routing, you can adapt this reception counter according to your requirements and layouts. Choose **Bienvenue** to create a functional and modular reception area, for a controlled budget.















Top 25 mm thick Structurex® melamine-coated panels. 2 mm thick shock-proof ABS edging.







- Structure made of 25 mm thick Structurex® melamine-coated panels.
- 2 mm thick shock-proof ABS edging.
- The high and low counters are equipped with 25 mm thick Structurex® melamine-coated modesty panels.
- 90° corner units with lacquered epoxy finish sheet metal modesty panel decorated with stamped patterns.
- Modules connected together by metal junction plates.
- Modules equipped with Ø 80 mm cable ports on the sides and on the worktops of the high counters to feed cables.
- Adjustable screw feet of Ø 25 mm and 10 mm range to compensate for any unevenness in the floor and allow perfect alignment between modules.

BIENVENUE













MFC finishes

COUNTERS

	Description	Dim. (cm)	Ref.	Finishes	Price ex.VAT
High counters with worktop D 85 / H 110 cm	With worktop	L 85 L 125 L 145 L 165	BJ243 BJ253 BJ263 BJ273	+	£ 565 £ 585 £ 615 £ 645
90° corner unit	High corner unit	H 110	AE42	+	£ 900
D 85 to 101 cm	Low corner unit	Н 72	AE43	+	£ 655

► Options	Dim. (cm)	Ref.	Finish	Price ex.VAT
Single metal cable tray	D 13 / H 12 / Useful H 4 cm / L 60	AF051K	Aluminium	£ 46
Metal screen support For maximum 20 inch screen	D 18 / H 22,5 / L 24	BY295G	Black	£ 120













COUNTERS

		Description	Dim. (cm)	Ref.	Finish	Price ex.VAT
Low counters D 85 / H 72 cm		Without finish panel	L 85 L 125	BB253 BJ283	+	£ 330 £ 350
Low counters with DDA ⁽¹⁾ unit D 126 / H 72 cm		Without finish panel	L 85 L 125	BH643 BJ293	+	£ 415 £ 445
Finish panel for low counters*	Right finishing panel	Right finishing panel Left finishing panel		BH623 BH633	+	£ 85 £ 85

^{*} Compulsory when the low counter with DDA⁽¹⁾ unit is positioned at the end of the reception counter.

▶ Option	Description	Dim. (cm)	Ref.	Finish	Price ex.VAT
Single metal cable tray	To be attached to Structurex® structural modesty panel	D 13 / H 12 / L 60 Useful H 4 cm	AF051K	Aluminium	£ 46



(1) DDA = Disability Discrimination Act.



SQUARE AND PEBBLE LOW TABLES



	Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT
Pebble low table	D 80 / H 41 / L 120	BU55	+	+	£ 320

	Dim. (cm)	Ref.	Finish	Price ex.VAT
Square low table with 2 compartments back to back	D 60 / H 32 / L 60	BJ343	+	£ 180

CHARACTERISTICS

Pebble low table



Square low table



TECHNICAL DESCRIPTION


- Structure made of 25 mm thick Structurex® panels.
- · 2 mm thick shock-proof ABS edging.

Pebble low table

• Pebble-shaped top and T-shaped leg consisting of two stylish panels (black or

Square low table

- Fitted with 4 multidirectional castors, it can be moved easily.
- One-tone low table with two compartments back to back to store magazines or small items.



HIGH TABLE T

High round table



Tops MFC finishes

Stool with high backrest



TECHNICAL DESCRIPTION


High round table

- Metal leg finishes

- 25 mm thick Structurex® melamine tops. 2 mm thick shock-proof ABS edging.
- Overall dimensions: Ø 80 cm / H 113 cm.
- Epoxy finish steel leg. Column Ø 8 cm / H 109 cm. Metal base, Ø 45 cm, 10/10e thick.
- · Assembled by metal insert screws.

Stool with high backrest

- Overall dimensions: D 46,5 / H 102 / L 46,5 cm.
- Seat dimensions: D 33 / H 78 / L 38 cm.
- Ergonomic moulded plastic seat and backrest.
- Varnished solid oak legs with foot-rest.
- Seat height: 78 cm. Backrest height: 24 cm. Foot-rest depth: 31 cm.





	Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT
High round table H 113 cm	Ø 80 / H 113	BY30	+	+	£ 350
	Dim. (cm)	Ref.	Finis	h	Price ex.VAT
High stool H 102 cm	D 46,5 / H 102 / L 46,5	BY334	+		£ 200

J GUEST

NEW


Aesthetic and multi-purpose, Guest occasional tables are ideal for lounge, reception, breakout or relaxation area uses, in professional or personal environments.

Tables come in 3 heights (H 45 / 60 / 75 cm) and 2 top shapes (Ø 60 cm round or 60×60 cm berlingot) to meet with style and finesse to all your collaborative, meeting or reception spaces requirements.






CHARACTERISTICS



- Occasional tables ideal for lounge, reception or break-out areas.
- Tables come in 3 heights (H 45 / 60 / 75 cm) to meet all your requirements.
- 16 mm thick melamine-coated tops. 2 mm thick shock-proof ABS edging.
- Tops come in 2 shapes: round (Ø 60 cm) or square (60 x 60 cm) with rounded corners.
- Base: tubular steel column (Ø 60 mm) and base plate quatrefoil shape (Ø 440 mm).







Tops plain finishes ——











Reception **TABLES**





Ø 60 CM ROUND TOP



60 X 60 CM BERLINGOT TOP


						_					
Description	Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT		Dim. (cm)	Ref.	Leg finish	Top finish	Price ex.VAT
Low tables H 45 cm	Ø 60 H 45	DP21	+	+	£ 255		60 x 60 H 45	DP24	+	+	£ 275
Reception tables H 60 cm	Ø 60 H 60	DP22	+	+	£ 275		60 x 60 H 60	DP25	+	+	£ 295
Lounge tables H 75 cm	Ø 60 H 75	DP23	+	+	£ 305		60 x 60 H 75	DP26	+ []	+	£ 325








CHAIRS



CHAIRS

Which is the best working position for your health?

- **1.** Lean against the backrest to benefit from its ergonomic design.
- **2.** Adjust the height of the backrest to support the lumbar region.
- **3.** Sit well into the chair in order to lean against the backrest and benefit from the ergonomic design of the seat.
- **4.** Adjust the seat height with your feet flat on the ground.
- **5.** Adjust the height and depth of the armrests to reduce tension in the neck and the shoulders.



- **6.** Adjust your screen to obtain an optimum eye/screen distance of 60 cm.
- **7.** Position your forearms horizontally, with the elbows forming an angle of at least 90°. Use a wrist rest on the mouse side.
- **8.** Finalise the chair seat/backrest adjustments and the backrest tension to avoid blood compression at the back of the knees. Your knees must form an angle of 90° to 100° with the ground.
- **9.** Feet resting flat on the ground, otherwise use a footrest.
- **10.** Move and change position regularly, switch between sitting-standing positions.

Advantages of an ergonomic chair in your daily work

The new generation of office chairs equipped with mechanisms designed by ergonomists improves comfort at work. All our office chairs are equipped with synchronous mechanisms for greater comfort.


SEAT ADJUSTMENTS

- seat height
- backrest height
- seat depth
- mechanism tension
- armrest height

ARMRESTS

buronomic chairs and armchairs are fitted with several different types of armrests

- 2D simple armrests: adjustable height and depth.
- 3D armrests: adjustable height and depth, swivelling arm pads.
- 4D armrests: adjustable height, depth and width, swivelling arm pads.



SYNCHRONOUS MECHANISM

This is the most ergonomic solution.

The backrest and the seat tilt in a coordinated angle for optimum comfort. The strength of the backrest return force can be adjusted. Reverse lock system to prevent the backrest from springing back suddenly against the user's spine and neck.

Stability is provided by a 5-star base (moulded aluminium or nylon) fitted with double roller castors for carpeted floors. A hard floor castor kit is available on option to guarantee the safety essential on this type of floor.









Description		Ref.	Price ex.VAT
Chair with high backrest and aluminium base without armrests		DK946G	£ 560
Chair with high backrest and nylon base without armrests	-	DK955G	£ 460
▶ Options		Ref.	Price ex.VAT
Headrest	P	DK965G	£ 62
Headrest 3D armrests (the pair)	P	DK965G DK974G	£ 62




Chair with high backrest and aluminium base equipped with headrest and 3D armrests as an option






- Overall dimensions: D 68 / H 101-113 (without headrest) or H 121-133 (with headrest) / L 68 cm.
- Seat dimensions: D 48 / H 45-58 / L 49 cm.
- Seat with high black mesh backrest and adjustable lumbar support.
- Seat made of injected foam, fire classification M1, density 60 kg/m³.
- Synchronous seat/backrest tilt mechanism with reverse lock system (5 positions).
- · Seat depth adjustment (range 6 cm).
- Adjustable backrest tilt tension.
- · Optional black nylon adjustable 3D armrests.
- Moulded aluminium or black nylon 5-star base Ø 68 cm, on Ø 65 mm castors.
- Optional black headrest.
- Upholstered with Mirage fabric, fire classification M1.
- Maximum permitted weight 120 kg.
- · Category 3 adjustment gas spring.





TECHNICAL DESCRIPTION

- Overall dimensions: D 68 / H 105-113 (without headrest) or H 125-133 (with headrest) / L 68 cm.
- Seat dimensions : D 45 / H 45-53 / L 48 cm.
- · High black mesh backrest, polypropylene backrest frame and polyester stretch mesh fabric.
- Synchronous seat/backrest tilt mechanism with reverse lock system (5 positions).
- · Backrest height adjustment range 7 cm.
- Height-adjustable lumbar support.
- Seat made of cold injected foam, density 60 kg/m³, upholstered with Bondaï fabric.
- Backrest with reverse lock system and adjustable backrest tension.
- Black nylon 5-star base, on Ø 65 mm castors.
- · Optional black nylon adjustable 4D armrests.
- · Maximum permitted weight 120 kg.
- · Category 3 adjustment gas spring.





Operator chair with headrest and 4D armrests as an option













braked castors kit (5)





Description		Ref.	Price ex.VAT
Operator chair without headrest and armrests		BZ985G	£ 430
Operator chair with headrest without armrests		BY615G	£ 490
▶ Options		Ref.	Price ex.VAT
4D armrests (the pair)	lI	BZ944G	£ 94
Hard floor self-		DP293G	£ 50

HARMONIE







Description		Ref.	Price ex.VAT
Operator chair without armrests		BU065G	£ 385
▶ Options		Ref.	Price ex.VAT
Headrest		BU074G	£ 52
3D armrests (the pair)	lI	BU083G	£ 52
Hard floor castors kit (5)		BM333G	£ 28




Operator chair with headrest and 3D armrests as an option



CHARACTERISTICS




- Overall dimensions: D 70 / H 92-104 (without headrest) or H 116-128 (with headrest) / L 70 cm.
- Seat dimensions: D 46 / H 46-58 / L 50 cm.
- Backrest with polypropylene structure and self-supporting mesh.
- Synchronous mechanism with tilt tension force adjustment and reverse lock system.
- · Seat depth adjustment (range 5 cm).
- Height-adjustable lumbar support.
- Flexible polyurethane foam padding (density 50 kg/m³).
- · Upholstered with Bondaï fabric.
- · Nylon 5-star base with swivelling castors.
- · Optional adjustable headrest.
- Optional black nylon 3D armrests.
- · Maximum permitted weight 110 kg.





- Overall dimensions: D 70 / H 93-104 (without headrest) or H 117-129 (with headrest) / L 70 cm.
- Seat dimensions: D 46 / H 44-56 / L 49 cm.
- Backrest with polypropylene structure and self-supporting mesh.
- · Synchronous seat/backrest tilt mechanism with reverse lock system (4 positions).
- Height-adjustable lumbar support.
- Flexible polyurethane foam padding (density 50 kg/m³).
- Upholstered with Mirage fabric, fire classification M1.
- Nylon 5-star base with swivelling castors.
- Black nylon 2D armrests included.
- · Maximum permitted weight 110 kg.





Operator chair with headrest and 2D armrests













Description	Ref.	Price ex.VAT
Operator chair with 2D armrests without headrest	BR405G	£ 365
Operator chair with 2D armrests and headrest	BR415G	£ 415
▶ Options	Ref.	Price ex.VAT
Hard floor	BM333G	£ 28

SELMA










Operator chair





CHARACTERISTICS




- Overall dimensions: D 68 / H 98-111 / L 68 cm.
- Seat dimensions: D 45 / H 45-58 / L 51 cm.
- Chair with fabric backrest, polyurethane foam padding (density 30 kg/m3) for optimum comfort.
- Seat made of injected foam, density 40 kg/m³.
- · Synchronous seat/backrest tilt mechanism with reverse lock system.
- · Backrest height adjustment (range 8 cm).
- · Adjustable backrest tension.
- Optional black nylon adjustable 3D armrests.
- Black nylon 5-star base, on castors.
- Upholstered with Mirage fabric, fire classification M1.
- · Maximum permitted weight 120 kg.
- · Category 3 adjustment gas spring.







- Overall dimensions: D 68 / H 114-139 / L 68 cm.
- Seat dimensions: D 46 / H 66-91 / L 50 cm.
- Backrest with polypropylene structure and self-supporting mesh.
- Synchronous mechanism with tilt tension force adjustment and reverse lock system.
- · Height-adjustable lumbar support.
- Flexible polyurethane foam padding (density 40 kg/m³).
- Upholstered with Mirage fabric, fire classification M1.
- Black nylon 5-star base with adjustable chrome-plated footrest ring (Ø 46 mm).
- · Optional black nylon 3D armrests.
- · Maximum permitted weight 100 kg.





High operator chair













NEW			
Description		Ref.	Price ex.VAT
High operator chair without armrests		DR815G	£ 449
▶ Options		Ref.	Price ex.VAT
Options 3D armrests (the pair)	lſ	Ref. BU083G	Price ex.VAT

TIK & TAK











A

Description	Ref.	Finish	Price ex.VAT
TIK visitor's chair (set of 2) Unit price £ 150	DK905	+	£ 300
TAK visitor's chair (set of 2) Unit price £ 190	DK915	+	£ 380













Stackable up to 12 chairs

Description		Ref.	Finish	Price ex.VAT
Meeting chair Black fabric seat and backrest		BM425G	Black	£ 61
Meeting chair Black fabric seat and mesh backrest	MA	BM595G	Black	£ 79







Mirage fabric

TIK & TAK

- Overall dimensions: D 50 / H 84 / L 53-62 cm.
- Seat dimensions: D 48 / H 48 / L 48 cm.
- Seat and backrest: inside and underneath made of polypropylene, flexible polyurethane foam padding (density 30 kg/m³).
- · 4 black steel tubular legs. Non-skid pads.
- Visitor's armchair: black polypropylene fixed armrests.
- Upholstered with Mirage fabric, fire classification M1.
- Stackable up to 4 chairs.








— Mirage fabric —

PRATIQUE

- Overall dimensions: D 57 / H 80 / L 54 cm.
- Seat dimensions: D 41 / H 48 / L 46 cm.
- Chairs with fabric or black mesh backrests.
- Mirage fabric. Fire classification M1.
- Seat and backrest shells made of polypropylene.
- Foam padding (density 25 kg/m3).
- Structure made of four epoxy varnished tubular metal legs. Non-skid pads.
- Stackable up to 12 chairs.
- Maximum permitted weight 110 kg.












Bondaï fabric

TECHNICAL DESCRIPTION


NAMI

- · Overall dimensions: D 53 / H 79 / L 57 cm.
- · Seat dimensions: D 45 / H 48,5 / L 44 cm.
- 4 legs (Ø 17 mm), tubular chrome-plated steel structure.
- · Upholstered with Bondaï fabric.
- · Foam padding (density 40 kg/m³).
- · White plastic outer shell.
- · Maximum permitted weight 120 kg.
- · Stackable up to 5 chairs.



YUMI

- · Overall dimensions: D 53 / H 84 / L 57 cm.
- · Seat dimensions: D 45 / H 47 / L 44 cm.
- · Lacquered beech structure.
- · Upholstered with Bondaï fabric.
- · Foam padding (density 40 kg/m³).
- · White plastic outer shell.
- · Maximum permitted weight 120 kg.









Yumi chair

Description	Ref.	Finish	Price ex.VAT
Nami chair with metal leg	DA006	+	£ 375
Description	Ref.	Finish	Price ex.VAT
Yumi chair with wooden leg	BZ994	+	£ 385





















Clip style leg





- Overall dimensions of wooden leg: D 59 / H 77 / L 61 cm. Seat dimensions: D 45 / H 47 / L 41 cm.
- Overall dimensions of **style leg**: D 59 / H 79 / L 61 cm. Seat dimensions: D 45 / H 47 / L 41 cm.
- Reception and meeting chair, upholstered on 2 sides with moulded polyurethane foam padding (density 60 kg/m³).
- · Steel structure covered with foam and fabric.
- 2 leg types:
 - **Wooden leg**: 4 legs, wooden frame, solid varnished beech base.
 - **Style leg**: 360° swivelling base with 4 chrome-plated tubular legs and pads.
- Upholstered with Xtreme fabric 100 % recycled polyester 100 % flame retardant.
- Fire safety standards EN1021 1&2.
- · Maximum permitted weight 120 kg.












Mirage fabric

- Overall dimensions: D 59 / H 75 / L 56 cm.
- Seat dimensions: D 43 / H 45 / L 45 cm.
- Reception and meeting chair, upholstered on 2 sides with moulded polyurethane foam padding (density 40 kg/m³).
- Beech structure covered with foam and fabric.
- 4 legs, wooden frame, solid varnished beech base.
- Upholstered with Mirage fabric, fire classification M1.
- Fire safety standards EN1021 1&2.
- · Maximum permitted weight 120 kg.









Description	Ref.	Finish	Price ex.VAT
Armchair with wooden leg	DK984	+	£ 560


STOOLS Low backrest

SE SEA-TIME

Combined with the high tables in the same range, the **Détente** stools create a welcoming and friendly area encouraging discussion and promoting the well-being of employees.

	Description	Dim. (cm)	Ref.	Finish	Price ex.VAT
High stool H 80 cm	Stool with low backrest	D 39 / H 80 / L 39	BY324	+	£ 185

CHARACTERISTICS





TECHNICAL DESCRIPTION

Stool with low backrest

- Overall dimensions: D 39 / H 80 / L 39 cm.
- Seat dimensions: D 32 / H 72 / L 39 cm.
- · Moulded ABS seat.
- · Varnished solid oak legs.
- Equipped with a Ø 36 cm metal ring actingas foot-rest.
- Seat height: 72 cm. Seat depth: 32 cm.



CHARACTERISTICS











Stool with high backrest finishes




TECHNICAL DESCRIPTION

Stool with high backrest

- Overall dimensions: D 46,5 / H 102 / L 46,5 cm.
- Seat dimensions: D 33 / H 78 / L 38 cm.
- Ergonomic moulded plastic seat and backrest.
- Varnished solid oak legs with foot-rest.
- Seat height: 78 cm. Backrest height: 24 cm. Foot-rest depth: 31 cm.






	Description	Dim. (cm)	Ref.	Finish	Price ex.VAT
High stool H 102 cm	Stool with high backrest	D 46,5 / H 102 / L 46,5	BY334	+	£ 200


COLOUR CHART WOOD MFC FINISHES






COLOUR CHART WOOD MFC FINISHES





COLOUR CHART WOOD MFC FINISHES






COLOUR CHART METAL AND CABINETS WITH TAMBOUR DOORS



CABINETS WITH ONE-TONE TAMBOUR DOORS



CABINETS WITH TWO-TONE TAMBOUR DOORS



DIVIDER SCREENS

BeWall Step Mélange fabric









CHAIRS

Harmonie and Tonus Bondaï fabric

BLACK G

Équilibre, Pratique, Vario and Selma Mirage fabric



Nami-Yumi Bondaï fabric







Tik & Tak Mirage fabric







Clip XTreme fabric







Ava Mirage fabric









SYNOPTIC

Single desks and Meeting tables



Collaborative desks

SYNOPTIC





UNPARALLELED RESULTS FOR YOUR HEALTH



PURIFIER







FRANC

Z

MADE

Odors

Allergens

Pollutants

Contaminants

YOUR COLLECTIVE PROTECTION

Shield air purifiers serve one single purpose: to restore your air's original purity. How do they do that?

By eliminating the **odours**, **allergens**, **pollutants** and **contaminants** that are detrimental to its quality and to your health.

With their perfect combination of cutting edge technology and a unique design, Shield air purifiers preserve your interior environment.

____ jvd.fr





LEGAL NOTICES

Concept and graphic design **buronomic**. Translator [FR > EN] Xword Traductions

Texts, pictures and illustrations are not contractual, subject to any modifications or typing errors. Finishes are given only for indication purposes.

While every effort is made to represent colours accurately we cannot guarantee the finishes you see exactly match the finishes of the actual MFC due to printing process.

The seats and armchairs presented in the ambiances of the catalogue are not part of the **buronomic** 2022 assortment and are only used as decoration and accessories of our workstations.

All rights reserved. No part of this catalogue may be reproduced in any form, without permission in writing from **buronomic SAS**.

This catalogue is printed on Mat coated modern papers 100 g. Printed on FSC paper with vegetable-based ink. General catalogue edition January 2022.


Prices may also be subject to currency fluctuations and / or the changes in prices of raw materials. These conditions apply and are further explained in our general terms and conditions as detailed on our invoices. Our general conditions of sale can be viewed and downloaded from our website **www.buronomic.com**Prices are valid until 30/06/2022 unless otherwise informed in writing by **buronomic SAS**.

Catalogue value: £ 10.

buronomic SAS
Zone industrielle du Poudreux
Route de Champlain, 14603 Honfleur Cedex
FRANCE
N° Siret 321 407 173 00012

buronomic

www.buronomic.com



buronomic

ZI du Poudreux Route Samuel de Champlain 14600 Honfleur FRANCE

Phone: +33 (0)2 31 81 66 00

