

M Series Metric LOCKERS

Plain or
Perforated
doors



Ventilation

Vents in the front, top and bottom of the locker frame improve air circulation whilst retaining an unpierced door surface.




Locking systems

Wide range of optional fittings to choose from. Key operated dead locks with cardholder are fitted as standard, supplied with 2 keys. The locking mechanism locates behind the welded metal frame for enhanced security. See page 5 for information on lock variations. Numbering systems available.



Strong hinges

Semi concealed knuckle hinges are fitted to all our lockers. These are welded to the door for strength but rivetted to the door frame to allow replacement.



Door Frame

Door frame is a welded construction with folded edges for safety and strength. Door channels to both sides provide maximum security.



Reinforced Doors

Door edges are channel folded and then welded at the corners. Security and strength are further enhanced by a steel channel reinforcer welded to the full height of the door and locating within the channel fold.



All steel lockers and cupboards in this brochure are provided as standard with Biocote protection.

Biocote is a new, patent-protected powder coating which inhibits the growth of potentially lethal bacteria and fungi. This reduces the risk of cross-contamination from surfaces with high contact frequency. Although this is no substitute for correct cleaning practices, the incorporation of Biocote into the manufacturing process provides users of our products with the peace of mind that every effort is being made to maintain a hygienic working environment.

Any workplace - even those with only small number of staff - is enhanced by the addition of a well organised and properly equipped locker room or changing area.

M Series lockers provide an ideal solution, using an all steel construction to offer a durable and high quality secure personal storage. Attention to strength in the primary area of doors, door frames and locking systems means that M Series delivers longer life and greater peace of mind.

New designs of ventilation slots and card holders, combined with a hard wearing epoxy powder coated finish, give the M Series a stylish appearance to suit all environments. Doors are available in an extended range of standard colours with other colour options available on request.

Whatever your personal storage needs, the M Series of lockers has the answer.

Nesting


Lockers are available in nests of 1, 2 or 3. This makes installation easier and quicker in larger applications. Lockers are pre-drilled for further nesting once in location.

Design Note:

When calculating how many lockers will fit a given area, allow an additional 4mm space over the nominal width of each locker nest when units are butted together.

Example:


12 single locker units, each 300mm wide: $300\text{mm} \times 12 = 3600\text{mm}$
11 x 4mm spacing = 44mm Length of locker run = 3644mm



Initial unit



Nest of 2



Nest of 3

Speed Range DELIVERY

Speed Range items are indicated by 'S' on the relevant tables. Orders for these items placed by 2.00pm on day '0' will be delivered within 8 working days (Subject to manufacturing capacity)

Sloping Top:



Sloping Top (factory fitted)

SLOPING TOPS prevent litter being left on top of lockers and make cleaning easier. Appropriate to most changing areas, sloping tops are an essential feature in hospitals and the food industry where hygiene is a priority.

Single Tier:



Height: 1800		
Width	Depth	
S 300	300	
S 300	450	
300	500	
400	450	
400	500	
S 450	450	
450	500	

Compartment height:
Hat shelf: 315mm
Hanging: 1405mm

Clear opening width:
Width minus 52mm

Fittings: Hat shelf with double coat hook and hanging rail below.

Two Tier:



Height: 1800		
Width	Depth	
S 300	300	
S 300	450	
300	500	
400	450	
400	500	
450	450	
450	500	

Clear compartment height (min.):
827mm

Clear opening width:
Width minus 52mm

Fittings: Double coat hook and hanging rail in each compartment.

Three Tier:



Height: 1800		
Width	Depth	
S 300	300	
S 300	450	
300	500	
400	450	
400	500	
450	450	
450	500	

Clear compartment height (min.):
537mm

Clear opening width:
Width minus 52mm

Four Tier:



Height: 1800		
Width	Depth	
S 300	300	
S 300	450	
300	500	
400	450	
400	500	
450	450	
450	500	

Clear compartment height (min.):
397mm

Clear opening width:
Width minus 52mm

Five Tier:



Height: 1800		
Width	Depth	
300	300	
300	450	
300	500	
400	450	
400	500	
450	450	
450	500	

Clear compartment height (min.):
314mm

Clear opening width:
Width minus 52mm

Six Tier:



Height: 1800		
Width	Depth	
S 300	300	
S 300	450	
300	500	
400	450	
400	500	
450	450	
450	500	

Clear compartment height (min.):
278mm

Clear opening width:
Width minus 52mm

Paint Finish

Door Colours with Light Grey body - RAL 7035

Burgundy Red
- RAL 3003

Ultramarine Blue
- RAL 5002

Emerald Green
- RAL 6001

Traffic Red
- RAL 3020

Signal Yellow
- RAL 1003

Light Grey
- RAL 7035

Dark Grey
- BS.00A11

Door Colours with Dark Grey body - RAL 7016

Light Grey - RAL 7035

Dark Grey - BS.00A11

Door Colour with Brown body
- BS.08B29 available on request

Beige - BS.08B21

Utility LOCKERS

Two Person



Height: 1800		Compartment height:
Width	Depth	Top: 225mm
450	450	Hanging: 1285mm
		Clear opening width:
		Top: 365mm
		Hanging: 160mm
		Fittings: Double coat hook in each compartment.

Nurses/Equipment



Height: 1800		Compartment height:
Width	Depth	Hat shelf: 320mm
450	450	Hanging: 1435mm
		Clear opening width: Top: 365mm
		Hanging/shelves: 175mm
		Fittings: Hat shelf with vertical central divider. 3 half width shelves one side and coat rail on other.

Clean & Dirty



Height: 1800		Compartment height: Hat shelf: 320mm Hanging: 1435mm	
Width	Depth	Clear opening width: Top: 398mm Hanging: 175mm	
450	450	Fittings: Hat shelf with vertical central divider. Hanging rail in each compartment.	



Slimline LOCKERS



Slimline



Nest of 1



Nest of 2

Slimline is only 225mm wide - for efficient utilisation of limited floor space.

Height: 1800	
Width	Depth
225	450
225	500

Compartment height:
Hat shelf: 315mm
Hanging: 1405mm

Clear opening width:
Width minus 52mm

Fittings:
Hat shelf with coat rail and two hooks

Quarto & Sixto MINI LOCKERS



QUARTO & SIXTO LOCKERS offer individual personal security in the workplace as 'stacked' units or to fill spaces above M SERIES lockers. Units can be bolted together on the top, bottom or side.

Height: 511		
Width	Depth	
225	450	
S 300	300	
S 300	450	
300	500	
400	450	
400	500	
450	450	
450	500	

QUARTO
Clear opening width:
Width minus 52mm
Clear opening height:
420mm



SIXTO

Height: 372		
Width	Depth	
225	450	
300	300	
300	450	
300	500	
400	450	
400	500	
450	450	
450	500	

Clear opening width: Width minus 52mm
Clear opening height: 279mm

Bridge Unit PACKS



BRIDGE UNIT PACKS are designed to fit between two lockers and provide additional clothes hanging space or support for MINI LOCKERS. Packs can be combined with any style of locker, are 900mm wide and available to suit locker depths of 300mm and 450mm. Optional extras include captive coat hangers or hooks.




Locking Systems

Locks for **Standard, Utility, Cube, Quarto, Sixto and Golf Lockers**

All lockers are supplied with 2 keys per compartment. Locks have over 2000 variations and can be supplied with a master key. Replacement and spare keys available on request.



Standard Deadlock
with 2 keys and neat plastic cardholder. 2000 differs. Master key available. Numbering system available.



Pistol Grip Lock
For use with padlock (padlock not supplied). Numbering system available.



Coin/token retain lock
with collection box.



Coin/token return lock
with return tray.



Combination lock
with master key override.
Combination padlock
also available.

3 Point Locking System
secures doors at the top, bottom and middle. Available on single and two tier lockers only. Factory fitted.





Cube LOCKERS

CUBE LOCKERS are an ideal way of offering individual personal security in the workplace. They can be nested into any configuration by bolting together on the top, bottom or side. Cubes are ventilated at the rear and 150mm high stands are available for this unit.

Height	Width	Depth
S 305	305	305
S 381	381	381
S 457	457	457

Clear opening width:
Width minus 68mm

Clear opening height:
Height minus 50mm




Golf LOCKERS

Versatile and economical lockers, specially designed to accommodate GOLF BAGS, CLOTHING AND PERSONAL EFFECTS.

Two versions are available. The short door locker is designed for floor mounting only and can be combined with dedicated seating. The long door locker may also be floor mounted, combined with a stand and seat or stacked on top of the short door version to make optimum use of available space.

Short Door



Height: 1382	
Width	Depth
300	450
300	500
400	450
450	450
400	500

Compartment height: 1373mm

Clear opening height: 850mm

Clear opening width: Width minus 52mm

Long Door



Height: 1382	
Width	Depth
300	450
300	500
400	450
400	500
450	450
450	500

Compartment height: 1373mm

Clear opening width:
Width minus 52mm

All sizes shown are nominal in millimetres.

Stronghold

HEAVY DUTY LOCKERS

Two Tier



Height: 1778		
Width	Depth	
305	305	
305	457	

Compartment height: 860mm
Clear opening width:
Width minus 51mm

Fittings:
Coat hooks in both compartments.

Four Tier



Height: 1778		
Width	Depth	
305	305	
305	457	

Compartment height: 430mm
Clear opening width:
Width minus 51mm

Six Tier



Height: 1778		
Width	Depth	
305	305	
305	457	

Compartment height: 285mm
Clear opening width:
Width minus 51mm



A range of high quality HEAVY DUTY LOCKERS for dry, non-humid environments where STRENGTH AND SECURITY are the key criteria.

Combining robust design with a thick steel skin, this range offers some of the TOUGHEST lockers on the market.

Available as single units only, the lockers come pre-drilled for further nesting once in location.

A key operated deadlock is fitted as standard. This operates a secure cam-locking bar, which protects against forced leverage. Coin operated locks are also available.



Heavy gauge welded steel frame.



Box formed construction.



Heavy duty 5 knuckle hinges.

Single Tier



Height: 1778		
Width	Depth	
305	305	
305	457	

Compartment height:
Hat shelf: 315mm
Hanging: 1410mm
Clear opening width:
Width minus 51mm
Fittings: Hat shelf with coat rail.

Heavy duty hinge welded to frame but rivetted to door to allow easy replacement.

Reinforced section at top and bottom of door

Right-angled door flange guards against leverage.

Wrap round security section protects full length of door against forced entry

2.4mm thick double skin

Integral box section door.

Tough pre-phosphated, powder coated finish

Insight LOCKERS



Two Door



Height: 1800	
Width	Depth
300	300
300	450
300	500

Fittings:
Double coat hook
in each
compartment.

Insight lockers are designed for use in areas where there is a need for a visual inspection of contents without compromising the security of items stored.

The clear polyethylene panels allow easy inspection of contents, acting as a deterrent to workplace pilfering or providing quick visual stocktaking of items stored.

When used in public areas **Insight Lockers** provide security staff with the ability to check that items stored are not inappropriate or pose no security threat.

Three Door



Height: 1800	
Width	Depth
300	300
300	450
300	500

Four Door



Height: 1800	
Width	Depth
300	300
300	450
300	500
400	450
400	500



Six Door



Height: 1800	
Width	Depth
300	300
300	450
300	500

Eight Door



Height: 1800	
Width	Depth
300	300
300	450
300	500

Also
Available
with
16 doors
(not shown)

Also available in Imperial sizes.

Post LOCKERS



The sorting of post and its secure storage until collected has become a problem as Postrooms decline and open plan offices increase. The POSTAL SLOT LOCKER overcomes these problems by allowing sorted mail to be posted via a slot into secure compartments which can only be accessed by the keyholder.

Height: 1778

Width	Depth
381	457

Also Available with 15 or 20 slots (not shown)



Also Available with reinforced hat shelf and hanging rail only



Height: 1778

Width	Depth
600	600

Crew LOCKERS

The special storage needs of emergency service personnel led to the development of our CREW LOCKER - 600mm wide x 600mm deep which offers four compartments to accommodate equipment, clothing and personal effects.

Polyethylene LOCKERS



Height: 914

Width	Depth
305	381

Wet 'n' Dry Lockers are designed for use in wet and damp environments or where there is a need for a robust and secure personal storage.


Non-corrosive polyethylene makes them ideal for washing out or hosing down, essential in working environments where cleanliness and hygiene are required.

The lightweight design of the locker allows for easy hanging onto wall-mounted battens or for lockers to be stacked together in multiple units.




Height: 457

Width	Depth
381	381



SEATING AND BENCHING is an important part of any changing room facility, whatever the environment. Our range of free standing or wall mounted seat units or benches can be configured to give the right solution to your needs. Manufactured from epoxy polyester powder coated mild steel with shaped hardwood seating, these units are ideal for sporting, medical, education or industrial changing areas. Units can also be supplied with shoe baskets to provide additional storage space.



Seats & CLOAKROOM EQUIPMENT



Personal Workwear



Top door allows restocking of clean workwear.

Height: 1778

Width	Depth
381	457

Top compartment clear dimensions:
266mm high x 295mm wide

Bottom compartment clear hanging height:
1384mm (max)

Clear width: 135mm

Fittings: Hat shelf with vertical central divider; One half width shelf on one side and hanging facility on either side of divider.

Combi Dispenser/Collector



5 Door

Height: 1778	
Width	Depth
381	457

Clear compartment dimensions:
147mm high x 245mm wide

Fittings: Hooks for garment sack (sack not included).

10 Door

Height: 1778	
Width	Depth
381	457

Clear compartment dimensions:
66mm high x 245mm wide

Fittings: Hooks for garment sack (sack not included).



Garment DISPENSERS



Although these lockers were originally designed for issuing workwear, they are equally suitable for the controlled issue of safety equipment, consumables or specific materials required for a working day or shift.

Garment Issue Lockers are available in 5, 10 and 15 door versions, with users having key access to their individual secure compartment to collect clean clothing. One main door gives access to all compartments for re-stocking.

In workwear applications, used garments are deposited in an adjacent COLLECTOR LOCKER for laundering or disposal. A galvanised steel anti-theft shelf is fitted below the 'post' opening. Hygiene is guaranteed as clean and dirty items are always separated.

The PERSONAL WORKWEAR LOCKER combines personal storage space with an upper compartment which can be re-stocked. The upper door locks into the main lower door, each door having a separate key. The laundry operative has access to the upper compartment for re-stocking, but cannot open the lower compartment. Both doors open when the lower door is opened, allowing the user to access both compartments.

Where space is at a premium or the number of users small, the COMBI DISPENSER/COLLECTOR is the answer.

5 Door Dispenser

Height: 1778	
Width	Depth
381	457

Clear compartment dimensions:
311mm high x 245mm wide

10 Door Dispenser

Height: 1778	
Width	Depth
381	457

Clear compartment dimensions:
147mm high x 245mm wide

15 Door Dispenser

Height: 1778	
Width	Depth
381	457

Clear compartment dimensions:
93mm high x 245mm wide

Garment Collector

Height: 1778	
Width	Depth
381	457

Fittings: Hooks for garment sack (sack not included).

Lock for Garment Dispenser/Collector



Standard Deadlock with 2 keys. 95/97 series - 2000 differs. Master door 95662 series. Master key available.

Cabinets & Cupboards

An ECONOMICAL and ROBUST range of storage CABINETS, WORKSTATIONS, TOOL LOCKERS & CUPBOARDS available in a wide range of widths and depths, offering SECURE STORAGE for commercial and industrial environments.



TOOL CABINETS with various combinations of pull out drawers and shelves. Available in two cabinet heights - LOW & TALL and two widths - SINGLE & DOUBLE. Range of add on accessories also available.

Tall Single

Height: 1800		
Width	Depth	
500	500	

Quality Station



Height: 2000		
Width	Depth	
915	457	

Range of **UTILITY WORKSTATIONS** featuring a sloping work surface along with a secure storage area. All models have reinforced doors, three point locking, barrel lock with two keys and two adjustable shelves.

Options include **COMPUTER STATION**, **INFORMATION STATION** and **TOOLHOLDER STATION**.

TOOL LOCKER available in two heights, widths and depths. Ideal for secure storage around the workplace the cabinet offers adjustable shelves and on the larger unit three point locking.

Tool Locker



Height: 762		
Width	Depth	
457	305	



Range of **CUPBOARDS** in three widths - **STANDARD**, **SLIMLINE** and **LARGE VOLUME**. Available with various internal configurations of shelves and hanging rails.

Low Double



Height: 1000		
Width	Depth	
1000	500	

Large Volume



Height: 1829		
Width	Depth	
1220	457	

Standard



Height: 1829		
Width	Depth	
915	470	

Slimline



Height: 1829		
Width	Depth	
610	470	

Available from your local distributor:

Supplied by Merlin Industrial Products Ltd - 0845 124 9955 - sales@merlin-industrial.co.uk