# Pallets

Schoeller Allibert is one of the world's largest plastic pallet producers and offers a comprehensive range of plastic pallets. The range includes the BIPP range, Maestro heavy duty pallets, medium to basic general pallets, Packpal medium duty pallets, universal pallets and H1-waterproof pallets for multiple trips and the EOS range for limited trips.

Our multi-trip pallets are reusable and designed for use in any closed loop or pooling environment. EOS pallets are specially developed for use in export: they meet the ISPM N° 15 regulations and do not require fumigation or heat treatment.

Most of our pallets are available in display, light, medium, and heavy models. There are over 100 products in the range, with a variety of sizes and features, and fast delivery from stock. To protect uneven and irregularly shaped loads we have developed the multipurpose pallet collar. It eliminates the health and safety issues associated with wooden pallet collars.

Why spend more than necessary? Choose the right kind of pallet and pay the correct price for the application you have in mind. Schoeller Allibert can help you determine exactly what you need. We can make a calculation of the cost savings achieved over time.

If you want to take full advantage of the benefits of plastic pallets and get a healthy return on your pallet investment, then BiPP pallets are the right choice for you.

Plastic pallets are durable, hygienic, reusable and

safe. They have a sound environmental performance

#### Long-life returnable plastic pallets

and deliver a good company image.

Key benefits

**BiPP** pallets

Our long-life multi-trip pallets are produced with high-quality virgin or reground polypropylene for outstanding efficiency in transport and storage. BiPP pallets are stable and therefore safe, easily stackable and can handle high loading capacities.

#### Advantages multi-trip range

Unlike wooden pallets, our multi-trip plastic pallets have no dangerous nails poking out, do not absorb moisture and have no weight changes under different atmospheric conditions.

Although the investment may be higher, when looking at the total cost of our pallet solution, the return on your investment soon becomes obvious. Thanks to a reduction of product losses and the number of trips the pallets can be used for, a multi-trip pallet will actually save your company money over time.

# Get it right from the ground up!

#### EOS pallets

EOS pallets are the European standard for export pallets, developed by Schoeller Allibert as a solution for the tightened sanitary regulations in many countries.

#### For export and limited trips

If you are a smaller company or exporter, you may not be interested in a returnable pallet system. In fact, you might like to pay the low price of a wooden pallet and still make use of the benefits of a plastic pallet.

In that case, we can offer you a selection of more than 60 different models of EOS pallets for limited trips. We do not call them 'one-way', because EOS pallets can definitely be used more than once. However, they are less robust than our BiPP returnable pallets.

#### EOS advantages

Our EOS plastic pallets do not have to be pre-treated or fumigated and therefore, are an excellent alternative for wooden pallets – without the expensive paper administration and the risk of refusal when entering the country of destination. As they are made of recycled materials, they also form a good alternative from a cost point of view. 04 Pallets

#### Supplied by Merlin Industrial Products Ltd - 0845 124 9955 - Email sales@merlin-industrial.co.uk

# Pallets

Light duty pallet

Medium duty pallet

Heavy duty pallet



Our light duty pallet range is ideal for retail and export. Providing a good balance of weight, volume, and loading capacity. Pallets weighing less than 9 kg can handle static loads up to 2500 kg and flat dynamic load of 1000 kg with ease. Nestable light duty pallets are cost efficient in reverse logistics and saving return costs. Runners are available on some models for increased stiffness and load capacity. Our plastic light duty pallets do not require fumigation nor pretreatment, making them the best solution for export applications. We offer a large range of footprints form 600 x 400 display pallet to 1300 x 1100 export models.



Wide and versatile, our medium duty pallet range adapts to most industrial and logistics uses. The popular Packpal<sup>®</sup> range with ventilated or solid deck, nesting 62% or on 3 to 5 runners is suitable for long distance shipping and for racking up to 700 kg (5 runners variant). Available in 2 footprint 800 x 1200 and 1000 x 1200, most of or medium duty pallets handle up to 1000 kg dynamic load and most of them can be used in racking sytems Safe and stable, they have proven to last and have a low breakage rate.



Designed for highly demanding industrial logistics environments, our heavy duty pallets are the best choice where heavy loads and high bay racking are required. These pallets offer up to 5000 kg dynamic load and guarantee safe long term racking. Fully compatible with automated and robotized handling equipment, our pallets speed up processes and increase logistics efficiency. For food and pharmaceutical industries Maestro<sup>®</sup> and H1 pallets range smooth design prevent dirt and liquid retention, allowing thorough cleansing, and high level of hygiene.

Patented anti slip process, for upper deck and runners available on Maestro® range, insure optimized gripping of any kind of load, including plastic crates.

 $\rightarrow$  More details see product page 09

ightarrow More details see product page 07

 $\rightarrow$  More details see product page 08

Pallets

05

#### Special applications pallets



The international beverage pallet\* ideal for beverage solutions (bottle crates, PET bottles, cans and cartonboxes)isaheavydutypallet,hygienic,safeand user friendly. Designed as a "click" pallet, in structural foam, it is suitable for many industrial end uses and environments. Our Cheese processing pallets (PAQ600301 & PKE50901) are specially designed and built for 2 piles of cheese maturing trays and increase process efficiency, bringing lightweight, hygienic and strong support to this food industry. \* customer owned

 $\rightarrow$ 

### Universal pallet top benefits

- 1. Spring loaded pop-ups allow secure stacking of a wide variety of loads.
- 2. Fully universal top deck
- 3. Ergonomic and easy to clean

#### 600 x 400 Light duty pallet - BiPP



### Light Euro pallet top benefits

- 1. Low height and light weight pallet
- 2. Optimized design offers strenght and rigidity
- 3. Very good nesting ratio for storage and return logistics

### 1200 x 800 Light duty pallet - EOS

	ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load	Version	Color	Pallet unit
	5591.510	<b>Ext</b> . 1200 x 800 x 130	Weight 5.2 Kg	<b>S</b> 2500 Kg	BC	lacksquare	40
- Standar			Nested Height 45	<b>D</b> 1000 Kg	9 feet		
Therese	3303.001	<b>Ext.</b> 1200 x 800 x 150	Weight 8.2 Kg	<b>S</b> 2500 Kg	A B C		40
2 J.			Nested Height 65	<b>D</b> 1000 Kg	9 feet		
41000	1854.508	<b>Ext.</b> 1200 x 800 x 155	Weight 5.5 Kg	<b>S</b> 2500 Kg	A B C		50
			Nested Height 45	<b>D</b> 1000 Kg	9 feet		
	1844.552	<b>Ext.</b> 1200 x 800 x 165	Weight 7.0 Kg	<b>S</b> 2500 Kg	A C		23
			Stacked Height 160	<b>D</b> 1000 Kg	3 runners		

	ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load	Version	Color	Pallet unit
Wither .	1850.006	<b>Ext.</b> 600 x 400 x 140	Weight 1.6 Kg Nested Height 44	S 250 Kg D 250 Kg	A B 4 feet	•	4x50

### 800 x 600 Heavy duty pallet - BiPP

ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load	Version	Color	Pallet unil
6101.502	<b>Ext.</b> 800 x 600 x 145	Weight 3.8 Kg	<b>S</b> 500 Kg	ABC	$\bullet$	3x37
		Nested Height 58	<b>D</b> 250 Kg	3 runners		
6100.750	<b>Ext.</b> 800 x 600 x 147	Weight 5.0 Kg	<b>S</b> 1000 Kg	A C		2x15
		Stacked Height 140	<b>D</b> 500 Kg	3 runners	-	
1882.001	<b>Ext.</b> 800 x 600 x 160	Weight 8.5 Kg	<b>S</b> 1000 Kg	A C		2x15
		Stacked Height 154	<b>D</b> 500 Kg	3 runners	•	
9370000	<b>Ext.</b> 800 x 600 x 165	Weight 7 Kg	<b>S</b> 1000 Kg	A C		24
PA262804		Stacked Height 165	<b>D</b> 500 Kg	3 runners	2	







Open deck



www.schoellerallibert.com

Nestable

Safety rim

Versions

Open deck

Α

#### 07 Pallets



### Medium duty Euro Pallet top benefits

- Medium racking load applications 1.
- 2. Top deck standard with rim
- 3. Low weight pallet



#### 1200 x 800 Medium duty pallet - EOS

ltem number	Dimensions mm	Weight / Nesting height mm	Stack load / Dynamic load / Rack load	Version	Color	Pallet unit
 7340.500	<b>Ext.</b> 1200 x 800 x 145	Weight 11 Kg Stacked Height 139	<b>S</b> 3500 Kg <b>D</b> 750 Kg	A C 3 runners		16
			<b>R</b> 500 Kg	2 . 2		

#### 1200 x 800 Medium duty pallet - Packpal®

ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load / Rack load	Version	Color	Pallet unit
9380001	<b>Ext.</b> 1200 x 800 x 147	Weight 6.2 Kg	<b>S</b> 1500 Kg	ABC		20
PKE00301		Nested Height 55	<b>D</b> 650 Kg	9 feet		
	grind version)	Weight 7.5 Kg		BCD		
9380000 PKE00204 (cl						
9378001	<b>Ext.</b> 1200 x 800 x 172	Weight 8.9 Kg	<b>S</b> 1500 Kg	C D		12
PKE30204		Stacked Height 165	<b>D</b> 1000 Kg	3 runners		
9378000	<b>Ext.</b> 1200 x 800 x 172	Weight 7.8 Kg	<b>S</b> 1500 Kg	A C		12
PKE30301		Stacked Height 165	<b>D</b> 1000 Kg	3 runners		
9386001	<b>Ext.</b> 1200 x 800 x 172	Weight 8.9 Kg	<b>S</b> 1500 Kg	A C		10
PKE50301		Stacked Height 165	<b>D</b> 1200 Kg	6 runners	•	
			<b>R</b> 700 Kg			

#### Versions









n

Safety rim





- 1. Hygienic design ideal for handling and distribution requirements
- 2. High shock & flex resistance for long racking storage
- 3. Non-slip top deck and runners available
- Compatible with automated handling equipment 4.

### 1200 x 800 Heavy duty pallet - Maestro®



### 1200 x 800 Heavy duty pallet - H1

			Rack load		
9384000 PA45151A	<b>Ext.</b> 1200 x 800 x 167	Weight 18 Kg Stacked Height 160	S 5950 Kg D 1250 Kg R 850 Kg	C D 3 runners	15





Non slipping deck

Reinforced

www.schoellerallibert.com

Pallets 09



1	Stack load / Dynamic load / Rack load	Version	Color	Pallet unit
Kg eight 158	<ul> <li>S 1500 Kg</li> <li>D 1200 Kg</li> <li>R 1000 Kg</li> </ul>	D 3 runners		10
Kg eight 158	<ul> <li>S 5000 Kg</li> <li>D 1200 Kg</li> <li>R 1000 Kg</li> </ul>	C D 3 runners	•	10
5 Kg <b>eight</b> 158	<b>S</b> 5000 Kg <b>D</b> 1300 Kg <b>R</b> 1200 Kg	D E F 3 runners	•	10

### Heavy duty Euro pallet top benefits

- 1. Rigid and stable on pallet racking
- Compatible with a wide range of conveyors 2.
- Safety rims to secure loads 3.



### Light duty 1200 x 1000 pallet top benefits

- Nesting ratio of 71% 1.
- Open deck easy to clean 2.
- Standard access for fork lift and pump lift truck 3.
- 4. "Snap - fit" runners - quick and easy to change when damaged

### 1200 x 1000 Light duty pallet - EOS

ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load	Version	Color	Pallet unit
5592.500	<b>Ext.</b> 1200 x 1000 x 130	Weight 6.4 Kg Nested Height 45	<b>S</b> 2500 Kg <b>D</b> 1000 Kg	A B C 9 feet	•	40
5592.510	<b>Ext.</b> 1200 x 1000 x 148	Weight 7.8 Kg	<b>S</b> 2500 Kg	A C	•	50
		Stacked Height 144	<b>D</b> 1000 Kg	3 runners		
1855.508	<b>Ext.</b> 1200 x 1000 x 155	Weight 6.5 Kg Nested Height 45	<b>S</b> 2500 Kg <b>D</b> 1000 Kg	A B C 9 feet	•	50
1846.552	<b>Ext.</b> 1200 x 1000 x 165	Weight 8.5 Kg Stacked Height 160	<b>S</b> 2500 Kg <b>D</b> 1000 Kg	A C 3 runners	•	23

#### 1200 x 800 Heavy duty pallet - EOS

	ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load / Rack load	Version	Color	Pallet unit
	1865.002	<b>Ext.</b> 1200 x 800 x 160	Weight 15.5 Kg Stacked Height 153	<b>S</b> 7500 Kg <b>D</b> 1500 Kg <b>R</b> 1000 Kg	A C 3 runners	•	15
No.	2714.516	<b>Ext.</b> 1200 x 800 x 165	Weight 18.5 Kg Stacked Height 161	S 4500 Kg D 1250 Kg R 1000 Kg	C D F 3 runners	•	15
No the second se	2715.516	<b>Ext.</b> 1200 x 800 x 165	Weight 18.Kg Stacked Height 161	S 4500 Kg D 1250 Kg R 1000 Kg	A C F 3 runners		15

Versions









Versions Δ





Open deck

www.schoellerallibert.com

#### Pallets

11



### Packpal<sup>®</sup> pallet top benefits

- 1. Easy to lift by hand. Excellent weight/performance ratio
- Nesting ratio of 62% 2.
- Perimeter 7 mm high lip for retain boxes or containers 3.
- 4. Multiple feet allow pallet to be used even when one foot is damaged

#### 1200 x 1000 Medium duty pallet - Packpal®



	ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load	Version	Color	Pallet unit
	9379002	<b>Ext.</b> 1200 x 1000 x 147	Weight 7.4 Kg	<b>S</b> 1500 Kg	ABC		44
	PKF00332		Nested Height 35	<b>D</b> 650 Kg	9 feet		
	9379000	<b>Ext.</b> 1200 x 1000 x 147	Weight 8.9 Kg	<b>S</b> 1500 Kg	B C D		20
1 2 2	PKF00204		Nested Height 55	<b>D</b> 6500 Kg	9 feet		
	9379001	<b>Ext.</b> 1200 x 1000 x 147	Weight 7.3 Kg	<b>S</b> 1500 Kg	A B C		20
	PKF00301		Nested Height 55	<b>D</b> 650 Kg	9 feet		
	9497001	<b>Ext.</b> 1200 x 1000 x 172	Weight 10.3 Kg	<b>S</b> 1500 Kg	C D		12
1. 2.	PKF30204		Stacked Height 165	<b>D</b> 1000 Kg	3 runners		
10000	9379003	<b>Ext.</b> 1200 x 1000 x 172	Weight 9.3 Kg	<b>S</b> 1500 Kg	A C		12
	PKF30301		Stacked Height 165	<b>D</b> 1000 Kg	3 runners		
	9387000	<b>Ext.</b> 1200 x 1000 x 172	Weight 11.9 Kg	<b>S</b> 1500 Kg	A C		10
	PKF50301		Stacked Height 165	<b>D</b> 1200 Kg	6 runners		
				<b>R</b> 700 Kg			

### Heavy duty 1200 x 1000 pallet top benefits

- 1. Rigid and stable on pallet racking
- 2. Solid or open deck easy to clean
- Saferty rims to secure loads 3.

### 1200 x 1000 Heavy duty pallet - EOS

ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load / Rack load	Version	Color	Pallet unit
1866.005	<b>Ext.</b> 1200 x 1000 x 165	Weight 21 Kg Stacked Height 160	<b>S</b> 4500 Kg <b>D</b> 1250 Kg	A C 6 runners	•	15
			<b>R</b> 1000 Kg			

### 1200 x 1000 Heavy duty pallet - Maestro®

	ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load / Rack load	Version	Color	Pallet unit
	9376000	<b>Ext.</b> 1200 x 1000 x 158	Weight 23.5 Kg	<b>S</b> 5000 Kg	D		10
	MAM30004		Stacked Height 158	<b>D</b> 1500 Kg	3 runners		
				<b>R</b> 1200 Kg			
	9377000	<b>Ext.</b> 1200 x 1000 x 165	Weight 23.5 Kg	<b>S</b> 5000 Kg	C D		10
-	MAM30204		Stacked Height 158	<b>D</b> 1500 Kg	3 runners		
				<b>R</b> 1200 Kg			
	9376006	<b>Ext.</b> 1200 x 1000 x 165	Weight 24.5 Kg	<b>S</b> 5000 Kg	C D		10
	MAM50204		Stacked Height 158	<b>D</b> 2000 Kg	5 runners		
			_	<b>R</b> 1200 Kg			

### 1200 x 1000 Heavy duty pallet - BiPP

ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load / Rack load	Version	Color	Pallet unit
1873.005	<b>Ext.</b> 1200 x 1000 x 165	Weight 21 Kg Stacked Height 160	<b>S</b> 4500 Kg <b>D</b> 1250 Kg	A C 6 runners	•	15
			<b>R</b> 1250 Kg			

## Versions





Open deck







Nestable



Safety rim

www.schoellerallibert.com

Versions

Open deck

Α





### Special sizes pallets top benefits

- 1. Size 1140 x 1140 for export in sea containers
- Size 1200 x 1200 for Big bag transports
   4-way entry for easy access



### 1140 x 1140 Light duty pallet - EOS

ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load	Version	Color	Pallet unit
1853.508	<b>Ext.</b> 1140 x 1140 x 150	Weight 7.5 Kg Nested Height 65	S 2500 Kg D 1000 Kg	A B C 9 feet	•	40
1842.552	<b>Ext.</b> 1140 x 1140 x 165	Weight 9.5 Kg Stacked Height 160	<b>S</b> 2500 Kg <b>D</b> 1000 Kg	A C 3 runners	•	23

#### 1140 x 1140 Heavy duty pallet - EOS

ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load	Version	Color	Pallet unit
1864.005	<b>Ext.</b> 1140 x 1140 x 170	Weight 24.5 Kg	<b>S</b> 4500 Kg	АC		14
		Stacked Height 163	<b>D</b> 1200 Kg	6 runners		
		_	<b>R</b> 1000 Kg			

### 1200 x 1200 Light duty pallet - EOS

ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load	Version	Color	Pallet unit
1856.508	<b>Ext.</b> 1200 x 1200 x 155	Weight 8 Kg Nested Height 63	<b>S</b> 2500 Kg <b>D</b> 1000 Kg	A B C 9 feet	•	40

### 1200 x 1200 Heavy duty pallet - EOS

	ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load / Rack load	Version	Color	Pallet unit
No.	1867.005	<b>Ext.</b> 1200 x 1200 x 170	Weight 25.5 Kg Stacked Height 163	<b>S</b> 4500 Kg <b>D</b> 1250 Kg	A C 6 runners	•	14
			Stacked Height 103	<b>R</b> 1000 Kg	0 TUTITIETS		

#### Versions

Open deck

A





## 1300 x 1100 Heavy duty pallet - EOS

ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load / Rack load	Version	Color	Pallet unit
1868.005	<b>Ext</b> 1300 x 1100 x 165	Weight 23.5 Kg	<b>S</b> 4500 Kg	AC	lacksquare	15
		Stacked Height 158	<b>D</b> 1250 Kg <b>R</b> 1000 Kg	6 runners		

#### 1300 x 1100 Heavy duty pallet - BiPP



#### Special application pallet

cheese processing pallets	ltem number	Dimensions mm	Weight / Height mm	Stack load / Dynamic load / Rack load	Version	Color	Pallet unit
	9887001 PAQ60301	<b>Ext.</b> 1050 x 801 x 164	Weight 11 Kg Stacked Height 140	<b>S</b> 1500 Kg <b>D</b> 1200 Kg <b>R</b> 700 Kg	A C 6 runners	•	15
	9386000 PKE50901	<b>Ext.</b> 1200 x 800 x 190	Weight 9.3 Kg	S 1500 Kg D 1200 Kg R 700 Kg	A C 6 runners	•	15
beverage pallet	International	<b>Ext.</b> 1200 x 1000 x 150	Weight 25 Kg	<b>S</b> 4500 Kg	АC	•	15
	beverage pallet			<b>D</b> 1500 Kg <b>R</b> 1250 Kg	6 runners		

#### Versions

Open deck





Pallets 15

1	Stack load / Dynamic load	Version	Color	Pallet unit
.5 Kg	<b>S</b> 4500 Kg	A C	•	15
eight 158	<b>D</b> 1250 Kg <b>R</b> 1250 Kg	6 runners		

#### Lids top benefits

- 1. Provide compact pallet units and allow secure block stacking
- 2. Moulded to interstack with 3-runners or perimeter runner pallets





00	ltem number	Dimensions mm	Weight	Version	Color / Material	Pallet unit
00	2626.802	<b>Ext.</b> 815 x 615 x 57	Weight 2.6 Kg	for pallet 800 x 600	<ul> <li>۵</li> </ul>	70
J	6015.830	<b>Ext.</b> 1205 x 808 x 94	Weight 6.1 Kg	for pallet	<u>ب</u>	25
	6015.833 (with stra	aps)	Weight 6.1 Kg	1200 x 800		
	6018.820	<b>Ext</b> 1230 x 817 x 87	Weight 5.7 Kg	for pallet	<u>م</u>	40
	6018.823 (with stra	aps)	Weight 6.5 Kg	800 x 1200		
r	9366000	<b>Ext.</b> 1220 x 813 x 53	Weight 3.8 Kg	for Packpal	• \$	50
	LIF80004		Weight 4.3 Kg	3 runners		30
	936600S LIK87204 (with stra	aps)				
	9549000	<b>Ext.</b> 1220 x 813 x 53	Weight 3.8 Kg	for Packpal	۵ (	50
1	LIF80504			6 runners		
	9524004	<b>Ext.</b> 1220 x 813 x 53	Weight 3.8 Kg	for Maestro	• 4	50
	LIF84004			3 runners		
					-	
	6017.830	<b>Ext.</b> 1229 x 1030 x 84	Weight 7.2 Kg	for pallet	<u>ب</u>	35
	6017.833 (with stra	ps)	Weight 7.7 Kg	1200 x 1000		
	9552000	<b>Ext.</b> 1210 x 1010 x 45	Weight 6.2 Kg	for Packpal	• \$	20
	LIG99604		Weight 6.7 Kg	3 runners		30
	95401S3 LIL97204 (with stra	aps)				
	05/0151	<b>Ext.</b> 1210 x 1010 x 45	Weight 6.2 Kg	For Dackoal		20
1	95401S1 LIR97104	EXL. 1210 X 1010 X 45	Weight 6.2 Kg Weight 6.7 Kg	for Packpal 6 runners	<u>م</u>	30 40
	9540001		ineight of hig	o remers		10
	LIO69904 (with str	aps)				
	9875000	<b>Ext.</b> 1210 x 1010 x 45	Weight 6.2 Kg	for Maestro	• \$	20
1	LIG94004			3 runners	(19 <sup>1</sup> )	



#### Pallet collar top benefits

- 1. Transforms a pallet into a robust bulk container
- 2. Easy and quick to assemble and fold
- Allow the stacking of 2 units: pallet & collars with 3. a load up to 500 kg

#### 1200 x 800 Pallet collar

Item number	Dimensions mm	Weight
9420001 C0025101	<b>Ext.</b> 1220 x 820 x 350 Int. 1160 x 760 x 300	Weight

#### 1200 x 1000 Pallet collar

ltem number	Dimensions mm	Weigh
9739001 C0101501	<b>Ext.</b> 1220 x 1015 x 350 Int. 1160 x 955 x 300	Weigh

Supplied by Merlin Industrial Products Ltd - 0845 124 9955 - Email sales@merlin-industrial.co.uk





#### Meeting the demands of industry

#### Loading

Safe unit and stacked load values depend on the model of container, type of load, temperature and duration. All Schoeller Allibert products have been designed to provide many years of continuous use in a wide range of demanding industrial applications. The FEA (finite element analysis) software developed by our designers means that we can manufacture products that are both lighter and stronger than ever before. In the event of any doubt concerning the strength or suitability for your application please consult Schoeller Allibert.

#### Temperature

Schoeller Allibert products are designed for use in a wide range of temperatures. Polypropylene (PP) trays and containers are ideal for use between -10°C to +50°C with many models serviceable from -20°C to +60°C (depending on loading and use). High density polyethylene (HDPE) trays and containers are ideal for use between -30°C to +30°C with many models serviceable from as low as -40°C up to +40°C (depending on loading and use). If the containers or pallets are expected to perform under load at temperatures close to these parameters, then we recommend that you contact Schoeller Allibert to discuss your application.

#### Washing

Polypropylene trays and containers can be put through tray washers in temperatures over +100°C for short periods. High density polyethylene (HDPE) trays and containers can be cleaned at temperatures up to +80°C. Schoeller Allibert products are compatible with most washing and soda based detergents currently in use.

#### Chemical resistance

Schoeller Allibert products are resistant to most chemical agents found in industry. In the event of any doubt, please consult Schoeller Allibert.

#### Quality and environment

All Schoeller Allibert sites are ISO 14001 and ISO 9001 certified . Please visit our Website for more information.

# DO YOU WANT TO KNOW MORE?

- your own end use
- you can upload
- policy worldwide

product brochures:

