

Redditek has stood the test of time. This range of highly customisable products have been developed over forty years into one of the most respected workbench and storage brands

The range of workbench products available is extensive.

Built in a variety of designs and with a choice of worktop finishes, these workbench products come with a huge array of custom options to create the perfect work environment to aid productivity and organisation.

The storage collection includes the Euro Cabinet System, a versatile range of steel work cabinets that can be combined to form complete working layouts; and the Hazardous Storage Cabinet range in a vast choice of sizes and colours to assist in identifying the cabinets use in the work place.



Workbench Range

Square Tube	131 - 132
Square Tube HD	133 - 134
Cantilever	135 - 136
Antistatic	137 - 138
Adjustable Height	141 - 144
Infinite Modular	145 - 146
Heavy Duty	147 - 148
Extra Heavy Duty	149 - 150
Stainless Steel	151 - 152
Timber	153 - 154

Cabinet Range

Euro Cabinets	161 - 166
Bin Cabinets	167
Mobile Drawer	168
First Aid & PPE	169
Polycarbonate & Mesh	170
Stainless Steel	171 - 172
Hazardous Storage	173 - 174
Steel Bin Cabinets	177 - 178
Drawer Cabinets	179 - 180

Workbench Styles



Square Tube

Fully welded 4 leg design bench - cost effective solution



Cantilever

Fully welded cantilever design to maximise leg room



Adjustable Height

Crank handle or bolt height adjustable to alter worktop height



Infinite Modular

Excellent for continuous runs and double sided working



Heavy Duty

Designed for engineering / factory environments



Cupboard

Ideal solution for locking large parts securely underneath the worksurface



Stainless Steel


Fully welded or knock down versions designed for cleanrooms



Timber

Handmade benches designed for industry and educational uses

Worktop Choices



Laminate

- 25mm and 18mm MDF core
- Overall 26mm and 19mm
- Impact resistant surface1mm plain Grey laminate
- Timber or plastic edging
- Great in all environments



Vinyl

- 25mm and 18mm MDF core
- Overall 27mm and 20mm
- Impact resistant surface
- 2mm Grey fleck vinyl
- Timber or plastic edging
- Surface reduces risk of product damage



MDF

- 25mm and 18mm MDF core
- Clear lacker finish to surface
- Timber edging




Steel

- 1.2mm, 2mm & 3mm steel surface
- 25mm and 18mm MDF infill (A and DA Workbenches only)
- Hard wearing and long-lasting
- · Heavy duty worksurface
- Suitable for use with hot components




Stainless Steel

- 1.2mm stainless steel
- 25mm and 18mm MDF infill
- · Hard wearing and long-lasting
- Heavy duty worksurface
- Great for wet and clean environments



Anti-static Laminate

- 18mm MDF core
- Overall 19mm impact resistant surface
- 1mm plain Grey static dissipative laminate
- 1 x 10-4 9 x 10-6 Ohms
- Timber or plastic edging
- Perfect for electric parts



Anti-static Black Fibreboard:

- 18mm MDF core
- Overall 20mm cushioned surface
- $1 \times 10-3 1 \times 10-5$ Ohms
- Timber edging
- Ideal for delicate parts

Square Tube Workbench







Delivery 5-12 Days

300kg

Britain

Style ref 'A'

Construction: Fully welded steel with 32 x 32mm legs, 50 x 25mm and 25 x 25mm cross members. Standard workbench height 840mm (750 & 900mm available at no extra cost), frame finished in light grey epoxy. Supplied with adjustable feet.



Easy Order Workbench

One reference for complete popular workbench and accessory combinations, as illustrated. You can specify blue, red or dark grey drawer and cupboard front colours (supplied blue if not specified).



L x D mm	Laminate Worktop	Vinyl Worktop	Steel Worktop	
Frame: Square 4-leg - "A" (Illustrated - 300kg capacity)				
1200 x 750	E3-ALA4	E3-AV4	E3-AST4	
1500 x 750	E3-ALA5	E3-AV5	E3-AST5	
1800 x 750	E3-ALA6	E3-AV6	E3-AST6	

Worktop **Options**



Size

L mm

1200

1500

1800

Delivery

900

A9-LA

Delivery



Lower Shelf (Extra)					
1200	600	A1-LSLA	A1-LSV	A1-LSM	
	750	A2-LSLA	A2-LSV	A2-LSM	
	900	A3-LSLA	A3-LSV	A3-LSM	
1500	600	A4-LSLA	A4-LSV	A4-LSM	
	750	A5-LSLA	A5-LSV	A5-LSM	
	900	A6-LSLA	A6-LSV	A6-LSM	
1800	600	A7-LSLA	A7-LSV	A7-LSM	
	750	A8-LSLA	A8-LSV	A8-LSM	
	900	A9-LSLA	A9-LSV	A9-LSM	



A9-SS

RΕ

RA

Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.

RH



Delivery **5 Days**

Delivery **5 Days**

Below bench accessory	H x W x D mm		Right fitted Ref
Single drawer	140 x 410 x 430	LA	RA
2 drawer unit	280 x 410 x 430	LE	RE
3 drawer unit	420 x 410 x 430	LH	RH
4 drawer unit	560 x 410 x 430	LK	RK
Small cupboard	420 x 410 x 430	LC	RC
Single drawer + small cpbd	560 x 410 x 430	LG	RG
Large cupboard	560 x 410 x 430	LD	RD
Retaining skirt -	For style A, DA, only 100mm high steel, 2 ends and back,	-	RS

RK RC RD RG

Colours

All above bench accessories and cupboard and drawer carcass:

Light Grey epoxy


Drawer fronts and doors available in choice of:



Blue supplied if none specified.

Above Bench Accessories

Supplied loose for simple on-site assembly. All above bench accessories simply hook onto the rear support posts and adjustable on 40mm pitch.



For the	full	range	of available accessories,
please	see	pages	155 to 158.



for container packs see page 97



for tool clips see page 156



for monitor arm see page 156

	Accessory	Bench Leng	gth mm		
		1200	1500	1800	sts
/	Top light frame c/w single LED batten	TLF4	TLF5	TLF6	ong posts
	Tube length mm:	610	1220	1220	2 -
/	Top steel shelf 290mm deep, capacity 50kg	TSS4	TSS5	TSS6	
/	Rear panel 450mm high				ם ל
	Louvre panel	RLP4	RLP5	RLP6	lon
	Tool panel	RTP4	RTP5	RTP6	tor
	Multi panel tool / louvre	RMP4	RMP5	RMP6	Short or long
	Post mounted service duct c/w 2 x 13amp twin sockets (not wired)	PSD4	PSD5	PSD6	, c
-	Worktop mounted service duct c/w 2x 13 amp twin sockets (not wired)	RSD4	RSD5	RSD6	No posts required
	Rear support posts - accessories adjust on 40mm pitch			No po	
	Short posts	SES	SES	SES	Z
	Tall posts	TES	TES	TES	

Rear panel (3 types)











Square Tube HD Workbench







Delivery 5-12 Days

Max Loa s 450kg

Made ir **Britain**

Style ref 'DA'

Construction: Heavy duty square fully welded steel with 50 x 50mm legs and 50 x 25mm cross members. Standard workbench height 840mm (750 & 900mm available at no extra cost), frame finished in light grey epoxy. Standard 25mm worktop thickness (36mm & 50mm worktops available on request).



Easy Order Workbench

One reference for complete popular workbench and accessory combinations, as illustrated. You can specify blue, red or dark grey drawer and cupboard front colours (supplied blue if not specified).



L x D mm	Laminate Worktop	Vinyl Worktop	Steel Worktop	
Frame: Heavy Duty - "DA" (450kg capacity) - 25mm tops				
1200 x 750	E3-HDLA4	E3-HDV4	E3-HDST4	
1500 x 750	E3-HDLA5	E3-HDV5	E3-HDST5	
1800 x 750	E3-HDLA6	E3-HDV6	E3-HDST6	

Worktop Options

Delivery 12 Days



Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.



5 Days

Delivery **5 Days**

Below bench accessory	H x W x D mm		Right fitted Ref
Single drawer	140 x 410 x 430	LA	RA
2 drawer unit	280 x 410 x 430	LE	RE
3 drawer unit	420 x 410 x 430	LH	RH
4 drawer unit	560 x 410 x 430	LK	RK
Small cupboard	420 x 410 x 430	LC	RC
Single drawer + small cpbd	560 x 410 x 430	LG	RG
Large cupboard	560 x 410 x 430	LD	RD
Retaining skirt -	For style A, DA, only 100mm high steel, 2 ends and back,	-	RS

RΑ RΕ RH RK RD RG RC

Colours

All above bench accessories and cupboard and drawer carcass:

Light Grey epoxy

Drawer fronts and doors available in choice of:




Accessory

Blue supplied if none specified.



Supplied loose for simple on-site assembly. All above bench accessories simply hook onto the rear support posts and adjustable on 40mm pitch.



	1200	1500	1800	sts
Top light frame c/w single LED batten	TLF4	TLF5	TLF6	Long posts required
Tube length mm:	610	1220	1220	2 -
Top steel shelf 290mm deep, capacity 50kg	TSS4	TSS5	TSS6	
Rear panel 450mm high				50 0
Louvre panel	RLP4	RLP5	RLP6	lon
Tool panel	RTP4	RTP5	RTP6	Short or long posts required
Multi panel tool / louvre	RMP4	RMP5	RMP6	Short
Post mounted service duct c/w 2 x 13amp twin sockets (not wired)	PSD4	PSD5	PSD6	۵ (۱۹
Worktop mounted service duct c/w 2x 13 amp twin sockets (not wired)	RSD4	RSD5	RSD6	No posts required
Rear support posts - accessories adjust on 40mm pitch				o pc
Short posts	SES	SES	SES	No
Tall posts	TES	TES	TES	

Bench Length mm

Rear panel (3 types)

LED Lighting



Louvre panel



Tool panel



Multi panel (louvre / tool)

For the full range of available accessories, please see pages 155 to 158.







for tool clips for monitor arm see page 156 see page 156





Cantilever Workbench





Delivery 5-12 Days

Max Loa 300kg

Made ir **Britain**

Style ref 'C'

Construction: Fully welded steel with 50 x 25mm cross members and formed 1.5mm steel back, side and footrest panels. Standard workbench height 840mm (750 & 900mm available at no extra cost, frame finished in light grey epoxy. Supplied with adjustable feet.



Easy Order Workbench


One reference for complete popular workbench and accessory combinations, as illustrated. You can specify blue, red or dark grey drawer and cupboard front colours (supplied blue if not specified).



L x D mm	Laminate Worktop	Vinyl Worktop		
Frame: "CL" (300kg capacity)				
1200 x 750	E3-CLA4	E3-CV4		
1500 x 750	E3-CLA5	E3-CV5		
1800 x 750	E3-CLA6	E3-CV6		

Worktop Options

Delivery



Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.



Delivery **5 Days**

Below bench accessory	H x W x D mm		
Single drawer	140 x 410 x 430	LA	RA
2 drawer unit	280 x 410 x 430	LE	RE
3 drawer unit	420 x 410 x 430	LH	RH
4 drawer unit	560 x 410 x 430	LK	RK
Small cupboard	420 x 410 x 430	LC	RC
Single drawer + small cpbd	560 x 410 x 430	LG	RG
Large cupboard	560 x 410 x 430	LD	RD
Retaining skirt -	For style A, DA, only 100mm high steel, 2	-	RS

Colours

All above bench accessories and cupboard and drawer carcass:

Light Grey epoxy

Drawer fronts and doors available in choice of:




Blue supplied if none specified.





Supplied loose for simple on-site assembly. All above bench accessories simply hook onto the rear support posts and adjustable on 40mm pitch.



For the full range of available accessories, please see pages 155 to 158.



for container packs see page 97



for tool clips see page 156



for monitor arm see page 156

	Accessory	Bench Leng	gth mm			
		1200	1500	1800	sts	
	Top light frame c/w single LED batten	TLF4	TLF5	TLF6	ong posts	
	Tube length mm:	610	1220	1220	2 -	
	Top steel shelf 290mm deep, capacity 50kg	TSS4	TSS5	TSS6		
	Rear panel 450mm high					
	Louvre panel	RLP4	RLP5	RLP6	Short or long	
	Tool panel	RTP4	RTP5	RTP6		
	Multi panel tool / louvre	RMP4	RMP5	RMP6	Short	
	Post mounted service duct c/w 2 x 13amp twin sockets (not wired)	PSD4	PSD5	PSD6	ν, α	
	Worktop mounted service duct c/w 2x 13 amp twin sockets (not wired)	RSD4	RSD5	RSD6	No posts required	
	Rear support posts - accessories adjust on 40mm pitch				o po	
	Short posts	SES	SES	SES	No Ped	
	Tall posts	TES	TES	TES		

Rear panel (3 types)













Antistatic Workbench

Static control cantilever and 4 leg workstations with conductive or static dissipative worksurfaces.

Workbenches c/w earth grounding cord + press stud.

Supplied with adjustable feet.

Worktop Options

BFB - Black Fibreboard Worksurface

Conductive resistance to ground:

1x 10-3 - 1x 10-5 ohms

ALA - Grey Laminate Worksurface

Static dissipative resistance to ground:

1x 10-4 - 9x 10-6 ohms







15 Days

Max Load **300kg**

Made in Britain





Cantilever Construction

Medium duty (300kg) construction 14 & 16swg to BS6323 Cantilever leg design Fitted with 4 adjustable feet Frame finished in light grey epoxy.

AS8-ALA



4 Leg Construction

Fully welded steel 32 x 32mm legs, 50×25 mm and 25×25 mm cross members.

Frame finished in light grey epoxy.

A8-ALA



Above Bench Accessories

Supplied loose for simple on-site assembly. All above bench accessories simply hook onto the rear support posts and adjustable on 40mm pitch.

Accessory	Ref	Posts Required
Extension posts	(pair) required	for the following accessories
Short	SES-A	-
Tall	TES-A	-
Top light frame w	vith flourescent	fitting and diffuser
1200	TLF4-A	TES
1500	TLF5-A	TES
1800	TLF6-A	TES
Top shelf - steel	290mm depth	
1200	TSS4-A	TES
1500	TSS5-A	TES
1800	TSS6-A	TES
Top shelf - Dissip	ative laminate	290mm depth
1200	TDL4-A	TES
1500	TDL5-A	TES
1800	TDL6-A	TES
Rear louvre pane	el 450mm high	
1200	RLP4-A	SES
1500	RLP5-A	SES
1800	RLP6-A	SES
Rear service duc	t 2 x 13amp so	ckets and insulators
1200	RSD4-A	-
1500	RSD5-A	-
1800	RSD6-A	-



Accessory H x W x D	Left fitted	Right fitted
Single drawer 140 x 410 x 430mm	LA	RA
2 drawer unit 280 x 410 x 430mm	LE	RE
3 drawer unit 420 x 410 x 430mm	LH	RH
4 drawer unit 560 x 410 x 430mm	LK	RK
Small cupboard 420 x 410 x 430mm	LC	RC
Single drawer + small cupboard 560 x 410 x 430mm	LG	RG
Large cupboard 560 x 410 x 430mm	LD	RD

Additional Antistatic Equipment

Accessory	Ref
General Earth bonding plug	ADT001
Wristband and cord	ADT002
Wriststrap connection point	ADT003
Straight cord	ADT004
Earth lead and plug	ADT005
Heel grounder	ADT006
Testers	
Wristband tester	ADT009
Resistivity tester	ADT010
Matting	
Bench mat with stud 1200 x 600mm	ADT011
Floor mat with stud 1200 x 1500mm	ADT012
Seating (medistat vinyl)	
Standard conductive chair	ADT024
Ergonomic conductive chair	ADT022
Arms (pair)	ADT023
Sign	
Warning sign (rigid plastic)	ADT020



Delivery 5 Days



Colours

All above bench accessories and cupboard and drawer carcass:

Light Grey epoxy

Drawer fronts and doors available in choice of:



Blue supplied if none specified.



Delivery 15 Days



ADT002



ADT001



ADT009



ADT005



ADT004



ADT003



ADT010



ADT006



ADT020



ADT024



ADT022



Cupboard Workbench

Medium duty workbenches fitted with full length sliding door cupboard. Supplied with adjustable feet.







15 Days

/lax Load 300kg

1ade in **Britain**



Colours

All above bench accessories and cupboard and drawer carcass:

Light Grey epoxy

Drawer fronts and doors available in choice of:

Blue Red Dark Grey

Blue supplied if none specified.

Fully boxed bench with sliding doors and half depth central shelf

Storage / cupboard benches are based on the square 4-leg medium duty 456 range of workbenches. Full range of sizes and worktops available. Cupboards have single fixed steel shelf.

Construction:

Welded steel square and rectangular section frame. (14 and 16swg to BS6323)

Worktop specifications:

Plastic edge lipping is available as an option for laminate or vinyl worktops.



Finish:

All frames finished in light grey epoxy (colour choice for doors)

All stainless steel model - see page 152.

Worktop Options						
		Standard Work	rd Worktop Materials & Thickness			
Size		Laminate	Vinyl	MDF	Steel	
L mm	W mm	19mm	20mm	18mm	20mm	
1200	600	RE1-LA	RE1-V	RE1-M	RE1-SS	
	750	RE2-LA	RE2-V	MDF Steel 18mm 20mm	RE2-SS	
	900	RE3-LA	RE3-V	RE3-M	RE3-SS	
1500	600	RE4-LA	RE4-V	RE4-M	RE4-SS	
	750	RE5-LA	RE5-V	RE5-M	RE5-SS	
	900	RE6-LA	RE6-V	RE6-M	RE6-SS	
1800	600	RE7-LA	RE7-V	RE7-M	RE7-SS	
	750	RE8-LA	RE8-V	RE8-M	RE8-SS	
	900	RE9-LA	RE9-V	RE9-M	RE9-SS	

Easy Order Workbench

One reference for complete popular workbench and accessory combinations, as illustrated.

You can specify blue, red or dark grey drawer and cupboard front colours (supplied blue if not specified).

L x D mm	Laminate Worktop	Vinyl Worktop		
Frame: Medium 25mm tops	Duty - "RE" (450kg c	g capacity) -		
1200 x 750	E3-RELA4	E3-REV4		
1500 x 750	E3-RELA5	E3-REV5		
1800 x 750	E3-RELA6	E3-REV6		





Bench Length mm 1200 1500 1800 TLF4 TLF5 TLF6 Top light frame c/w single 1220 Top steel shelf 290mm deep, capacity 50kg Rear panel 450mm high Short or long posts required RLP4 RLP5 RLP6 RTP4 RTP5 RTP6 Multi panel tool / louvre RMP4 RMP5 RMP6 Post mounted service duct PSD4 PSD5 PSD6 Worktop mounted service duct c/w 2x 13 amp twin RSD4 No posts required Rear support posts - accessories adjust on 40mm pitch

Louvre panel
Tool panel
Multi panel (louvre / tool)





For the full range of available accessories, please see pages 155 to 158.



for container packs see page 97



for tool clips see page 156



for monitor arm see page 156

Bolt Adjustable Height Workbenches







12 Days

300kg

Style ref 'BHB'

Height adjustable 4 leg bench using a simple bolt system. 9 standard sizes with choice of 5 standard worktop materials. Stepless height adjustable pillars formed from 2mm sheet steel allowing height adjustment from 650 to 950mm. Finished in light grey epoxy with a choice of worktops.




Easy Order Workbench

One reference for complete popular workbench and accessory combinations, as illustrated.



Worktop Options











L x D mm	Laminate Worktop	Vinyl Worktop	Steel Worktop
1200 x 750	E8-BHLA4	E8-BHV4	E8-BHST4
1500 x 750	E8-BHLA5	E8-BHV5	E8-BHST5
1800 x 750	E8-BHLA6	E8-BHV6	E8-BHST6

		Standard Wo	andard Worktop Materials & Thickness				
Size		Laminate	Vinyl	MDF	Steel	Stainless	
L mm	W mm	19mm	20mm	18mm	20mm	20mm	
1200	600	BHB1-LA	BHB1-V	внв1-м	BHB1-S	BHB1-SS	
	750	BHB2-LA	BHB2-V	внв2-м	BHB2-S	BHB2-SS	
	900	BHB3-LA	BHB3-V	внвз-м	BHB3-S	BHB3-SS	
1500	600	BHB4-LA	BHB4-V	ВНВ4-М	BHB4-S	BHB4-SS	
	750	BHB5-LA	BHB5-V	BHB5-M	BHB5-S	BHB5-SS	
	900	BHB6-LA	BHB6-V	внв6-м	BHB6-S	BHB6-SS	
1800	600	BHB7-LA	BHB7-V	внв7-м	BHB7-S	BHB7-SS	
	750	BHB8-LA	BHB8-V	внвя-м	BHB8-S	BHB8-SS	
	900	BHB9-LA	BHB9-V	внв9-м	BHB9-S	BHB9-SS	

Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.



Delivery **5 Days**

Below bench accessory	H x W x D mm		
Single drawer	140 x 410 x 430	LA	RA
2 drawer unit	280 x 410 x 430	LE	RE
3 drawer unit	420 x 410 x 430	LH	RH
4 drawer unit	560 x 410 x 430	LK	RK
Small cupboard	420 x 410 x 430	LC	RC
Single drawer + small cpbd	560 x 410 x 430	LG	RG
Large cupboard	560 x 410 x 430	LD	RD
Retaining skirt -	For style A, DA, only 100mm high steel, 2 ends and back,	-	RS

Colours

All above bench accessories and cupboard and drawer carcass:

Light Grey epoxy

Drawer fronts and doors available in choice of:




Blue supplied if none specified.





Supplied loose for simple on-site assembly. All above bench accessories simply hook onto the rear support posts and adjustable on 40mm pitch.



For the full range of available accessories, please see pages 155 to 158.



for container packs see page 97



for tool clips see page 156



for monitor arm see page 156

	Accessory	Bench Leng	gth mm			
		1200	1500	1800	sts	
/	Top light frame c/w single LED batten	TLF4	TLF5	TLF6	Long posts	
	Tube length mm:	610	1220	1220	2,	
/	Top steel shelf 290mm deep, capacity 50kg	TSS4	TSS5	TSS6		
/	Rear panel 450mm high				ם ל	
	Louvre panel	RLP4	RLP5	RLP6	Short or long	
	Tool panel	RTP4	RTP5	RTP6		
	Multi panel tool / louvre	RMP4	RMP5	RMP6	Short	
	Post mounted service duct c/w 2 x 13amp twin sockets (not wired)	PSD4	PSD5	PSD6	۰, د	
-	Worktop mounted service duct c/w 2x 13 amp twin sockets (not wired)	RSD4	RSD5	RSD6	No posts	
	Rear support posts - accessories adjust on 40mm pitch					
	Short posts	SES	SES	SES	No Dec	
	Tall posts	TES	TES	TES		

Rear panel (3 types)









