

SL0020 SERIES STORAGE LOCKERS



SL0024E



SL0024E



SL0024E



SL0026

THE PHOENIX STORAGE LOCKERS are designed to provide multiple storage facilities in a single unit. Each locker is controlled via the keypad or with a proximity card reader. Ideal for offices, hotels, public places for the storage of mobile phone, tablets etc.

- **SL0024E** – The master unit with the electronic control panel and 24 storage lockers.
- **SL0026** – An accessory unit that can be connected to the SL0024E to provide an additional 26 storage lockers.
- **LOCKING** – Each numbered locker is equipped with an electro-mechanic latch lock, controlled from the terminal on the SL0024E which has a clear LCD display and operated by a 4 digit pin code or RFID card. Fitted with a central locking bar (2 keys supplied) for technical access and locker management.
- **SPECIAL FEATURES** – Supplied with a mains power cable and a built-in battery providing up to 8 hours working time.
- **INTERNAL CHARGING** – Optional (SP0020 USB) internal charging facility via 2 USB ports. Ideal for mobile phones & tablets.
- **FIXING** – Ready prepared for wall fixing, with fixing bolts for brick walls supplied.
- **LOCKERS** – **SL0024E** – has 24 deposit lockers. **SL0026** – has 26 deposit lockers. The main deposit lockers are 105H x 320W x 430Dmm. The lower two deposit lockers can be used for storing larger items such as parcels or laptops and are 375H x 320W x 430Dmm.
- **CONSTRUCTION** – 1.2mm thick front panel and body.
- **COLOUR** – Available in a colour of your choice. RAL Code required.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	LOCKER DIMENSIONS H x W x D	DIMENSIONS OF LOWER LOCKERS	NUMBER OF LOCKERS	WEIGHT
SL0024E with terminal	1930 x 800 x 450mm	105 x 320 x 430mm	375 x 320 x 430mm	24	125kg
SL0026 additional section	1930 x 800 x 450mm	105 x 320 x 430mm	375 x 320 x 430mm	26	122kg



Suitable for:

- Airports
- Supermarkets
- Shopping malls
- Transport hubs
- Self Storage Centres
- Hotels
- Libraries
- Banks
- Building Societies
- Offices



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

HYPERION SERIES DEMOUNTABLE STRONG-ROOMS & VAULT DOORS



PHOENIX SAFES ARE PROUD TO OFFER A COMPLETE RANGE OF PREFABRICATED STRONG-ROOMS. The vaults are designed to meet the exacting standards of the banking industry, pharmaceutical manufacturers and suppliers, safe deposit centres and any situation where tested and certified protection is required.

- Phoenix strong-rooms come in pre-constructed panels normally 500mm wide and prescribed length. These are welded or bolted together once on site to form a five or six sided construction. This enables the strong-room to be positioned often in confined areas, even on an upper floor or basement. Vaults can also be extended or moved as requirements change.
- The Phoenix range of vault doors are tested and certified to conform with EN 1143-1 european standards of burglary resistance. Available from grade III up to grade XI they provide the perfect partner for our demountable strong-rooms. They can also be supplied to fit into pre built or purposely constructed vault.
- The standard size allows a free opening of 1000mm wide by 2000mm high. However, bespoke sizes are available to accommodate large forklifts or wide pallets achieving heights in excess of four metres if required.
- To accompany our vault doors we supply grille gates to suit. Emergency doors are also available in smaller sizes.
- To obtain certification the vault must be a six-sided construction the exception to this is a controlled drugs installation where a five sided construction is permissible with the correct anchoring system on the floor.
- The protection is completed by a strong-room door of commensurate quality to the vault. In larger installations a second or emergency door are often prescribed.
- Phoenix offer a complete design and build service to our customers, including guidance as to the correct locks to secure your strong-room.



PANDORA SERIES SAFETY DEPOSIT LOCKERS



PHOENIX SAFES MANUFACTURE AND INSTALL A COMPLETE RANGE OF SAFETY DEPOSIT BOXES TO SUIT OUR CLIENT'S REQUIREMENTS.

- The safe deposit boxes are available in a large number of different sizes and are designed to fit within our prefabricated strong rooms, ideally to a European grade of at least EN 1143-1 VIII EX CD they can also be used as an attractive stand-alone unit in hotel reception areas.
- Range includes tested and certified design with the stringent Swedish test SSF1048-2.
- Our range which includes both stainless steel or brushed aluminium lockers can be electronically controlled and monitored meaning you can provide a complete self-service facility for your customer without the need for staff presence within the vault.
- Lockers can be accessed via card, pin or biometric methods and customers details are stored on bespoke software that manages your database along Financial Conduct Authority (FCA) guidelines and can be connected to standard accounts packages enabling the simple management of annual billing and renewals.
- Phoenix safe have in-house expertise to help you design and build your safe deposit centre or extend your existing installations.

