WINTER IS COMING

ARE YOU PREPARED FOR THE WORST OF THE WILD MONTHS?



The clocks go back an hour on Sunday 29th October - with daylight getting shorter and nights drawing in this signals the start of the winter months. Read on to find out what kind of dangers await...

Merlin Industrial Products Ltd - Shop at https://www.merlin-industrial.com



SLIPS, TRIPS & FALLS

Slip and trip accidents increase during the Autumn and Winter season for a number of reasons: there is less daylight, leaves fall onto paths and become wet and slippery and cold weather spells cause ice and snow to build up on paths. There are effective actions that you can take to reduce the risk of a slip or trip. Regardless of the size of your site, always ensure that regularly used walkways are promptly tackled.

TOP TIP

Many slip accidents occur at building entrances as people entering the building walk in rainwater. If warning cones/floor signs are used, remember to remove them once the hazard has passed or they will eventually be ignored.

SURFACE SAFETY



1 4213 GMP 2 4213 GMP 8 4213 G

Floor Graphic 400 x 600mm 5 8824



1 4223 (E)(K) 2 4223 (E)(K)



1 4229 (E)(K) 2 4229 (E)(K)



1 4287 (A) 2 4287 (A)

SELE-STANDING FLOOR SIGNS

These popular double sided, free-standing signs are the perfect solution to highlight surface safety dangers. Manufactured from polypropylene, they are durable, lightweight and compact. 300 x 575mm



WARNING CONES

500mm high cones are pre-printed to mark hazardous areas. We can also print a custom message of your choice on both cone styles.

Slippery Surface Floor Cleaning Custom Message Wet Floor Custom Message

5 7980 5 7981 Round **5** 7995 Triangular 5 7982 Triangular 5 7996



CONE ATTACHMENTS



A plastic ring which fits onto round cones; includes hooks for chain attachment. 5 7998



10m plastic chain, an ideal solution for cordoning off areas.

Red and White Black and Yellow **5** 9041 5 9042

Banana Conf

A multi-lingual, extremely durable and eve-catching wet floor sign, manufactured from high quality injection moulded, polypropylene.

Lightweight at just 0.8kg

5 8507










standing, flat folding structure. 6mm powder coated steel frame. Durable, multi-warning sign which includes signs (300 x 400mm)

A 400 x 600mm self

5 8535

5S / 6S SHADOW BOARDS



A Shadow Board is a great addition to any 5S/6S system, acting as a locator for tools and equipment. They can be customised to mirror your site processes and devices, with personalised graphics/shadows that indicate exactly where the item should be stored when not in use.

Station 1 supplied with:

- 1 x Mop
- 1 x Broom 1 x Dustpan
- i x Dustpan
- 1 x 12L Mop Bucket 1 x Dustpan Brush
- 1 x Self Standing Sign
- 10mm Foam PVC 600 x 2000mm **5** 5971

Station 2 supplied with:

- 1 x Broom
- 1 x Dustpan
- 1 x Shovel
- 1 x Dustpan Brush
- 1 x Self Standing Sign

10mm Foam PVC 600 x 2000mm **5** 5972

6S POSTER

Highlight, remind and advise staff to maintain a clean and tidy working environment with this 6S Poster.



Rigid Plastic 400 x 600mm **5** 5951

CLEANING EQUIPMENT

Maintaining a clean and tidy working environment has many important benefits.

Ensure your workplace is kept clean and tidy with our range of cleaning equipment.



HANGING EQUIPMENT



Plastic Hook for Hanging Rail 55 x 70mm 5 5958




Large Hanger for Hanging Rail Fits 30-40mm Dia 77 x 86mm 5 5957



Medium Hanger for Hanging Rail Fits 20-30mm Dia 83 x 86mm 5 5956



Metal Hook for Magnetic Rail 20 x 100mm 5 5968



Aluminium Channelled Hanging Rail 515 x 55mm with Blue End Caps (Hangers not included) 5 5955



OUTDOOR WORKING

Often, the problem for outdoor workers is not when they are working, but when they aren't. Providing workers with suitable personal protective equipment (PPE) to protect from the cold, wet, wind and dark can go a long way to keeping workers comfortable during extreme conditions.

TOP TIP

The key is to identify the thermal, elemental and environmental hazards before selecting appropriate workwear and PPE. Research the properties of the PPE is it waterproof, thermal, breathable, windproof and visible?

SAFETY SIGNS



Safety helmets must be worn in this area

1 5016 GMEKP | Rigid Plastic 2 5016 GMEK 8 5016 GE

210 x 297mm **5** 8370

Self Adhesive Vinvl A4 (210 x 297mm) **5** 8371



1 5201 **G** M (E) (K) (P) | 2 5201 GMEK

210 x 297mm **5** 8372 8 5201 G(E)

Self Adhesive A4 (210 x 297mm) **5** 8373



High visibility jackets must be worn beyond this point

1 5216 MEKP 2 5216 MEK **6** 5216 M

7 5216 M 8 5216 **(F)**(E)

Floor Graphic 400 x 600mm 5 8820



Hand protection must be worn

1 5203 GMEK 2 5203 GMEK

8 5203 GE



Safety footwear must be worn on this site

Rigid Plastic

1 5232 G M 2 5232 G M 8 5232 G



High visibility clothing must be worn in this area

1 5218 GM 2 5218 GM 8 5218 **G**



Protective clothing is provided for your safety and must be worn

1 5213 G M **2** 5213 **G**



Protective garments must be worn

1 5212 GM 2 5212 GM

English & Polish

High visibility jackets

Należy nosić kamizelki odblasko



Approved personal protective equipment must be worn at all times

1 5221 G M 2 5221 GM



must be worn in this area 1 5603 (E) (K)

2 5603 (E) (K)



1 5217 (E) (K) 2 5217 (E) (K)

1 5204 FN

2 5204 **E**

1 5248 (E) (K) 2 5248 (E) (K)



1 5236 (E)(K) 2 5236 (E)(K)

gloves



this point Floor Graphic

Floor Graphic 400 x 600mm 400 x 600mm 5 8828 **5** 8733



1 5202 **I** 2 5202 E

Floor Graphic 400mm Dia 5 8801



1 5419 **F** N **2** 5419 **F**

1 5015 FN

25015 E



1 4275 (E) (K)



Protective clothing

must be worn

beyond this point

1 4207 **GM**(E)(K)(P) 2 4207 G

BARRIER TAPES

If hazardous areas are identified you should try to remove the risk presented or guard against it.



Reflective Polythene 75mm x 250m 5 8649



Non-Reflective Polythene 70mm x 500m **5** 8620



Non-Reflective Polythene 70mm x 500m 5 8621

HEAVY DUTY CHAIN POST

A highly stable and extremely effective heavy duty chain post system consisting of a reflective, polypropylene post and recycled PVC base. Suitable for both internal and external use for either temporary or permanent applications.

100m diameter post includes a retro-reflective red and white finish, providing excellent visibility when light is shone at it. The chain eye on top of the post rotates, guiding the chain to any angle required. Simply thread the chain through the eye and secure to the end posts with a connector link (sold separately). The post twists and locks into the base and easily dismantles for storage.

We recommend a maximum of 2.5 metres of plastic chain between posts.

5 8928

HEAVY DUTY CHAIN POST

An ideal, low cost solution for cordoning off areas both internally and temporarily in outdoor environments.

- Corrosion proof plastic construction
- Four integrated chain eyes in cap for directional changes
- · Highly visible post colours

Plastic Base: Concrete infill of 2.9kg 300 x 300 x 300 mm Post: H 870mm x 40mm Diameter

	Post	10m Chain
Red & White	5 9039	5 9041
Black & Yellow	5 9040	5 9042







Cone Barrier unit connects cones together to cordon off areas utilising 3.65m of retractable, high visibility chevron webbing.

Fits over the top of most standard traffic cones and is suitable for motorway maintenance, road-works and Health & Safety barriers.

This low cost and flexible solution ensures safety and ease of use.

Chevron Webbing 150mm x 3.65m 5 7983 *Cones not included





Driving and Parking

A winter driving policy can help employers to manage expectations of employees and provide guidance and advice on how to minimise the risks encountered in wintry conditions. In addition keeping company premises/car parks clear of snow/ice by gritting or providing covered walkways and highlighting safe pedestrian routes can go a long way to keeping a business operational.

TOP TIP

Encourage and train staff to carry out pre-drive checks of their vehicles before their journey to work - check tyre treads, windscreens, lights etc are in good condition and consider winter kits for vans or cars, which might include blankets snow shovels, protective shoes (or ice grips), grit and high vis jackets.

ICE DETECTOR SIGN



Alerts drivers & pedestrians of icy conditions by flashing super-bright LED's continuously when the temperature drops to 3°C or below. This weatherproof, durable and extremely low maintenance sign is perfect for car parks minimises the risk of ice related accidents.

- 6 Ultra-bright LED lights
- · Includes channelling and fittings for 76mm post.
- 2-3 year battery unit lifespan
- No mains power required

3mm Aluminium Composite 300 x 500mm

5 8092

ICE WARNING SIGN



1 7796 K Q

Warning Triangle



High visibility collapsible warning triangle to warn road users of a hazard.

Supplied in robust storage case (460 x 160 x 35mm) **5** 7799

TRAFFIC CONES

Available in a choice of 3 sizes, can be stacked to save space.

Manufactured from recycled materials. Supplied complete with a reflective sleeve. These cones conform to BS FN 13422:2004

Code Height 500mm 5 7663 750mm **5**7664 1000mm **5**7665



REFLECTIVE CONE SIGNS

Lightweight Reflective Polypropylene For use with 750/1000mm cones (not included) Supplied flat to reduce storage space



















600 x 450mm





600 x 450mm **5** 8079



VEHICLE INSPECTIONS

PUWER requires that work equipment is suitable and safe for its intended use, regularly inspected and maintained, and with employees properly trained in its use. This includes company vehicles (owned, leased or hired) as well as employee's own vehicles if used for work purposes.

Good to Go Safety provide a fleet vehicle safety checklist, designed to enable drivers to carry out essential pre-use checks of the vehicle prior to a journey. These regular checks can be built into a fleet management policy and will help to ensure the safety of the vehicle users whilst also reducing maintenance costs.

5 1306 Vehicle Check Book (Contains 25 individual checklists and carbon copies) 5 1308 Wallet & Pen (To Store Check Books)



HEALTH & WELLBEING

The winter months can often see an increase in absenteeism due to ill health, ranging from the common cold to flu and depression. Encouraging good hygiene practices within the workplace can help prevent the spread of germs.

TOP TIP

As the winter draws in and the days become shorter, darker and colder we can all admit that it makes us feel a little bit down and miserable. SAD (Seasonal Affective Disorder) is a type of depression that affects 10% of the population and we shouldn't underestimate the significant effect it can have on the way we feel both physically and mentally.

WELLBEING POSTERS

This range of posters helps raise awareness of mental health and general wellbeing amongst employees in the workplace. Produced on tough, durable, wipe clean synthetic paper they are easy to roll up for storage but will not tear or delaminate. Suitable for both internal and external use.



Synthetic Paper 420 x 594mm 5 7098



Synthetic Paper 420 x 594mm 5 7099



Synthetic Paper 420 x 594mm 5 7097



Synthetic Paper 420 x 594mm 5 7100

HEALTH AND HYGIENE



Please wash your hands after going to the toilet

1 5424 G 2 5424 G



sanitiser

Use hand

1 5418 **G** M 2 5418 **G** M



2 5502 **目**



2 5501 目





1 5602 (E) 2 5602 (E) (K)



2 5503 (E)



6 x Stickers 65mm Diameter **5** 1654



1 5408 **GM**E 2 5408 GM 8 5408 G



Synthetic Paper 420 x 594mm **5** 5917

Pocket Guide 80 x 120mm **5** 5918

Each product within this catalogue has its own unique product code. To help you to understand the meaning of the code and identify the size and materials available please follow the guidance below:

STEP 1

When you find the sign you require, use the BOLD **NUMBERS** (at the start of the code) and using the material grid below find out which materials are available for your chosen sign design.

STEP 2

Once you've chosen the required material, choose the required size using the **LETTERS** (at the end of the code). Our sizes always read as width x height (WxH). Use the grid below to identify the available size options for your sign of choice.

STEP 3

Phone, email or fax us with your order. Orders placed before 2.30pm will be despatched for next working day delivery.

Material Codes	Landscape Sizes		Portrait Sizes	
1 Rigid Plastic	A 100 x 75mm	450 x 150mm	A 75 x 100mm	□ 150 x 450mm
2 Self Adhesive Vinvl	₿ 80 x 80mm	™ 600 x 200mm	B 80 x 80mm	M 200 x 600mm
'	C 150 x 150mm	№ 400 x 400mm	© 150 x 150mm	N 400 x 400mm
3 Photoluminescent Rigid Plastic	■ 150 x 100mm	₽ 600 x 400mm	① 100 x 150mm	P 400 x 600mm
4 Photoluminescent Self Adhesive	■ 200 x 150mm	● 600 x 450mm	ⓑ 150 x 200mm	Q 450 x 600mm
5 Miscellaneous	200 x 200mm	S 200 x 75mm	F 200 x 200mm	S 75 x 200mm
6 Aluminium	G 300 x 100mm	U 100 x 100mm	© 100 x 300mm	U 100 x 100mm
7 Polycarbonate	300 x 250mm	▼ 300 x 150mm	⊕ 250 x 300mm	◯ 150 x 300mm
8 Quick Fix	■ 400 x 200mm	₩ 900 x 600mm	J 200 x 400mm	₩ 600 x 900mm
6 QUICK FIX	₭ 400 x 300mm	№ 200 x 100mm	⊗ 300 x 400mm	⊗ 100 x 200mm

1. RIGID PLASTIC

Easily drilled, white, glossy, rigid PVC plastic. It's lightweight with high impact strength, suitable for internal and external use.

Any product outside of our standard choice of material or size ranges. This includes both internal and external items such as cones, barriers and posters.

5. MISCELLANEOUS

2. Self Adhesive Vinyl

High gloss, flexible PVC with self adhesive backing. Suitable for most smooth, dry and clean surfaces. Ideally suited for indoor signs and warehouse labelling.

6. ALUMINIUM

Gloss white powder coated aluminium. Suitable for applications. Excellent weathering and UV resistance. high impact resistance

3. PHOTOLUMINESCENT RIGID 4. PHOTOLUMINESCENT SAV

Rigid PVC with photoluminescent pigmentation (1.2mm thick). After glow exceed PSPA 'Class C' Standard, Luminance properties and performance measured to DIN 67510.

7. POLYCARBONATE

2mm transparent, flame retardant polycarbonate. Sub-surface printing prevents damage/vandalism. Extreme

Flexible self adhesive PVC with photoluminescent pigmentation. After glow properties exceed PSPA 'Class C' standard, Luminance properties and performance measured to DIN 67510.

8. QUICK FIX

A glossy white rigid PVC surface provides a durable finish, whilst a self adhesive backing removes the need for drilling, screws or additional adhesive fixings.

CAN'T FIND YOUR SIGN OF CHOICE?

LET US KNOW AND WE'LL QUOTE YOU FOR A BESPOKE DESIGN.





