


Vis-Track



Designed to be used in low light and adverse weather conditions to highlight temporary roadways, walkways and overflow car parks.

Specifications

Size:	2.4m [L] x 1.2m [W] x 12mm [D]
Weight:	36Kg
Load:	Suggested 50 tonnes (depending on ground conditions)
Material:	100% Recycled High Density Polyethylene (HDPE) and 100% recyclable
Surface:	Top: Non-slip surface Bottom: Diamond pattern surface

50 tonnes

36Kg

✓ Hire
✓ Buyback

✓ Used/2nd hand
✓ Finance

EcoMat



Natural rubber matting designed and manufactured to provide discreet soil retention and erosion control for outdoor grounds and pathways.

Specifications

Size:	1.46m [L] x 0.88m [W] x 10mm [D] or 1.5m [L] x 1m [W] x 16mm / 22mm [D]
Weight:	8Kg / 9.2Kg
Load:	Weight tested up to 225Kg, when using a petrol mower
Material:	100% Recycled UV Stabilised Rubber
Colour:	Black

225Kg

8Kg

✓ Hire
✓ Buyback

✓ Used/2nd hand
✓ Finance

System 7



An effective interlocking Heavy Duty Roadway Panel with zeroskid technology to improve traction and will not absorb contaminants.

Specifications

Size:	4.27m [L] x 2.44m [W] x 108mm [D]
Weight:	470Kg
Load:	Weight tested up to 400 tonnes/m2 (depending on ground conditions)
Material:	Polyethylene blend and 100% recyclable
Colour:	Tan as standard. Other colours available (subject to minimum order quantities)

400 t/m2

470Kg

✓ Hire
✓ Buyback

✓ Used/2nd hand
✓ Finance

Scout Mats



A versatile and durable Heavy Duty Access Mat to provide protection for a variety of machinery with a multitude of construction applications.

Specifications

Size:	2.4m [L] x 1.2m [W] x 12mm [D]
Weight:	40Kg
Load:	Suggested 54 tonnes, weight tested up to 60 tonnes (depending on ground conditions)
Material:	High Density Polyethylene (HDPE)
Colour:	Tan or black as standard. Other colours available (subject to minimum order quantities)



- ✓ Hire
- ✓ Used/2nd hand
- ✓ Buyback
- ✓ Finance

Ekkie Hardwood Timber Bog Mats



European and tropical Hardwood Timber that is grown and manufactured to be an effective Temporary Roadway and Access solution.


Specifications

Size:	3-8m [L] x 1m [W] x 70-300mm [D] Customisable sizes available
Strength:	1060Kg/m3, Pressure 95N/mm2, Elasticity 17,000N/mm2
Load:	Suggested 20-400 tonnes (depending on ground conditions)
Material:	100% Ekkie (Azobe) Hardwood Timber



- ✓ Hire
- ✓ Used/2nd hand
- ✓ Buyback
- ✓ Finance

FODS (Foreign Object Debris System)



A temporary Heavy Duty Access Panel that removes sediment from vehicle tyres when exiting disturbed land onto cleaner areas.


Specifications

Size:	2.12m [L] x 3.66m [W] Pyramids are 75mm [H]
Weight:	195Kg approx.
Load:	Weight tested up to 113 tonnes (depending on ground conditions)
Material:	High Molecular Weight Polyethylene (HMWPE) and 100% recyclable
Colour:	Hi-visibility yellow



- ✓ Hire
- ✓ Used/2nd hand
- ✓ Buyback
- ✓ Finance

Utility Mat Pipeline Protection Boards



Heavy duty utility protector to shield and visibly identify pipelines underground, whilst withstanding heavy loads from excavators.

Specifications

Size:	2.4m [L] x 0.6m [W] x 12mm [D] Customisable sizes available
Weight:	17Kg
Load:	Impact tested with an excavator bucket from a height of 1m, weight tested to 32 tonnes
Material:	100% Recycled Low Density Polyethylene (LDPE)
Colour:	Each colour represents the type of pipeline; yellow-gas, blue-water, red-electricity and green-heating

32 tonnes

17Kg

✓ Hire

✓ Used/2nd hand

✓ Buyback

✓ Finance

Scaffold Boards



Timber, plastic or steel boards offer maximum reliability to your construction project, to BS 2482 standards required for scaffolding.

Specifications

Size:	0.9-3.9m [L] x 0.225m [W] x 38mm [D] Many sizes available
Weight:	Timber 7.3-19Kg / Plastic 3.69-16Kg / Steel 5.1-22.1Kg
Standards:	Timber PEFC / Plastic BS2482, TG20 / Steel BS EN 12811-1
Material:	Timber, recycled polymer composites or steel with non-slip surface and end caps. Branding or banding available

BS 2482

3.69+Kg


✓ Hire

✓ Used/2nd hand

✓ Buyback

✓ Finance

Bison Barrier Mini



A heavy duty water filled separator to box off projects for added versatility and security.

Specifications

Size:	0.8m [L] x 2.0m [W] x 350mm [D]
Weight:	26Kg when empty / 400Kg when water filled
Capacity:	400L to fill. Easy emptying with drainage point and water fill point
Material:	High Density Polyethylene (HDPE) and 100% recyclable
Colour:	Red/white as standard. Other colours available (subject to minimum order quantities)

63 mph

26Kg

90°

Water filled

✓ Hire

✓ Used/2nd hand

✓ Buyback

✓ Finance

Front of Stage Barriers



Front of Stage Barriers that meet licensing requirements for crowd safety and provide a sterile area for the safety team to operate from.

Specifications

Size:	1.29m [L] x 1m [W] x 693mm [D]
Weight:	45Kg
Load:	Weight tested up to 7.5KN Tested and Certified by Lloyds British Testing
Material:	Aluminium 6082 T6
Colour:	Metal aluminium as standard. Other colours available (subject to minimum order quantities)



- ✓ Hire
- ✓ Used/2nd hand
- ✓ Buyback
- ✓ Finance


Concrete Barriers



Concrete Barriers or Gates for temporary fencing, supporting structures, boundary protection, retaining wall and other versatile uses.

Specifications (Lego Block example)

Size:	1.6m / 1.2m / 0.8m [L] x 0.8m [W] x 0.8mm [H] Other size available
Weight:	2.4 tonnes / 1.8 tonnes / 1.2 tonnes
Material:	100% Concrete
Colour:	Grey as standard



- ✓ Hire
- ✓ Used/2nd hand
- ✓ Buyback
- ✓ Finance



Ask us for the Concrete Products Brochure

Hi-vis Ballast Block



A water-filled ballast block, opposed to typical concrete ballast systems, that fits over standard fence panel feet to safely support site perimeters.

Specifications

Size:	410mm [H] x 440mm [W] x 340mm [D]
Weight:	Over 40Kg when filled (approx.)
Material:	100% Recycled High Density Polyethylene (HDPE) and 100% recyclable
Colour:	Hi-visibility yellow



- ✓ Hire
- ✓ Used/2nd hand
- ✓ Buyback
- ✓ Finance

Mortar Tubs



Reduce clutter on site from storage and distribution of mortar tubs around a building via cranes and telehandlers.

Specifications

Size:	1065mm [L] x 760mm [W] x 560mm [D]
Weight:	9Kg
Load	250+ Litres (depending on size)
Material:	Polyethylene plastic
Colour:	White as standard. Other colours available



250+ L



9Kg



Stackable



Multiple sizes

✓ Hire

✓ Used/2nd hand

✓ Buyback

✓ Finance

Heavy Duty Boot Wash



An effective and simple to use tool that removes dirt and grime from boots and captures it in the container to keep the area clean.

Specifications

Size:	700mm [L] x 300mm [H] x 300mm [W] 10mm steel carry handle
Weight:	15Kg when empty
Max. Volume:	63 Litres, recommended fill 10 Litres
Material:	3mm Heavy Duty British Steel Hardwearing Nylon Bristles



Durable



15Kg



Stackable



Water filled

✓ Hire

✓ Used/2nd hand

✓ Buyback

✓ Finance