




PRESTIGE

Standing out through its pure, straight lines, the **Prestige** executive desk owes its imposing presence to their superb thick tops 38 mm and their quality and neat finishes. **Prestige** is characterised by a contemporary design and the combination of its finishes.








PRESTIGE




CHARACTERISTICS




— Metal legs finishes —



— Tops and storage units MFC finishes —




Desk - front view



Desk - side view

Desk - top view



Conference table side view

Conference table top view

Conference table with extension top view

PRESTIGE



Top

38 mm Nitech® honeycomb melamine-coated panels. 2 mm thick shock-proof ABS edging.



Electrification

2 Ø 80 mm cable ports with a square chrome cover.



Return storage unit (depending on version)

The desk and return storage unit are connected by a shortened ribbon leg so that the unit fits perfectly into the desk structure.


Leg

Metal arch ribbon leg of cross-section 70 x 30 mm, black or chrome epoxy finish.




TECHNICAL DESCRIPTION

- 38 mm Nitech® honeycomb melamine-coated panels with 3 mm thick inner edging.
- 2 mm thick shock-proof ABS edging.
- Metal arch ribbon leg of cross-section 70 x 30 mm, black or chrome epoxy finish, based on a self-supporting beam system with desk tops raised by spacers.
- The desk is fitted with 2 Ø 80 mm cable ports with a square chrome cover.
- Adjustable screw feet of Ø 25 mm and 10 mm range to compensate for any unevenness in the floor.
- Return storage unit made of 16/25 mm Structorex® melamine-coated panels, composed of 2 compartments or 2 drawers (depending on version). Dim. L 120 / D 56,5 / H 52,5 cm.
- The desk and return storage unit are connected by a 15 cm high shortened ribbon leg which rests perfectly on the return storage unit.
- The conference tables are equipped with double Top Access hatches in central position, in the same finish as the legs.



PRESTIGE



Executive DESKS



D 100 CM

		Dim. (cm)	Description	Ref.	Finish
Straight desk D 100 / H 73,5 cm		L 200	Black leg	BG685	+
			Chrome leg	BG686	+
Desk on open storage unit		Overall dimensions D 160 / H 73,5 / L 240 Storage unit D 56,5 / H 52,5 / L 120	Black leg	BY845	+
			Chrome leg	BY846	+
Desk on return storage unit with drawers		Overall dimensions D 160 / H 73,5 / L 240 Storage unit D 56,5 / H 52,5 / L 120	Black leg	BY885	+
			Chrome leg	BY886	+

► Option

		Dim. (cm)	Description	Ref.	Finish
Structurex® suspended modesty panel L 166 cm		For L 200 H 28 cm H 33 cm desk-mounted	Black brackets	DA175	+
			Chrome brackets	DA176	+


How to order ? Desk on open storage unit, 38 mm thick top, **Black** metal leg, **Bleached Oak** MFC finish top = BY845 + **N**







Available from - Merlin Industrial Products Ltd - 0800 0418 650 - info@merlin-industrial.co.uk



Conference TABLES











The conference tables are composed of multiple tops which will not have continuity of grain when placed next to each other.



	Dim. (cm)	Description	Ref.	Finish
Conference tables Double opening Top Access hatch and cable tray included	 D 140 / H 73,5 / L 240 (seats 8 to 10 people)	Black leg	DQ985	+ 
		Chrome leg	DQ986	+ 
Central extension for conference tables Double opening Top Access hatch and cable tray included	 D 140 / H 73,5 / L 140 (seats 4 people)	Black leg	DQ995	+ 
		Chrome leg	DQ996	+ 

STORAGE



	Dim. (cm)	Description	Ref.	Structure finish	Doors finish
Storage with 2 hinged doors 4 compartments 	D 43 / H 123,5 / L 100	Black base	BZ215	+ 	+ 
		Chrome base	BZ216	+ 	+ 
Storage with 4 hinged doors 	D 43 / H 123,5 / L 100	Black base	BZ225	+ 	+ 
		Chrome base	BZ226	+ 	+ 

How to order ? Conference table L 240 cm, 38 mm thick top, **Black** metal leg, **Bleached Oak** MFC finish top = DQ985 + 

Available from - Merlin Industrial Products Ltd - 0800 0418 650 - info@merlin-industrial.co.uk