

for negotiations, meetings or personal concentration, must be carefully designed. Buronomic's imposing and prestigious, practical and authentic ranges accompany a manager all through their working day.


SIMPLE YET SOPHISTICATED



Managers work on average 50 hours a week! The manager's environment, used as a space








**Details** 

1. Cable routing groove on the desk return. 2. Oblique front facing to assert its identity.







### STRUCTUREX® PANELS

Full panels of particles with melamine surfacing. Counter-balanced and treated against reflection. Thickness 16 to 25 mm. Density 680 kg/m³ for the 25 mm panels. Tested as conforming to abrasion and hot & cold water resistance to the XP D60-050 standard.




#### **NITECH® PANELS**

Honeycombed panels between 2 melamine coated 8 mm infills, total thickness 38 mm. Decorative coating imitating a choice of wood soecies. Anti-shock reinforcement edging in ABS, thickness 2 mm.



#### **5 YEAR GUARANTEE**

The quality and durability of the materials enable us to guarantee all our ranges for 5 years under normal conditions of use.



### **Technical description**

#### Desk

- Top and infill panel is in 38 mm Nitech® are edged with reinforced 3 mm edging and finished with a 2 mm ABS edging.
- The desk rests on rectangular chrome finish pads.
- Structurex® modesty panel available in a mat decorative finish.
- The desk surface can be increased with a left or right hand return.
- The Structurex® return top has a scallop shaped cut that allows cables through from the desktop to the floor.
- The return can be fitted with an extra frosted glass shelf (L 82 x D 49 cm).

#### Credenza

- The structure is made of 38 mm thick Nitech® panels, with reinforced 3 mm edging and 16 mm thick Structurex® panel.
- 2 mm ABS edging.
- Rests on 6 chrome finish rectangular pads.
- 2 fixed Structurex® shelves L 86,5 x D 36,2 cm that create 4 niches with available space of L 86,2 x D 36,2 x H 36,5 to 37 cm.
- 2 metal lateral filing shelves can be added in each storage compartment.
- The 1<sup>st</sup> sliding door is made in 16 mm thick Structurex<sup>®</sup>, it is fitted with a single point lock, is embedded in the storage structure and opens by sliding on a rail.
- The 2<sup>nd</sup> door is made in 38 mm thick Nitech<sup>®</sup>. This
  door slides on an external metal rail system.
- A stop prevents both doors from colliding.



# **Finishes**



storage and table

# Desks

### DESK



**DESK WITH RETURN** 



DESK WITH GLASS TOP RETURN



Dimensions in cm	Description	Ref.	+ Finish
D 90 to 94 / H 75 / L 180	right front infill facing left front infill facing	BG81 BG82	+
D 90 to 94 / H 75 / L 200	right front infill facing left front infill facing	BG83 BG84	+
D 90 to 180 / H 75 / L 184	right hand return left hand return	BG85 BG86	+
D 90 to 180 / H 75 / L 204	right hand return left hand return	BG87 BG88	+
		l	
D 90 to 180 / H 75 / L 184	right hand return left hand return	BG89 BG90	+
		2001	

D 90 to 180 / H 75 / L 184	right hand return left hand return	BG89 BG90	+
D 90 to 180 / H 75 / L 204	right hand return left hand return	BG91 BG92	+



### **Additional units**

### **CREDENZA**



Dimensions in cm	Description	Ref.	+ Finish
D 48 to 52 / H 86 / L 182	2 sliding doors	BG96	+ 📖

### **ROUND TABLE**



Ø 110 / H 75	round glass table top (seat 4 people)	BG93	+

### **CONFERENCE TABLE**



	D 120 - 140 / H 75 / L 260	conference table (seat 8 to 10 people)	BG94	+
ı				

# CONFERENCE TABLE EXTENSION







