




SELECT RÉUNION



SELECT RÉUNION

CHALEUREUX

Recognisable by its soft, warm hues, Select tables harmoniously combine wood finishes and plain colours. It would be difficult not to be tempted by an invitation to meet around its curved, friendly shapes. Proximity tables for four, conference table for ten, also adjustable by adding extensions to accommodate a large number of attendees, Select meeting furniture goes from singular to plural in complete simplicity.



Details

1. Combination of Structurex® and Nitech® with materials. 2. Aesthetic table profile with glass top and metal spacer.



Materials and warranty

Our industrial know-how guarantees the quality and durability of the materials used to make our furniture.



STRUCTUREX® PANELS

Full panels of particles with melamine surfacing. Counter-balanced and treated against reflection. Thickness 16 to 25 mm. Density 680 kg/m³ for the 25 mm panels. Tested as conforming to abrasion and hot & cold water resistance to the XP D60-050 standard.



NITECH® PANELS

Honeycombed panels between 2 melamine coated 8 mm infills, total thickness 38 mm. Decorative coating imitating a choice of wood species. Anti-shock reinforcement edging in ABS, thickness 2 mm.



5 YEAR GUARANTEE

The quality and durability of the materials enable us to guarantee all our ranges for 5 years under normal conditions of use.

+ More details

ELECTRIFICATION

The tables are fitted with a double entry Top Access flap and a lower Structurex® shelf which can accommodate one or more socket blocks.

LEG

The legs are composed of 3 elements, 2 x 38 mm Nitech® board bonded to a central 25 mm Structurex® board, creating a two-tone and two material leg frame.

Technical description


Round table

- 10 mm thick, 110 cm diameter glass top transparent in the middle and frosted on the edge.
- The centre part therefore reveals the two-tone board detail.
- Suspended glass top resting on 4 metal, 35 mm diameter spacers.
- The 38 mm thick Nitech® structure is made of 2 panels that fit into each other to form a crossed leg.

Conference table


- 38 mm thick Nitech® panels, with reinforced 3 mm edging and a finish 2 mm ABS edging.
- The legs are composed of 3 elements, 2 x 38 mm Nitech® board bonded to a central 25 mm Structurex® board, creating a two-tone and two material leg frame.
- The legs are joined together by two 16 mm Structurex® modesty panels.
- The conference table can be expended indefinitely using the L 140 x D 140 cm shared leg modules. Each extension seats 4 extra people.
- The intermediate leg is fitted with a cable port allowing horizontal cable management.
- The tables are fitted with a double entry Top Access flap and a lower Structurex® shelf which can accommodate one or more socket blocks.

Finishes



Tables

ROUND TABLE



Dimensions in cm	Description	Ref.	+ Finish
Ø 110 / H 75	round glass table top (seat 4 people)	BG93	+

CONFERENCE TABLE



D 120 - 140 / H 75 / L 260	conference table (seat 8 to 10 people)	BG94	+
----------------------------	---	------	---


CONFERENCE TABLE
EXTENSION



D 140 / H 75 / L 140	table extension (4seat 4 people)	BG95	+
----------------------	-------------------------------------	------	---

Additional units

CREDENZA



Dimensions in cm	Description	Ref.	+ Finish
D 48 to 52 / H 86 / L 182	2 sliding doors	BG96	+

GRÂCE CHAIR



Description	Detail	Finish	Reference
Polypropylene back and seat - metal chromed ring Ø 11 mm	Set of 2 chairs	Black	BN666G
		White	BN666S
	Set of 4 chairs	Black	BN766G
		White	BN766S

ENTENTE CHAIR



Description	Finish	Reference
Eco leather back and seat - chrome-plated steel skidbase	Black White	BM976G BM976S

