



**MODULAR AND
FUNCTIONAL
MEETING TABLE**



Executives spend 16 years of their lives in meetings! With occasional and conference tables of modular size and shape, Buronomic helps you create a meeting space to suit your mood and requirements and make those 16 years as productive and comfortable as possible.



Supplied by Merlin Industrial Products Ltd - 0845 124 9955 - sales@mipl.uk



SUCCÈS

CONVIVIALITÉ

Thanks to their dimensions as well as their technical and functional characteristics, Succès tables accommodate your employees comfortably and efficiently during meetings. Adjustable by adding extensions, the modular tables adapt to the space and number of seated attendees. To reflect modern habits, the range features cable management solutions to connect your multimedia equipment.




Details

1. Optional built-in electrical socket strip on worktop for easy connections. 2. Optional designer metal modesty panel.



Materials and warranty

Our industrial know-how guarantees the quality and durability of the materials used to make our furniture.



STRUCTUREX® PANELS

Full panels of particles with melamine surfacing. Counter-balanced and treated against reflection. Thickness 16 to 25 mm. Density 680 kg/m³ for the 25 mm panels. Tested as conforming to abrasion and hot & cold water resistance to the XP D60-050 standard.



5 YEAR GUARANTEE


The quality and durability of the materials enable us to guarantee all our ranges for 5 years under normal conditions of use.

+ More details

MODESTY PANEL
Aluminium or White lacquered epoxy finish.

LEG



Top and leg structure are made of 25 mm thick Structurex® board.



Technical description

- Top and leg structure are made of 25 mm thick Structurex® board.
- 2 mm ABS edging.
- Aluminium or White lacquered epoxy finish.
- "T" shape leg fitted with screw jacks 38 mm diameter allowing up to 10 mm adjustment to compensate for any defects in the floor.
- Data module fitted with 3 m of cables for 2 Power sockets, 2 data sockets, 1 USB to load and 1 USB to data transfer.

Finishes




Tables

ROUND TABLE




Dimensions in cm	Description	Ref.	+ Finishes
Ø 170 / H 73,5	basic specification	BR283	+ L
	with modesty panel	BR29	+ L L
	with electrification (3 modules)	BR323	+ L
	with modesty panel + electrification	BR33	+ L L L

L 310 CM OVAL TABLE




D 170 / H 73,5 / L 310 (seat 8 to 12 people)	basic specification	BQ773	+ L
	with modesty panel	BQ83	+ L L
	with electrification (2 modules)	BR053	+ L
	with modesty panel + electrification	BR11	+ L L L

L 225 CM "U" TABLE



D 310 / H 73,5 / L 225 (seat 8 to 10 people)	basic specification	BQ793	+ L
	with modesty panel	BQ85	+ L L L
	with electrification (3 modules)	BR073	+ L
	with modesty panel + electrification	BR13	+ L L L




modesty panel



top MFC finishes


Tables

L 310 CM SQUARE TABLE



Dimensions in cm	Description	Ref.	+ Finishes
D 310 / H 73,5 / L 310 (seat 12 to 16 people)	basic specification	BQ783	+ <input type="checkbox"/>
	with modesty panel	BQ84	+ <input type="checkbox"/>
	with electrification (4 modules)	BR063	+ <input type="checkbox"/>
	with modesty panel + electrification	BR12	+ <input type="checkbox"/>

L 394 CM ELLIPTICAL TABLE




D 230 / H 73,5 / L 394 (seat 12 to 14 people)	basic specification	BQ743	+ <input type="checkbox"/>
	with modesty panel	BQ80	+ <input type="checkbox"/>
	with electrification (6 modules)	BR023	+ <input type="checkbox"/>
	with modesty panel + electrification	BR08	+ <input type="checkbox"/>

L 140 CM EXTENSION

D 70 / H 73,5 / L 140 (2 people)	basic specification	BR343	+ <input type="checkbox"/>
	with modesty panel	BR35	+ <input type="checkbox"/>
	with electrification (1 module)	BU123	+ <input type="checkbox"/>
	with modesty panel + electrification	BU13	+ <input type="checkbox"/>

Components






modesty panel




top MFC finishes





90° CORNER




Dimensions in cm	Description	Ref.	+ Finishes
D 74,5 / L 120	basic specification with modesty panel	BS023	+ 
		BS03	+ 





120° CORNER




D 77,5 / L 147	basic specification	BS043	+ 
	with modesty panel	BS05	+ 
	with electrification (1 module)	BS073	+ 
	with modesty panel + electrification	BS09	+ 





CURVED TOP



D 78 / L 160	basic specification	BS103	+ 
	with modesty panel	BS11	+ 
	with electrification (1 module)	BS133	+ 
	with modesty panel + electrification	BS15	+ 




INTERMEDIATE STRAIGHT TOP



D 70 / L 140	basic specification	BS163	+ 
	with modesty panel	BS17	+ 
	with electrification (1 module)	BS193	+ 
	with modesty panel + electrification	BS21	+ 

2 FINAL STRAIGHT TOPS



D 70 / L 140	basic specification	BS223	+ 
	with modesty panel	BS23	+ 
	with electrification (2 modules)	BS253	+ 
	with modesty panel + electrification	BS27	+ 